
### KAIZEN Step 6: "Check effectiveness of countermeasure"


KAIZEN Training of Trainers 2015




### Objectives of the session

At the end of the session, trainees are able to:

- Describe process of effectiveness check of KAIZEN activities
- 2. Identify effective countermeasures
- 3. Demonstrate the process of effectiveness check at working environment



#### Outline of effectiveness check



#### How to check effectiveness of KAIZEN

- Compare frequency and reduction rate of frequency between before and after KAIZEN
- Check achievement to your target set in Step 2 (reduction rate)
- Compare other information in terms of:
  - Cost
  - Work labor
  - cost effectiveness
  - Quality
  - Work process
  - Human resource etc.



# Data collection (Situation analysis after KAIZEN)

- Review methods of situation analysis done in KAIZEN Step 2
- Conduct situation analysis in the same methods:
  - Same data
  - Same period of data collection
  - Same methodologies of data collection

# Development of a comparison calculation table

	Contributing factors	Before KAIZEN			After KAIZEN			Reduction of	Reduction rate
SQ#		Frequency	Cumulative frequency	Accumulation ratio (%)	Frequency	Cumulative frequency	Accumulation ratio (%)		(%)
1	Number of giving wrong injectable medicines	25	25	46.3	7	7	46.7	18	72.0
2	Number of giving wrong inhale medicines	16	41	75.9	4	11	73.3	12	75.0
3	Giving wrong oral medicines	6	47	87.0	3	14	93.3	3	50.0
4	Giving wrong volume of insulin	5	52	96.3	1	15	100	4	80.0
5	Number of giving wrong ointment	2	54	100	0	15	100	2	100.0
	Total	54	-	-	15	-	-	39	72.2

Data of before KAIZEN

Data of after KAIZEN Reduction between before and after KAIZEN

#### Formula of reduction rate




```
Frequency of before KAIZEN) - (Frequency of after KAIZEN)
```

(Frequency of before KAIZEN)

< 100


#### Development of comparison Pareto chart



Same order of "the contributing factors" between before and after KAIZEN even if the order of contributing factors is changed.

## (Example) Comparison results between before and after KAIZEN

	Contributing factors	Before KAIZEN			After KAIZEN			Paduction of	Reduction rate
SQ#		Frequency	Cumulative frequency	Accumulation ratio (%)	Frequency	Cumulative frequency	Accumulation ratio (%)	frequency	(%)
1	Number of giving wrong injectable medicines	25	25	46.3	7	7	46.7	18	72.0
2	Number of giving wrong inhale medicines	16	41	75.9	4	11	73.3	12	75.0
3	Giving wrong oral medicines	6	47	87.0	3	14	93.3	3	50.0
4	Giving wrong volume of insulin	5	52	96.3	1	15	100	4	80.0
5	Number of giving wrong ointment	2	54	100	0	15	100	2	100.0
	Total	54	-	-	15	-	-	39	72.2



### Breaking down your effectiveness

- Clarify whether each countermeasures were effective or not
- Relation between countermeasures and effectiveness can be categorized into 4 groups

		Effectiveness				
		Effective	Not effective			
mplementation	Countermeasure implemented	1) It is effective and need to be standardized	It is not effective and need to review measures			
Implem	Countermeasure not implemented	③ Need to clarity why it is effective	(DO something)			


#### Cont.

- 1. Effectiveness should be measured by each countermeasure
- The countermeasure that is not implemented but show good effects need to be investigated the reason
- 3. The countermeasure that is not implemented and cannot measure effectiveness need to be implemented

#### Cont.

- 3. It is necessary to review countermeasures if the countermeasures were not effective
- The countermeasures that were implemented and judged as "effective" will be standardized in Step 7
- 5. The countermeasures may cause bad effects. If bad effects are greater than effectiveness, it is necessary to review the countermeasures

#### Identify effective countermeasures



### Thank you for listening