

Environmental Monitoring Report (Construction Phase)



CONTENTS

1. **Executive Summary**
2. **Summary of Monitoring Activities**
3. **Construction Progress**
4. **Monitoring Results**
5. **Environmental Monitoring Form**

Appendix

- A. **Air, Water and Waste Water Monitoring Report November, 2014**
- B. **Water and Waste Water Monitoring Report December, 2014**
- C. **Noise and Vibration Monitoring Report November, 2014**
- D. **Monthly Progress Report for October, 2014**
- E. **Monthly Progress Report for November, 2014**
- F. **Monthly Progress Report for December, 2014**
- G. **Sampling and Laboratory Analysis Inspection for Oil and Grease of
Water Quality Analysis, February 2015**

1. Executive Summary

The environmental inspection and compliance monitoring program will be implemented under the direction of Ministry of Environmental Conservation and Forestry with oversight by Thilawa SEZ Management Committee.

The monitoring record according to the Environment Monitoring Plan is submitted in conformity with the provision of Chapter 9.1, Table 9.1-2 and 9.2, Table 9.2-2 Content of the EIA Report of Thilawa SEZ (Zone A). Development Project.

2. Summary of Monitoring Activities

a) Progress made to date on the implementation of the EMP against the submitted implementation schedule:

EMP for Pre-construction Phase was submitted on March 2014. EMP for Construction Phase First Report was submitted at June 2014 and Second Report at September 2014. The Third implementation report during Construction Period is submitted this day. Subsequent reports will be submitted on a quarterly base.

b) Difficulties encountered in implementing of the EMP and recommendations for remedying those difficulties and steps proposed to prevent or avoid similar future difficulties:

In October 2014 monitoring report, the result of oil and grease monitoring has been exceeding than the standard. For ground water, MJTD inform to Monastery to maintain oil leakage from pump machinery of ground water tube well. For SW points, MJTD also take consider and notice cause of human contamination to the creek outside of the Thilawa SEZ (Zone A). For laboratory sampling, we will remind to environmental consultant to get accurate result by using method APHA 5520B.

c) Number and type of non-compliance with the EMP and proposed remedial measures and timelines for completion of remediation:

Only one item, type is Oil and grease. So, re-monitoring has been done at 21 November 2014 and 11 December 2014. The sample water has been sent to SGS Myanmar and SGS Thailand. After investigation and comparing re-monitoring results, the sample water during sampling oil and grease was not visibly present. So, it may be error in the surveying process and testing method. The completion of remediation for oil and grease at 23rd December 2014 and the result is not detected.

d) Accidents or incidents relating to the occupational and community health and safety, and the environment:

Neither accidents nor incidents happen during this monitoring period.

e) Monitoring data on environmental parameters and conditions as committed in the EMP or otherwise required.

Please refer to the attached Environmental Monitoring Form.

3. Construction Progress

Thilawa SEZ Zone A Development Project, Phase 1 construction activities is submitted enclosed with monthly progress reports from contractor in Appendix A to C.

- Monthly Progress Report for October, 2014
- Monthly Progress Report for November, 2014
- Monthly Progress Report for December, 2014

4. Monitoring Result

Environmental Monitoring plan report for Construction Phase implemented according to the following table, reference on Table 4.2-2, Chapter 4, EIA report.

Monitoring Plan (Construction Phase)

Category	Item	Location	Frequency	Remark
Air Quality	No2, So2, Co, TSP, PM10	Construction site (1point)	Once/ 3month	November 2014, Monitoring Report
Water Quality	Water temperature, PH, SS, DO, BOD, COD, coliform count, oil and grease, chromium	Construction site (1point) Well in the Monastery (1 point)	Once/2 month	November 2014, December 2014 Monitoring Reports
Waste	Amount of solid waste Management of solid waste of construction	Construction site	Once/3month	Monthly progress reports (October, November, December) 2014
Noise and Vibration	Noise and vibration level of construction	Preservation area such as residence around the proposed construction site (2 points)	Once/3moth (peak period)	Noise and Vibration monitoring report November 2014
		Preservation site such as residence along the route for on-site vehicles (2points)	Once(peak period)	
Ground Subsidence	Ground elevation Consumption of ground water amount	Representative (1 point)	Every week	Monthly progress reports (October, November, December)2014
Hydrology				
Risk for infectious disease such as AIDS/HIV	Status of measures of infectious disease	Construction site	Once/month	Monthly progress reports (October, November, December)2014
Working conditions (including occupational safety)	Prehension of condition of occupational safety and health Prehension of infectious disease	Construction site	Once/ month	
Accident	Existence of accident	Construction site	As occasion arise	

**Thilawa Special Economic Zone (ZONE A)
Development Project –Phase 1**

5. Environment Monitoring Form

Environment Monitoring Form

The latest results of the below monitoring items shall be submitted to Authorities on once at Pre-construction phase and on quarterly basis at Construction Phase, and on bi-annually base at Operation Phase. The items, standards to be applied, measurement points, and frequency for each monitoring parameter are established based on the EIA Report for Thilawa Special Economic Zone Development Project (Zone A). Should there be any changes to the original plan, such change shall be reviewed and evaluated by environmental expert.

(1) General
1) Phase of the Project

- Please mark the current phase.

Pre-Construction Phase Construction Phase Operation Phase

2) Obtainment of Environmental Permits (Not Applicable)

Name of permits	Expected issuance date	Actual issuance date	Concerned authority	Remarks (Conditions, etc.)

Attached approval letter:

3) Response/Actions to Comments and Guidance from Government Authorities and the Public (Not Applicable)

Monitoring Item	Monitoring Results during Report Period	Duration of Report Period	Frequency
Number and contents of formal comments made by the public		Same timing of submission of Monitoring Report	Upon receipt of comments/ complaints
Number and contents of responses from Government agencies			

1

(2) Monitoring Results
1) Ambient/ Air Quality - November 2014

NO₂, SO₂, CO, TSP, PM10

Location	Item	Unit	Measured Value (Mean)	Measured Value (Min-Max.)	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
Construction Area Near Gate 2	NO ₂	ppm	0.04	0.04-0.05	N/A	N/A	0.06	Once in three months	HAZSCANNER, EPAS	
	SO ₂	ppm	0.01	0.01-0.02	N/A	N/A	0.04		HAZSCANNER, EPAS	
	CO	ppm	0.33	0.24-0.39	N/A	N/A	10		HAZSCANNER, EPAS	
	TSP	ppm	0.09	0.07-0.12	N/A	N/A	0.33		HAZSCANNER, EPAS	
	PM10	ppm	0.04	0.03-0.06	N/A	N/A	0.12		HAZSCANNER, EPAS	

*Remark: Referred to the Japan and Thailand Standard (EIA Report, Table 6.4-1)

Complains from Residents

- Are there any complains from residents regarding air quality in this monitoring period? Yes, No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

Contents of Complains from Residents	Countermeasures

2

2) (a) Water Quality - October (17-October 2014)
Measurement Point: Effluent of Wastewater

 - Are there any effluents to water body in this monitoring period? Yes, No

If yes, please attach "Analysis Record" and fill in the items not to comply with Refereed International Standard.

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
SW-2	pH	mg/l	7.40	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	
	SS	mg/l	521.3*		Max.30			Gravimetric method	
	DO	mg/l	7.6		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	13.6		Max. 60			Dichromate method	
	BOD	mg/l	4		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	9.3*1		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.012000		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	12		-			7.5×10 ³	
SW-3	pH	mg/l	8	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	
	SS	mg/l	550.7*		Max.30			Gravimetric method	
	DO	mg/l	7.59		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	20.2		Max. 60			Dichromate method	
	BOD	mg/l	8		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	6.2*1		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.025		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	46		-			7.5×10 ³	

3

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
SW-4	pH	mg/l	7.46	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	
	SS	mg/l	330.7*		Max.30			Gravimetric method	
	DO	mg/l	6.20		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	20.3		Max. 60			Dichromate method	
	BOD	mg/l	7		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	4.4		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.012		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	33		-			7.5×10 ³	
SW-7	pH	mg/l	7.74	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	
	SS	mg/l	48.7*		Max.30			Gravimetric method	
	DO	mg/l	9.0		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	5.7		Max. 60			Dichromate method	
	BOD	mg/l	1.9		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	7.2*1		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.01		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	230		-			7.5×10 ³	
SW-8	pH	mg/l	7.59	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	
	SS	mg/l	135*		Max.30			Gravimetric method	
	DO	mg/l	9.3		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	6.0		Max. 60			Dichromate method	

4

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
	BOD	mg/l	2		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	7.3 ^{*1}		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.01		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	490		-	7.5×10 ³		AOAC Petrifilm Method	
GW-1	pH	mg/l	7.79			5.5-9.0		pH meter, HI7609829-1 pH Sensor	
	SS	mg/l	22.7			50		Gravimetric method	
	DO	mg/l	8.4			>=4		HI7609829-2,(D.O)sensor	
	COD	mg/l	8.5			30		Dichromate method	
	BOD	mg/l	3.4	N/A	N/A	15	Once in two month	Direct inoculation method	
	Oil and Grease	mg/l	6.3 ^{*1}			0.1		APHA-AWWA-WEF Method	
	Cr	mg/l	0.012			0.04		APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	12			7.5×10 ³		AOAC Petrifilm Method	

*Remark: Referred to the Vietnam Standard (EIA Report), Reference to the Monitoring Report, October 2014.

*Remark: Total suspended solid has been exceeding the reference standard since before construction phase as reported in the result of EIA Monitoring report (Sep 2013).

*1 Reason of exceed: All points of oil and grease parameter except (SW 4) has been exceeding the reference standard. So re-monitored and investigated the situation for oil and grease parameter at all points. The possible reason for oil and grease content for GW 1 may be human contamination or oil leakage from pump machinery of tube well and for other areas may be human or upstream contamination. And according to MKI analysis result, need to check both SGS Myanmar and SGS Thailand about details of analytical methods they are applying. Please kindly refer Sampling and Laboratory Analysis Inspection for Oil and Grease of Water Quality Analysis, February 2015.

a(i) Water Quality Recheck for Oil and Grease Parameter (21 November 2014)

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
GW-1	Oil and Grease	mg/l	5.6 ^{*1}	N/A	Max 5				

*1 Reason of exceed: Water quality of GW 1 may be human contamination or oil leakage from water pump machinery of tube well.

a(ii) Water Quality Recheck for Oil and Grease Parameter (11 December 2014)

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	Referred International Standard*	Frequency	Method	Note (Reason of excess of the standard)
SW-2	Oil and Grease	mg/l	1.2	N/A	Max 5			APHA 5520 B	
SW-3	Oil and Grease	mg/l	3.6	N/A	Max 5			APHA 5520 B	
SW-4	Oil and Grease	mg/l	1.2	N/A	Max 5			APHA 5520 B	
GW-1	Oil and Grease	mg/l	ND	N/A	Max 5			APHA 5520 B	

(b) Water Quality – December 2014
Measurement Point: Effluent of Wastewater

 - Are there any effluents to water body in this monitoring period? Yes, No

If yes, please attach "Analysis Record" and fill in the items not to comply with Refereed International Standard.

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
SW-2	pH	mg/l	7.35	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	SGS Myanmar Lab
	SS	mg/l	2223*		Max.30			Gravimetric method	
	DO	mg/l	7.6		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	40.9		Max. 60			Dichromate method	
	BOD	mg/l	15.0		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	1.9		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.000		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	23		-			7.5×10 ³	
SW-3	pH	mg/l	7.91	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	SGS Myanmar Lab
	SS	mg/l	1958*		Max.30			Gravimetric method	
	DO	mg/l	7.12		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	52.5		Max. 60			Dichromate method	
	BOD	mg/l	21.0		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	ND		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.000		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	350		-			7.5×10 ³	

7

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
SW-4	pH	mg/l	7.5	N/A	5.0-9.0	>=4	Once in two month	pH meter, HI7609829-1 pH Sensor	SGS Myanmar Lab
	SS	mg/l	781*		Max.30			Gravimetric method	
	DO	mg/l	6.32		-			HI7609829-2,(D.O)sensor	
	COD	mg/l	62.0		Max. 60			Dichromate method	
	BOD	mg/l	25.0		Max. 20-60			Direct inoculation method	
	Oil and Grease	mg/l	ND		Max. 5			APHA-AWWA-WEF Method	
	Cr	mg/l	0.000		Max. 0.5			APHA-AWWA-WEF Method	
	Total coliforms	cfu/100ml	140		-			7.5×10 ³	
GW-1	pH	mg/l	7.81	N/A	N/A	5.5~9.0	Once in two month	pH meter, HI7609829-1 pH Sensor	SGS Myanmar Lab
	SS	mg/l	90.0*		50	Gravimetric method			
	DO	mg/l	8.32		>=4	HI7609829-2,(D.O)sensor			
	COD	mg/l	12.0		30	Dichromate method			
	BOD	mg/l	4.7		15	Direct inoculation method			
	Oil and Grease	mg/l	ND		0.1	APHA-AWWA-WEF Method			
	Cr	mg/l	0.000		0.04	APHA-AWWA-WEF Method			
	Total coliforms	cfu/100ml	2.2		-	7.5×10 ³		AOAC Petrifilm Method	

*Remark: Referred to the Vietnam Standard (EIA Report), Reference to the Monitoring Report, December 2014.

*Remark: Total suspended solid has been exceeding the reference standard since before construction phase as reported in the result of EIA Monitoring report (Sep 2013).

(b)(i) SGS Thailand Laboratory results for oil and grease parameter at all points are as following:

Location	Item	Unit	Measured Value	Country's Standard	Target value to be applied	Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
SW-2	Oil and grease (SGS Thailand)	mg/l	<1	N/A	Max 5			APHA 5520 B	
SW-3	Oil and grease (SGS Thailand)	mg/l	<1	N/A	Max 5			APHA 5520 B	
SW-4	Oil and grease (SGS Thailand)	mg/l	<1	N/A	Max 5			APHA 5520 B	
GW-1	Oil and grease (SGS Thailand)	mg/l	5	N/A	Max 5			APHA 5520 B	

3) Soil Contamination (only operation phase)

Situations environmental report from tenants

- Are there any serious issues regarding soil contamination in this monitoring period? Yes, No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

Contents of Issues on Soil Contamination	Countermeasures

4) Noise -November 2014

Noise Level (Along the Thilawa Development Road)

Location	Item	Unit	Measured Value (Mean)	Measured Value (Min~Max)	Country's Standard	Target value to be applied	*Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
TNV-1	Leq (day)	dB(A)	58	54-65	N/A	N/A	75	Once (peak period)	Sound Level Meter	
	Leq(eve)	dB(A)	55	52-58			70			

*Remark: Referred to the Japan Standard (EIA Report), Reference to the Noise and Vibration Report November 2014.

Noise Level (Living Environment-Near Monastery)

Location	Item	Unit	Measured Value (Mean)	Measured Value (Min~Max)	Country's Standard	*Target value to be applied	Referred International Standard	Frequency	Method	Note (Reason of excess of the standard)
TNV-2	Leq (day)	dB(A)	56	48-66	N/A	75	Singapore	Once in 3 months	Sound Level Meter	
	Leq(eve)	dB(A)	59	56-62		60				
	Leq(night)	dB(A)	51	50-54		55				
TNV-3	Leq(day)	dB(A)	54	49-63	N/A	75	Singapore	Once in 3 months	Sound level Meter	
	Leq(eve)	dB(A)	54	52-57		60				
	Leq(night)	dB(A)	47	44-56		55				

*Remark: Referred to the Singapore Target Noise Standard (EIA Report), Reference to the Noise and Vibration Report November 2014.

Complains from Residents

- Are there any complains from residents regarding noise in this monitoring period? Yes, No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

Contents of Complains from Residents	Countermeasures

5) Solid Waste
Measurement Point: Construction Site (Construction Phase), Storage for Sludge (Operation Phase)

- Are there any wastes of sludge in this monitoring period? Yes, No

If yes, please report the amount of sludge and fill in the results of solid waste management Activities.

No.	Date	Description	No.of Loads	Remarks
1	17-Sep-14	Waste Disposal	01	YCDC
2	26-Sep-14	Waste Disposal	01	YCDC
3	29-Sep-14	Waste Disposal	01	YCDC
4	25-Oct-14	Waste Disposal	01	YCDC
5	7-Nov-14	Waste Disposal	01	YCDC
6	21-Nov-14	Waste Disposal	01	YCDC
7	1-Dec-14	Waste Disposal	02	YCDC
8	6-Dec-14	Waste Disposal (Sewage)	01	YCDC

Remark: Referred to Monthly Progress Report (September, October, November and December) 2014

6) (a) Ground Subsidence and Hydrology-September 2014

Duration (Week)	Water Consumption		Ground Level		Frequency	Note
	Quantity	Unit	Quantity	Unit		
4-Sep-2014	188	m ³ /week	+7.000	m	Once a week	
11-Sep-2014	198	m ³ /week	+7.000	m		
18-Sep-2014	223	m ³ /week	+7.000	m		
25-Sep-2014	193	m ³ /week	+7.000	m		

*Reference to the Monthly Progress Report September 2014.

(b) Ground Subsidence and Hydrology-October 2014

Duration (Week)	Water Consumption		Ground Level		Frequency	Note
	Quantity	Unit	Quantity	Unit		
2-Oct-2014	101	m ³ /week	+7.012	m	Once a week	
9-Oct-2014	143	m ³ /week	+7.014	m		
16-Oct-2014	132	m ³ /week	+7.013	m		
23-Oct-2014	176	m ³ /week	+7.012	m		
30-Oct-2014	131	m ³ /week	+7.014	m		

*Reference to the Monthly Progress Report October 2014.

(c) Ground Subsidence and Hydrology-November 2014

Duration (Week)	Water Consumption		Ground Level		Frequency	Note
	Quantity	Unit	Quantity	Unit		
6-Nov-2014	65	m ³ /week	+7.014	m	Once a week	
13-Nov-2014	162	m ³ /week	+7.015	m		
20-Nov-2014	160	m ³ /week	+7.015	m		
27-Nov-2014	150	m ³ /week	+7.015	m		

*Reference to the Monthly Progress Report November 2014.

(d) Ground Subsidence and Hydrology-December 2014

Duration (Week)	Water Consumption		Ground Level		Frequency	Note
	Quantity	Unit	Quantity	Unit		
4-Dec-2014	123	m ³ /week	+7.017	m	Once a week	
11-Dec-2014	149	m ³ /week	+7.015	m		
18-Dec-2014	132	m ³ /week	+7.015	m		
25-Dec-2014	129	m ³ /week	+7.015	m		

*Reference to the Monthly Progress Report December 2014.

7) Offensive Odor (only operation phase) Not Applicable at Construction Phase Report

Complains from Residents

- Are there any complains from residents regarding offensive odor in this monitoring period? Yes, No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

Contents of Complains from Residents	Countermeasures

Situations environmental report from tenants Not Applicable at Construction Phase Report

- Are there any serious issues regarding offensive odor in this monitoring period? Yes, No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

Contents of Issues on Soil Contamination	Countermeasures

8) Infectious disease, Working Environment, Accident

Information from contractor (construction phase) or tenants (operation phase)

- Are there any incidents regarding Infectious disease, Working Environment, Accident in this monitoring period? Yes, No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

Contents of Incidents	Countermeasures

Note: If emergency incidents are occurred, the information shall be reported to the relevant organizations and authorities immediately.

End of Document

**Thilawa Special Economic Zone (Zone A)
Development Project –Phase 1**

Appendix

Air, Water and Waste Water Monitoring Report

November, 2014

MONITORING REPORT
FOR
WATER QUALITY (OCTOBER 2014)
AND
AIR QUALITY (NOVEMBER 2014)
THILAWA SPECIAL ECONOMIC ZONE (ZONE A)



Resource & Environment Myanmar Ltd.
B-702/401 Delta Plaza Building, Shwegondaing Rd., Bahan, Yangon. MYANMAR
Tel: (959) 7301 3448; Fax: (951) 552901

www.enviromyanmar.net

Contents

	Page
1. Introduction	1
2. Description of the air quality monitoring station	4
3. Water Quality Monitoring	7

RESULT OF AIR AND WATER QUALITY MONITORING

1. Introduction

This is the fourth report for Air and water quality monitoring at Thilawa Special Economic Zone (TSEZ). This report sets out the environmental monitoring required throughout the construction of the Thilawa Special Economic Zone. The terms of reference for monitoring are shown in Table 1. The location of air and water monitoring points are shown in Figure 1 and Table 1.

Terms of Reference for Monitoring

Table 1 Terms of reference for air and water quality monitoring at TSEZ.

Description	items	Frequency	Location
Air Quality	TSP / PM10	1 time / 3months	At construction site (1point)
Waste water quality	pH, SS, DO, BOD, COD, Coliform count, oil and grease, chromium	1time / 2months	At the creek upstream and downstream which is crossed the car road (5points)
Underground water	pH, SS, DO, BOD, COD, Coliform count, oil and grease, chromium	1time /2months	Tube well inside of Moegyoswan Monastery (1 point)

Monitoring Instrument for Air and water

No.	Instrument	Brand & Model	Measurement/ Parameter	
1.	Environmental Perimeter Air Monitoring System	HAZ-SCANNER EPAS	CO, NO ₂ , NO, SO ₂ , PM (2.5), PM (10), VOCs, Relative Humidity, Temperature, Wind Speed, Wind Direction	
3	Alpha Bottle (Water Sampler)	Wildlife Supply Company® Indonesia		

So far, there is no environmental standard for ambient air quality in Republic of Myanmar, the survey result was evaluated by comparing with the standards in neighboring country like Thailand, Vietnam, Japan and IFC (Table 2). The consultant will apply the air quality standard in Thailand, Vietnam, Japan and IFC as shown in Table 1. As for TSP and PM10, the standards in Thailand were applied and the others were compared with the standards in Japan.

Table 2 Ambient Air Quality Standard in Southeast Asia

Item	Averaging period	Japan	Thailand	Vietnam	IFC
SO ₂	10 min	-	-	-	0.5mg/m ³
	1hour	0.1ppm	0.3ppm	0.35mg/m ³	0.125mg/m ³ (InterimTarget-1) 0.05mg/m ³ (InterimTarget-2) 0.02mg/m ³ (Guideline)
	24hours	0.04ppm	0.12ppm	0.125 mg/m ³	-
	1 year	-	-	0.05mg/m ³	-
NO ₂	1hour	-	0.17ppm	-	0.2mg/m ³
	24hours	0.04-0.06ppm	-	-	-
	1 year	-	0.03ppm	-	0.04mg/m ³
NO _x	1hour	-	-	0.2mg/m ³	-
	24hours	-	-	0.04mg/m ³	-
CO	1hour	-	30ppm	30mg/m ³	-
	8hours	20ppm	-	10mg/m ³	-
	24hours	10ppm	9ppm	-	-
TSP	1hour	-	-	0.3mg/m ³	-
	24hours	-	0.33mg/m ³	0.2mg/m ³	-
	1 year	-	0.10mg/m ³	0.14mg/m ³	-
PM ₁₀	24hours	-	0.12mg/m ³	0.15mg/m ³	0.15mg/m ³ (InterimTarget-1) 0.10mg/m ³ (InterimTarget-2) 0.07mg/m ³ (InterimTarget-3)
	1 year	-	0.05mg/m ³	0.05mg/m ³	0.07mg/m ³ (InterimTarget-1) 0.05mg/m ³ (InterimTarget-2) 0.03mg/m ³ (InterimTarget-3)
SPM	1hour	0.2mg/m ³	-	-	-
	24hours	0.1mg/m ³	-	-	-
PM _{2.5}	24hours	0.035mg/m ³	0.05mg/m ³	-	0.075mg/m ³ (InterimTarget-1) 0.05mg/m ³ (InterimTarget-2) 0.0375mg/m ³ (InterimTarget-3)
	1 year	0.015mg/m ³	0.025mg/m ³	-	0.035mg/m ³ (InterimTarget-1) 0.025mg/m ³ (InterimTarget-2) 0.015mg/m ³ (InterimTarget-3)
Ozone	1hour	-	0.10ppm	0.3mg/m ³	-
	8hourdaily	-	0.07ppm	0.2mg/m ³	0.16mg/m ³ (InterimTarget-1)
	maximum	-	-	-	0.1mg/m ³ (Guideline)
	1 year	-	0.04ppm	0.14mg/m ³	-
O _x	1hour	0.06ppm	-	-	-
Pb	24hours	-	-	0.0015mg/m ³	-
	1 month	-	0.0015mg/m ³	-	-
	1 year	-	-	0.0005mg/m ³	-

Source: National Air Quality Standard in Japan (CircularNo.25,1973, originally), Ministry of Environment, Japan
 Notifications of National Environmental Board No.10, 24,28,33, and 36, Ministry of Natural Resources and Environment, Thailand
 National Ambient Air Quality Standard (TCVN5973:2005), Ministry of Science and Technology in Vietnam
 Environmental, Health, and Safety Guidelines, General EHS Guidelines, IFC, 2007




Figure 1 Location of air and water monitoring points

2. Description of the air quality monitoring station

Survey Period

Air quality survey was conducted once per 3 months as per specification provided by the client. The monitoring period was about 7 consecutive days. The sampling duration for each day is as shown in Table 3. Air quality monitoring location is shown in Figure 2.

Table 3 Sampling Duration for Air Quality Survey

Day	Fourth Survey (November 15 th _ 22 nd)
Day 1	Nov. 15 th _ 16 th
Day 2	Nov. 16 th _ 17 th
Day 3	Nov. 17 th _ 18 th
Day 4	Nov. 18 th _ 19 th
Day 5	Nov. 19 th _ 20 th
Day 6	Nov. 20 th _ 21 st
Day 7	Nov. 21 st _ 22 nd

Source: Source: Resource & Environment Myanmar Co., Ltd.

Survey Method

Sampling and analysis of ambient air pollutants was conducted by referring to the recommendation of United States Environmental Protection Agency (U.S. EPA). The Haz-Scanner Environmental Perimeter Air Station (EPAS) was used to collect Ambient Air Monitoring data. The characteristics of the instrument are:

- Portable direct reading
- Configure up to 14 simultaneous air measurements including U.S. EPA criteria air pollutants

The basic specifications of the instrument are as follow.

Instrument	Brand	Model	Measurement/ Parameter
Environmental Perimeter Air Monitoring System	HAZ-SCANNER	EPAS	CO, NO ₂ , NO, SO ₂ , PM (2.5), PM (10), VOCs, Relative Humidity, Temperature, Wind Speed, Wind Direction




Figure 2 Location and site condition of air quality monitoring station.

Table 4. Sampling and Analysis Method for Air Quality

No.	Parameter	Analysis Method
1	Sulfur dioxide (SO ₂)	On site reading
2	Carbon monoxide (CO)	On site reading
3	Nitrogen dioxides (NO ₂)	On site reading
4	Total suspended particle (TSP)	On site reading
5	Particle matter 10 (PM10)	On site reading

Source: Resource & Environment Myanmar Co., Ltd.

Target Ambient Air Quality Level

Parameters	Averaging Period	Value
SO ₂	24 hours	0.12 ppm ¹
CO	24 hours	9 ppm ¹
NO ₂	24 hours	0.04 – 0.06 ppm ²
TSP	24 hours	0.33 mg/m ³ ¹
PM10	24 hours	0.12g/m ³ ¹

1 Thailand Standard

2 Japan Standard

Survey Result

One day average concentration of CO, NO₂, TSP, PM 10 and SO₂ are shown in Table 5. Hourly average data are presented in Appendix -1.

Table 5. one day average concentration of CO, NO₂, TSP, PM10 and SO₂

	Date	Time	CO	NO ₂	TSP	PM10	SO ₂
	D.M.Y	hours	ppm	ppm	mg/m ³	mg/m ³	ppm
1	15th-16th Nov, 2014	24	0.24	0.05	0.07	0.03	0.01
2	16th-17th Nov, 2014	24	0.30	0.04	0.09	0.04	0.02
3	17th-18th Nov, 2014	24	0.39	0.04	0.12	0.06	0.02
4	18th-19th Nov, 2014	24	0.39	0.04	0.09	0.04	0.01
5	19th-20th Nov, 2014	24	0.36	0.04	0.08	0.03	0.01
6	20th-21st Nov, 2014	24	0.35	0.04	0.10	0.05	0.01
7	21st-22nd Nov, 2014	24	0.30	0.04	0.09	0.04	0.02
Maximum		24	0.39	0.05	0.12	0.06	0.02
Average		24	0.33	0.04	0.09	0.04	0.01
Minimum		24	0.24	0.04	0.07	0.03	0.01
Target Value		24	10	<0.06	<0.33	<0.12	<0.04

Japan

Japan

Thailand

Thailand

Japan

Source: Resource & Environment Myanmar Co., Ltd

Concentration levels of all parameters are within the standard in this month.

3. Water Quality Monitoring

Methodology

Sampling and preservation method

Water samples were taken by Alpha horizontal water sampler and collected in sterilized sample containers. All sampling was in strict accordance with recognized standard procedures. The parameters pH, temperature, dissolved oxygen (DO), electrical conductivity (EC), were measured at each site concurrently with sample collection. All samples were kept in iced boxes and were transported to the laboratory and stored at 2-4 °C refrigerators.

Table 7 Field Equipment for Water Quality Survey

No.	Equipment	Manufacturer	Originate Country	Model
1	pH meter	HANNA	USA	HI7609829-1 pH Sensor
2	DO meter	HANNA	USA	HI7609829-2
3	Digital Water Velocity Meter	Global Water Flow Probe	USA	FP 211
4	Alpha Bottle (Water Sampler)	Wildlife Supply Company®	Indonesia	-

Table 8 Container and Preservation Method for Water Samples

No	Parameter	Container	Preservation
1	Oil and Grease	1000 ml glass bottle	Sulfuric acid, Refrigerate
2	COD	500 ml plastic bottle	Sulfuric acid, Refrigerate
3	BOD ₅	1,800 ml plastic bottle	Refrigerate
4	Heavy metals	500 ml plastic bottle	HNO ₃ Refrigerate
5	Bacteria	200 ml glass bottle (Sterilize)	Refrigerate
6	Others	1,800 ml polyethylene bottle	Refrigerate

Test method

The following table provides the test method for water quality.

No	Item	Analysis method
1	pH	HI7609829-1 pH Sensor
2	Suspended Solids	Gravimetric method
3	Dissolved Oxygen (DO)	HI7609829-2 Galvanic dissolved oxygen (D.O) sensor
4	Chemical oxygen demand(COD)	Dichromate method
5	Biochemical oxygen demand(BOD ₅)	Direct inoculation method
6	Oil & Grease	APHA-AWWA-WEF Method
7	Chromium (Cr) (mg/l)	APHA-AWWA-WEF Method
8	E. coliform, Fecal coliforms, total coliforms	AOAC Petrifilm Method

Monitoring Result (17 October 2014)

No	Item	GW-1	SW-2	SW-3	SW-4	SW-7	SW-8	Standard	Unit
1	pH	7.79	7.40	8.0	7.46	7.74	7.59	5-9	
2	Suspended Solids	22.7	521.3	550.7	330.7	48.7	135	Max. 200	mg/l
3	Dissolved Oxygen (DO)	8.40	7.60	7.59	6.20	9.0	9.3	-	mg/l
4	Chemical oxygen demand(COD)	8.5	13.6	20.2	20.3	5.7	6.0	Max. 300	mg/l
5	Biochemical oxygen demand(BOD ₅)	3.4	4	8	7	1.9	2	Max. 200	mg/l
6	Oil & Grease	6.3	9.3	6.2	4.4	7.2	7.3	Max. 5	mg/l
7	Chromium (Cr) (mg/l)	0.012000	0.006000	0.025000	0.012000	0.01000	0.01000	Max. 0.5	mg/l
8	E. coliform	<1.8	23	5.1	23	1.1	5.1	-	MPN/100ml
	Fecal coliforms	<1.8	170	31	33	49	170	-	MPN/100ml
	Total coliforms	12	330	46	33	230	490	Max.400	MPN/100ml

Monitoring Result rechecked for oil & grease parameter on 21 November 2014

No	Item	GW-1*	Standard	Unit
1	pH	8.05	5-9	mg/l
2	Dissolved Oxygen (DO)	7.5	-	mg/l
3	Oil & Grease	5.6	Max. 5	mg/l

Monitoring result rechecked for oil & grease on 11 December 2014

No	Item	GW-1*	SW-2*	SW-3*	SW-4*	Standard	Unit
1	Oil & Grease	ND	1.2	3.6	1.2	Max. 5	mg/l

Shaded area shows higher than Standard.

* is specially rechecked for oil and grease.

Comparison of Oil and Grease result for GW-1

No	Date/Time	GW-1	Standard	Unit
1	17/10/2014	6.3	Max. 5	mg/l
2	21/11/2014	5.6	Max. 5	mg/l
3	11/12/2014	Not Detected	Max. 5	mg/l

Result of the Water Quality Monitoring (October 2014)

Total of seven water samples from surface and underground water were collected. But 6 samples were analyzed except of SW-6, previous old point was not monitored in this time as there was not enough running water as usual and became like a small pond.

The result of October water quality monitoring, including rechecked location, was shown in above table. The suspended solids of SW-2, SW-3 and SW-4 are high compared to the MOI standard while other locations are lower than the MOI standard and the rest parameters are lower than the standard. Because during the sampling, oil and grease was not visibly present, MJTD decided to recheck the oil and grease content. Firstly MJTD conducted recheck of the GW-1 on 21 November 2014 and secondly all the points which we were able to collect from.

Oil and grease contents are detected in all location including the GW-1 that was collected on 21 November 2014 but GW-1, SW-2, SW-3 and SW-4 collected on 11 December 2014 are lower than the standard. The possible reason for oil and grease content for GW-1 may be high due to human or oil leakage from pump machinery of tube well. The oil and grease content for the other areas may be high due to human or upstream contamination. Also, the testing method for October 2014 may be questionable since all of the rechecked areas for SW on 11 December 2014 are lower than the standard. The sample may be also affected by unexpected contamination from other human activities depend on the analysis method.

Detailed of laboratory result and hourly air quality data are provided in appendix.

Appendix 1
Hourly Air Quality Result

Resource & environment Myanmar Co., Ltd.



Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November _TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
15.11.2014	10:00 - 11:00	0.00	244.30	236.67	109.94	1.00
15.11.2014	11:00 -12:00	3.72	51.57	61.95	26.45	7.57
15.11.2014	12:00 -13:00	10.70	63.53	46.52	22.08	7.05
15.11.2014	13:00 -14:00	88.72	18.75	35.63	13.57	1.00
15.11.2014	14:00 -15:00	173.53	23.75	45.32	18.97	3.83
15.11.2014	15:00 -16:00	208.65	17.05	58.57	23.65	1.12
15.11.2014	16:00 -17:00	272.98	27.78	56.83	24.78	7.90
15.11.2014	17:00 -18:00	369.23	49.46	53.05	24.09	7.77
15.11.2014	18:00 -19:00	363.67	46.72	39.07	23.20	5.35
15.11.2014	19:00 -20:00	366.33	49.03	36.25	21.08	2.72
15.11.2014	20:00 -21:00	300.23	47.97	31.67	16.30	3.73
15.11.2014	21:00 -22:00	288.33	46.95	42.05	18.57	2.98
15.11.2014	22:00 -23:00	284.47	45.28	66.75	37.67	3.77
15.11.2014	23:00 -00:00	260.63	44.38	48.95	28.45	1.53
16.11.2014	00:00 -01:00	268.12	48.63	48.20	28.25	1.83
16.11.2014	01:00 -02:00	200.10	42.28	80.28	32.93	7.03
16.11.2014	02:00 -03:00	241.90	45.77	59.43	32.03	33.50
16.11.2014	03:00 -04:00	199.28	42.13	73.92	37.58	4.80
16.11.2014	04:00 -05:00	274.05	46.80	67.00	34.00	1.48
16.11.2014	05:00 -06:00	370.55	45.75	139.50	73.17	5.50
16.11.2014	06:00 -07:00	500.30	34.65	187.68	86.05	16.35
16.11.2014	07:00 -08:00	319.18	12.13	104.02	31.23	41.08
16.11.2014	08:00 - 09:00	253.52	6.77	69.95	21.78	32.03
16.11.2014	09:00 - 10:00	171.63	7.60	37.57	10.07	28.32
MAX	24hours	500.30	244.30	236.67	109.94	41.08
MIN	24hours	0.00	6.77	31.67	10.07	1.00
Average	24hours	241.24	46.21	71.95	33.16	9.55

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.5003	0.2443	0.2367	0.1099	0.0411
MIN	24hours	0.0000	0.0068	0.0317	0.0101	0.0010
Average	24hours	0.2412	0.0462	0.0720	0.0332	0.0096

Resource & environment Myanmar Co., Ltd.



Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November_TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
16.11.2014	10:00 - 11:00	100.70	9.22	16.60	3.65	60.75
16.11.2014	11:00 -12:00	89.92	30.42	24.25	8.87	41.93
16.11.2014	12:00 -13:00	201.48	20.77	50.75	20.47	25.73
16.11.2014	13:00 -14:00	262.28	6.88	44.55	18.62	5.20
16.11.2014	14:00 -15:00	238.80	9.72	36.53	13.87	12.57
16.11.2014	15:00 -16:00	279.02	22.40	40.62	16.37	10.23
16.11.2014	16:00 -17:00	282.58	31.77	75.63	34.90	22.27
16.11.2014	17:00 -18:00	419.20	37.97	62.12	27.72	1.48
16.11.2014	18:00 -19:00	404.17	42.00	34.23	15.97	1.00
16.11.2014	19:00 -20:00	441.08	40.88	44.27	23.15	1.00
16.11.2014	20:00 -21:00	482.15	58.27	76.21	42.70	16.64
16.11.2014	21:00 -22:00	656.08	85.92	457.38	75.69	19.38
16.11.2014	22:00 -23:00	360.08	60.07	138.55	56.67	5.78
16.11.2014	23:00 -00:00	316.77	43.42	73.83	43.17	14.92
17.11.2014	00:00 -01:00	233.18	43.90	61.43	30.23	3.03
17.11.2014	01:00 -02:00	243.68	50.30	54.90	27.80	6.63
17.11.2014	02:00 -03:00	214.87	52.78	65.00	29.23	4.78
17.11.2014	03:00 -04:00	222.95	43.33	66.72	30.32	2.13
17.11.2014	04:00 -05:00	335.53	38.43	105.95	60.87	15.43
17.11.2014	05:00 -06:00	380.42	40.79	116.53	68.05	9.11
17.11.2014	06:00 -07:00	354.23	47.21	156.20	82.52	7.32
17.11.2014	07:00 -08:00	343.10	58.15	259.90	119.35	8.65
17.11.2014	08:00 - 09:00	228.80	22.82	141.32	56.42	24.65
17.11.2014	09:00 - 10:00	142.65	8.20	61.88	23.03	44.40
MAX	24hours	656.08	85.92	457.38	119.35	60.75
MIN	24hours	89.92	6.88	16.60	3.65	1.00
Average	24hours	301.41	37.73	94.39	38.73	15.21

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.6561	0.0859	0.4574	0.1194	0.0608
MIN	24hours	0.0899	0.0069	0.0166	0.0037	0.0010
Average	24hours	0.3014	0.0377	0.0944	0.0387	0.0152

Resource & environment Myanmar Co., Ltd.



Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November _TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
17.11.2014	10:00 - 11:00	68.38	11.65	50.78	14.00	44.07
17.11.2014	11:00 -12:00	123.62	27.20	46.17	18.63	28.33
17.11.2014	12:00 -13:00	176.95	25.10	50.28	20.30	5.78
17.11.2014	13:00 -14:00	150.73	9.09	47.00	17.64	34.73
17.11.2014	14:00 -15:00	180.85	34.30	65.83	29.22	36.60
17.11.2014	15:00 -16:00	270.32	39.95	110.28	48.00	5.02
17.11.2014	16:00 -17:00	330.15	31.78	103.90	41.83	2.98
17.11.2014	17:00 -18:00	696.43	43.68	146.98	77.60	9.98
17.11.2014	18:00 -19:00	687.32	40.98	143.60	77.18	1.07
17.11.2014	19:00 -20:00	775.62	45.33	100.65	55.82	28.78
17.11.2014	20:00 -21:00	554.32	55.67	100.38	59.78	7.97
17.11.2014	21:00 -22:00	610.78	58.70	133.40	70.52	6.17
17.11.2014	22:00 -23:00	436.05	51.95	156.68	91.38	26.20
17.11.2014	23:00 -00:00	554.53	49.00	158.95	86.47	39.77
18.11.2014	00:00 -01:00	572.95	43.70	180.33	94.02	40.15
18.11.2014	01:00 -02:00	660.12	49.90	138.88	65.62	6.57
18.11.2014	02:00 -03:00	459.57	43.52	170.08	79.60	6.03
18.11.2014	03:00 -04:00	275.65	33.18	157.23	68.25	9.63
18.11.2014	04:00 -05:00	332.60	38.45	161.77	76.78	12.23
18.11.2014	05:00 -06:00	345.95	35.82	166.07	77.28	1.68
18.11.2014	06:00 -07:00	490.92	38.90	172.68	70.90	44.52
18.11.2014	07:00 -08:00	259.63	8.30	110.65	32.78	8.52
18.11.2014	08:00 - 09:00	212.53	2.47	76.85	25.88	54.40
18.11.2014	09:00 - 10:00	85.37	23.03	56.52	20.58	66.78
MAX	24hours	775.62	58.70	180.33	94.02	66.78
MIN	24hours	68.38	2.47	46.17	14.00	1.07
Average	24hours	387.97	35.07	116.92	55.00	22.00

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.7756	0.0587	0.1803	0.0940	0.0668
MIN	24hours	0.0684	0.0025	0.0462	0.0140	0.0011
Average	24hours	0.3880	0.0351	0.1169	0.0550	0.0220

Resource & environment Myanmar Co., Ltd.



Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November _TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
18.11.2014	10:00 - 11:00	144.75	10.32	37.23	15.58	58.07
18.11.2014	11:00 -12:00	208.33	25.88	41.68	11.80	18.68
18.11.2014	12:00 -13:00	213.58	9.57	33.83	15.83	29.32
18.11.2014	13:00 -14:00	196.58	37.50	33.92	16.60	22.78
18.11.2014	14:00 -15:00	247.53	54.45	56.70	18.87	12.48
18.11.2014	15:00 -16:00	349.53	27.35	61.50	25.70	1.00
18.11.2014	16:00 -17:00	416.87	40.23	79.97	31.37	3.35
18.11.2014	17:00 -18:00	720.47	37.52	147.60	68.15	1.67
18.11.2014	18:00 -19:00	816.77	34.83	157.82	78.23	7.02
18.11.2014	19:00 -20:00	674.70	35.55	91.35	40.60	7.25
18.11.2014	20:00 -21:00	709.28	50.82	137.73	77.02	14.67
18.11.2014	21:00 -22:00	470.73	53.92	79.87	38.02	8.90
18.11.2014	22:00 -23:00	590.57	56.35	138.68	72.00	12.80
18.11.2014	23:00 -00:00	259.67	53.02	88.10	30.05	2.37
19.11.2014	00:00 -01:00	447.72	55.68	103.65	41.52	9.97
19.11.2014	01:00 -02:00	247.62	49.97	71.88	23.32	8.33
19.11.2014	02:00 -03:00	724.35	56.38	111.60	61.48	16.07
19.11.2014	03:00 -04:00	403.87	49.27	175.55	84.27	1.42
19.11.2014	04:00 -05:00	282.07	32.37	114.68	45.50	2.57
19.11.2014	05:00 -06:00	326.18	43.85	130.18	52.75	2.65
19.11.2014	06:00 -07:00	362.17	43.30	117.03	40.55	2.42
19.11.2014	07:00 -08:00	288.05	10.70	95.73	29.38	13.03
19.11.2014	08:00 - 09:00	195.12	5.07	61.53	21.92	25.50
19.11.2014	09:00 - 10:00	117.42	25.93	58.27	18.95	29.25
MAX	24hours	816.77	56.38	175.55	84.27	58.07
MIN	24hours	117.42	5.07	33.83	11.80	1.00
Average	24hours	392.25	37.49	92.75	39.98	12.98

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.8168	0.0564	0.1756	0.0843	0.0581
MIN	24hours	0.1174	0.0051	0.0338	0.0118	0.0010
Average	24hours	0.3922	0.0375	0.0928	0.0400	0.0130

Resource & environment Myanmar Co., Ltd.



Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)

Sample Designated as : Ambient Air Quality Analysis

Sampling Location : AQM 1 (November _TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
19.11.2014	10:00 - 11:00	193.68	24.55	46.30	14.35	24.28
19.11.2014	11:00 -12:00	255.23	27.28	50.70	16.66	17.34
19.11.2014	12:00 -13:00	275.47	28.32	43.60	17.23	25.43
19.11.2014	13:00 -14:00	259.85	40.24	45.07	18.03	36.51
19.11.2014	14:00 -15:00	334.93	54.48	56.37	23.12	38.72
19.11.2014	15:00 -16:00	398.12	42.97	71.75	25.15	1.33
19.11.2014	16:00 -17:00	545.42	45.02	100.85	41.85	1.22
19.11.2014	17:00 -18:00	584.48	39.65	120.30	55.50	1.57
19.11.2014	18:00 -19:00	646.52	39.78	104.65	48.00	1.93
19.11.2014	19:00 -20:00	706.73	44.23	127.40	64.58	2.30
15.11.2014	20:00 -21:00	494.68	51.10	77.37	31.88	1.82
19.11.2014	21:00 -22:00	426.75	49.77	76.77	31.77	3.48
19.11.2014	22:00 -23:00	361.08	44.12	79.68	29.54	1.00
15.11.2014	23:00 -00:00	413.53	63.63	77.95	42.05	1.08
20.11.2014	00:00 -01:00	430.22	38.97	93.90	44.87	1.98
20.11.2014	01:00 -02:00	230.13	50.42	78.15	27.77	27.42
20.11.2014	02:00 -03:00	243.53	43.83	72.42	28.13	7.20
20.11.2014	03:00 -04:00	233.10	37.00	64.48	28.52	11.65
20.11.2014	04:00 -05:00	239.97	34.55	70.38	31.20	3.53
20.11.2014	05:00 -06:00	288.30	42.87	76.12	33.60	1.40
20.11.2014	06:00 -07:00	392.13	50.50	125.03	51.37	25.82
20.11.2014	07:00 -08:00	302.08	26.78	94.75	27.35	2.55
20.11.2014	08:00 - 09:00	228.40	9.33	79.17	26.58	1.85
20.11.2014	09:00 - 10:00	131.02	15.18	69.28	26.80	13.52
MAX	24hours	706.73	63.63	127.40	64.58	38.72
MIN	24hours	131.02	9.33	43.60	14.35	1.00
Average	24hours	358.97	39.36	79.27	32.75	10.62

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.7067	0.0636	0.1274	0.0646	0.0387
MIN	24hours	0.1310	0.0093	0.0436	0.0144	0.0010
Average	24hours	0.3590	0.0394	0.0793	0.0327	0.0106

Resource & environment Myanmar Co., Ltd.

Client: Myanmar Japan Thilawa Development Ltd.



Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November_TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
20.11.2014	10:00 - 11:00	179.35	21.53	54.80	21.23	13.58
20.11.2014	11:00 - 12:00	198.77	30.12	43.45	16.13	32.60
20.11.2014	12:00 - 13:00	236.93	44.65	45.27	18.03	30.87
20.11.2014	13:00 - 14:00	321.05	45.93	69.33	27.75	15.53
20.11.2014	14:00 - 15:00	390.95	41.60	87.78	34.95	1.00
20.11.2014	15:00 - 16:00	412.17	41.15	73.40	28.58	1.10
20.11.2014	16:00 - 17:00	413.37	45.22	71.60	28.50	1.40
20.11.2014	17:00 - 18:00	443.08	59.43	95.13	47.73	1.00
20.11.2014	18:00 - 19:00	500.10	51.57	96.82	49.52	1.80
20.11.2014	19:00 - 20:00	442.18	45.53	79.90	41.67	4.48
20.11.2014	20:00 - 21:00	360.83	48.63	80.03	37.87	1.37
20.11.2014	21:00 - 22:00	338.28	59.23	82.75	39.28	1.22
20.11.2014	22:00 - 23:00	302.63	48.53	74.35	34.85	6.35
20.11.2014	23:00 - 00:00	275.67	50.88	102.05	44.83	5.95
21.11.2014	00:00 - 01:00	381.92	51.98	93.47	49.32	13.43
21.11.2014	01:00 - 02:00	339.85	43.72	123.73	70.13	7.50
21.11.2014	02:00 - 03:00	286.75	40.72	108.70	65.88	1.00
21.11.2014	03:00 - 04:00	300.18	24.98	130.80	76.27	4.57
21.11.2014	04:00 - 05:00	236.65	40.38	136.10	80.67	2.57
21.11.2014	05:00 - 06:00	264.57	49.92	161.32	85.92	7.13
21.11.2014	06:00 - 07:00	476.40	47.42	170.48	83.37	20.07
21.11.2014	07:00 - 08:00	665.30	38.83	199.53	77.40	30.20
21.11.2014	08:00 - 09:00	312.75	23.90	132.02	36.87	14.68
21.11.2014	09:00 - 10:00	220.35	5.40	82.67	23.67	9.37
MAX	24hours	665.30	59.43	199.53	85.92	32.60
MIN	24hours	179.35	5.40	43.45	16.13	1.00
Average	24hours	345.84	41.72	99.81	46.68	9.53

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.6653	0.0594	0.1995	0.0859	0.0326
MIN	24hours	0.1794	0.0054	0.0435	0.0161	0.0010
Average	24hours	0.3458	0.0417	0.0998	0.0467	0.0095

Resource & environment Myanmar Co., Ltd.



Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November _TSEZ)

Date	Time	CO	NO2	TSP	PM (10)	SO2
D.M.Y	H.M.S	ppb	ppb	ug/m3	ug/m3	ppb
21.11.2014	10:00 - 11:00	160.30	4.53	58.43	18.35	34.30
21.11.2014	11:00 -12:00	120.20	13.30	41.55	12.73	56.85
21.11.2014	12:00 -13:00	80.68	24.28	39.65	19.97	89.80
21.11.2014	13:00 -14:00	154.88	59.38	80.50	40.17	60.07
21.11.2014	14:00 -15:00	286.33	29.00	68.60	24.03	1.18
21.11.2014	15:00 -16:00	342.05	24.28	69.75	25.65	1.23
21.11.2014	16:00 -17:00	372.08	37.17	71.65	29.50	1.65
21.11.2014	17:00 -18:00	472.35	36.23	83.75	43.92	2.18
21.11.2014	18:00 -19:00	496.62	46.32	77.40	38.22	1.32
21.11.2014	19:00 -20:00	579.30	47.88	90.60	45.00	3.07
21.11.2014	20:00 -21:00	532.85	57.00	122.18	71.52	2.33
21.11.2014	21:00 -22:00	423.63	54.33	83.47	40.72	1.53
21.11.2014	22:00 -23:00	302.17	51.55	70.57	36.42	1.20
21.11.2014	23:00 -00:00	344.37	55.05	90.07	48.52	13.97
22.11.2014	00:00 -01:00	349.95	48.00	106.22	56.57	2.10
22.11.2014	01:00 -02:00	216.22	37.03	79.93	36.70	1.38
22.11.2014	02:00 -03:00	183.25	46.08	65.73	31.18	8.28
22.11.2014	03:00 -04:00	244.48	45.42	109.87	63.33	8.87
22.11.2014	04:00 -05:00	243.23	46.78	125.85	75.23	3.47
22.11.2014	05:00 -06:00	236.23	42.37	196.10	115.68	6.90
22.11.2014	06:00 -07:00	235.90	52.43	164.42	79.37	1.55
22.11.2014	07:00 -08:00	386.67	23.20	137.85	47.00	18.35
22.11.2014	08:00 - 09:00	266.60	3.07	96.13	32.97	60.93
22.11.2014	09:00 - 10:00	127.55	13.37	61.73	21.82	38.95
MAX	24hours	579.30	59.38	196.10	115.68	89.80
MIN	24hours	80.68	3.07	39.65	12.73	1.18
Average	24hours	298.25	37.42	91.33	43.94	17.56

		ppm	ppm	mg/m3	mg/m3	ppm
MAX	24hours	0.5793	0.0594	0.1961	0.1157	0.0898
MIN	24hours	0.0807	0.0031	0.0397	0.0127	0.0012
Average	24hours	0.2982	0.0374	0.0913	0.0439	0.0176

Resource & environment Myanmar Co., Ltd.

Client: Myanmar Japan Thilawa Development Ltd.

Issued Date : 15-11-2014

Analysis Report

Project Name : Thilawa Special Economic Zone (TSEZ)
 Sample Designated as : Ambient Air Quality Analysis
 Sampling Location : AQM 1 (November _TSEZ)

	Date	Time	CO	NO2	TSP	PM (10)	SO2
	D.M.Y	Hours	ppm	ppm	mg/m3	mg/m3	ppm
1	15th-16th Nov, 2014	24	0.241243	0.04621	0.071951	0.033162	0.009552
2	16th-17th Nov, 2014	24	0.301405	0.037734	0.09439	0.038734	0.01521
3	17th-18th Nov, 2014	24	0.387972	0.035069	0.116915	0.055003	0.021998
4	18th-19th Nov, 2014	24	0.392247	0.037492	0.092754	0.039977	0.012981
5	19th-20th Nov, 2014	24	0.358974	0.039357	0.079268	0.032746	0.010622
6	20th-21st Nov, 2014	24	0.345837	0.041719	0.099812	0.046684	0.009532
7	21st-22nd Nov, 2014	24	0.298246	0.037419	0.091333	0.04394	0.017561

	Date	Time	CO	NO2	TSP	PM (10)	SO2
	D.M.Y	Hours	ppm	ppm	mg/m3	mg/m3	ppm
1	15th-16th Nov, 2014	24	0.24	0.05	0.07	0.03	0.01
2	16th-17th Nov, 2014	24	0.30	0.04	0.09	0.04	0.02
3	17th-18th Nov, 2014	24	0.39	0.04	0.12	0.06	0.02
4	18th-19th Nov, 2014	24	0.39	0.04	0.09	0.04	0.01
5	19th-20th Nov, 2014	24	0.36	0.04	0.08	0.03	0.01
6	20th-21st Nov, 2014	24	0.35	0.04	0.10	0.05	0.01
7	21st-22nd Nov, 2014	24	0.30	0.04	0.09	0.04	0.02
Maximum		24	0.39	0.05	0.12	0.06	0.02
Average		24	0.33	0.04	0.09	0.04	0.01
Minimum		24	0.24	0.04	0.07	0.03	0.01
Target Value		24	10	<0.06	<0.33	<0.12	<0.04

Appendix 2
Laboratory Result

Report No. : 2014-01246 / 001 (Page 1 of 1) **Issued date :** November 11, 2014

CLIENT : RESOURCE AND ENVIRONMENT MYANMAR CO., LTD.
CONTACT : Mr. Pwint Pwint
ADDRESS : B702 Delta Plaza, Shwegondaing Rd., Bahan, Yangon, Myanmar
Tel. +959-73013448 Fax. +951-552901
E-mail : pwint@enviromyanmar.net

Analysis Report

PROJECT NAME : Water Quality Monitoring in Thilawa SEZ **SAMPLING DATE :** October 17, 2014
SAMPLE DESIGNATED AS : Water Quality **SAMPLING BY :** Client
SAMPLING LOCATION : Thilawa, Myanmar

Parameters	Units	LOQ	Results					
			GW-1	SW-2	SW-3	SW-4	SW-7	SW-8
Total Coliform Bacteria	MPN/100mL	-	12	330	46	33	230	490
Fecal Coliform Bacteria	MPN/100mL	-	< 1.8	170	31	33	49	170
<i>E.Coli</i>	MPN/100mL	-	< 1.8	23	5.1	23	1.1	5.1

Remark :

- Analysis Methods followed to the Standard Methods for the Examination of Water and Wastewater endorsed by American Public Health Association (APHA), American Water Works Association (AWWA) and Water Environment Federation (WEF).
- LOQ = Limit of Quantitation

(Siripom Imwilaiwan)
Environmental Monitoring Manager

(Thepson Yommana)
Technical Manager

SGS (THAILAND) LIMITED

TY/Client/VRWs

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

ANALYSIS REPORT

ORIGINAL

Job Ref: 6905/2014

Date : 22.10.2014

Page 1 of 1

Client Name : **RESOURCE AND ENVIRONMENT CO., LTD**
 B-702 Delta Plaza, Shwegondaing Rd, Bahan Township,
 Yangon, Myanmar

Project Name : Water Quality Monitoring in Thilawa SEZ (Near Thanlyin & Thilawa)

Sample Brought By : Client

Sample Received Date : 20.10.2014

Analysed Date : 22.10.2014

Stations	Commodity Name	Lab Code	Results (mg/l)	
			Total Suspended Solid	Oil & Grease
Method	-	-	APHA 2540 D	APHA 5520 B
GW -1	Ground Water	179/14	22.7	6.3
SW-2	Surface Water	180/14	521.3	9.3
SW-3	Surface Water	181/14	550.7	6.2
SW-4	Surface Water	182/14	330.7	4.4
SW-7	Surface Water	183/14	48.7	7.2
SW-8	Surface Water	184/14	135	7.3
Detection Limit			2	0.2


End Of Report

SGS (Myanmar) Limited

Nu Nu Yi
(Nu Nu Yi)
 Manager

WARNING : The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company



The Government of the Republic of the Union of Myanmar
 Ministry of Agriculture and Irrigation
 Irrigation Department
 Survey and Investigation Branch
 Soil Survey Section
 Soil and Water Analytical Laboratory
ANALYTICAL DATA FOR WATER SAMPLE

PROJECT NAME; Water Quality Monitoring in Thilawa SEZ

SAMPLE DESIGNATED AS; Water Quality

SAMPLING LOCATION; Near Thanlyin & Thilawa

SAMPLING DATE; 17.10.2014

ISSUED DATE ; 27.10.2014

SAMPLING BY ; Client

Sr No	Station	Results (mg/l)			Remark
		BOD ₅	COD	Chromium (Cr)	
1	GW-1	3.4	8.5	0.012	
2	SW-2	4.0	13.6	0.006	
3	SW-3	8.0	20.2	0.025	
4	SW-4	7.0	20.3	0.012	
5	SW-7	1.9	5.7	0.010	
6	SW-8	2.0	6.0	0.010	
Drinking Water Standard (WHO)	Highest desirable level	6 mg/l	10 mg/l	-	
	Maximum permissible level	Concentration at maximum permissible pollution		0.01 mg/l	

Remark: Analytical mentions are ppb unit by AAS. But this unit is changed as mg/L according to the standard of WHO unit.

May Aye Lwin
 (May Aye Lwin)
 Staff Officer (Laboratory)
 Soil and Water Laboratory
 Survey and Investigation Branch
 Irrigation Department

ANALYSIS REPORT

ORIGINAL

Job Ref: 7599/2014

Date : 28.11.2014

Page 1 of 1

Client Name : **RESOURCE AND ENVIRONMENT CO., LTD**
B-702 Delta Plaza, Shwegondaing Rd, Bahan Township,
Yangon, Myanmar

Project Name : Water Quality Monitoring in Thilawa SEZ (Near Thanlyin & Thilawa)

Sample Brought By : Client

Sample Received Date : 24.11.2014

Analysed Date : 25.11.2014

Stations	Commodity Name	Lab Code	Method	Results (mg/l)
				Oil & Grease
GW -1 (21.11.14)	Ground Water	207/14	APHA 5520 B	5.6
Detection Limit				0.2

End Of Report

SGS (Myanmar) Limited

Nu Nu Yi
**(Nu Nu Yi)
Manager**

WARNING : The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company.

ANALYSIS REPORT

ORIGINAL

Job Ref: 7968/2014

Date : 16.12.2014

Page 1 of 1

Client Name : RESOURCE AND ENVIRONMENT MYANMAR CO., LTD
 B-702 Delta Plaza, Shwegondaing Rd, Bahan Township,
 Yangon, Myanmar

Project Name : Water Quality Monitoring in Thilawa SEZ

Sample Brought By : Client

Sample Received Date : 11.12.2014

Analysed Date : 12.12.2014

Stations	Commodity Name	Lab Code	Method	Results (mg/l)
				Oil & Grease
GW-1 (11.12.2014)	Ground Water	228/14	APHA 5520 B	Not Detected
SW-2 (11.12.2014)	Surface Water	229/14	APHA 5520 B	1.2
SW-3 (11.12.2014)	Surface Water	230/14	APHA 5520 B	3.6
SW-4 (11.12.2014)	Surface Water	231/14	APHA 5520 B	1.2
Detection Limit				0.2

End Of Report

SGS (Myanmar) Limited

(Signature)
**(Tun Tun)
 Manager**

WARNING : The sample(s) to which the findings recorded herein (the "Findings") relate was/were drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) listed and such sample (s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company.

**Thilawa Special Economic Zone (Zone A)
Development Project –Phase 1**

Appendix

Sampling and Laboratory Analysis Inspection

For

Oil and Grease of Water Quality Analysis

February 2015

**Sampling and Laboratory Analysis Inspection
for Oil & Grease of Water Quality Analysis**

Final Report

February 2015

MYANMAR KOEI INTERNATIONAL LTD.

**Sampling and Laboratory Analysis Inspection
for Oil & Grease of Water Quality Analysis
Final Report**

Table of Contents

1. Overall	1
1.1. Introduction.....	1
1.2. Inspection Item.....	1
1.3. Inspection Method.....	1
2. Inspection Result.....	3
2.1. Preparation of Sampling Bottle.....	3
2.2. Sampling	5
2.3. Operation of Analysis	6
2.4. Result of Analysis	10
3. Predicted Impacts to Analyzed Results	12
4. Conclusion	13
4.1. Present Status.....	13
4.2. Recommendations	14

1. Overall

1.1. Introduction

During the water sample analysis that was requested by Myanmar Japan Thilawa Development Ltd. (hereinafter referred to as "MJTD"), higher concentration of Oil & Grease (hereinafter referred to as "O&G") in comparison to expected value has been reported. For the above mentioned O&G analysis, the following two Myanmar environmental research/ analysis companies were involved. Resource and Environment Myanmar Ltd. (hereinafter referred to as "REM") performed the sampling and transportation of collected samples, and SGS Myanmar Ltd. (hereinafter referred to as "SGS Myanmar") conducted the laboratory analysis. For these two companies, the inspection for validation of sampling and analysis for O&G (hereinafter referred to as "the O&G Inspection") was carried out by Myanmar Koei International Ltd. (hereinafter referred to as "MKI").

1.2. Inspection Item

The O&G Inspection was performed for the following four items.

1. Preparation of sampling bottle
2. Sampling
3. Operation of analysis
4. Result of analysis

In order to have better validation of the analysis result, the same sample were analyzed in two laboratories, namely, SGS Myanmar and SGS Thailand Ltd. (hereinafter referred to as "SGS Thailand"), and the difference of results between the two laboratories was compared. The laboratory of SGS Thailand is located in Bangkok, Thailand, but adopted for the comparison. This is because SGS Thailand was expected to conduct reliable analysis due to its somewhat geographical closeness for preventing excessive sample quality change during transportation of the sample.

According to American Standard Methods for the Examination of Water and Wastewater 5520 A¹, adopted in United State of America, for O&G analysis, O&G does not mean a specific chemical substance, but defined as a general term for substance that to be extracted in an organic solvent, normal-hexane (hereinafter referred to as "n-hexane"). This definition suggests that the substances soluble in n-hexane, is measured as the O&G. In general, analysis of O&G is targeted at quantification of the less volatile oil.


1.3. Inspection Method

Outline of the O&G Inspection is summarized in Table 1.1, and sampling points are shown in Figure 1.1. The conditions of the process from the preparation of sampling bottle to operation of analysis had been observed.

¹ Standard Methods for the Examination of Water and Wastewater 22nd edition, 2012 (issued by American Public Health Association)

Table 1.1 Outline of Inspection about O&G Analysis

No.	Item	Inspection Method	Implementer	Date
1	Preparation of sampling bottle	a) Observation of sample bottle cleaning method b) Confirmation of sampling bottles	REM	12/22
2	Sampling	a) Observation of sample collecting conditions b) Sample points: total 4 points (3 surface water and 1 ground water) Surface water samples were collected from canal (river width about 2m) with flow, from three different points (from upstream SW2, SW3, and SW4). Ground water sample was collected from the pumped well water (GW1). (In order to request the analysis to two laboratories, two bottles of samples are collected at each point.) c) Confirmation of the sample storing d) Confirmation of transportation conditions	REM	12/23
3	Operation of analysis	a) Observation of O&G analysis operation b) Sample: 2 sample (SW4 and GW1) Initially, observation of all 4 samples was planned. However, due to laboratory's physical capacity and available time frame, observation are performed for 2 samples of SW4 (turbidity) and GW1 (clear and colorless) having a different appearances. c) Confirmation of equipment	SGS Myanmar	12/23
4	Result of analysis	Cross-check between the results of two laboratories - SGS Myanmar - SGS Thailand	SGS Myanmar SGS Thailand	Unclear (SW4 and GW1 are analyzed at 23th December)



Source: Google earth

Figure 1.1 Sampling Point for O& G Analysis

2. Inspection Result

The serious problem was not observed in the inspected item for the sampling by REM and the analysis by SGS Myanmar. However, the different results were reported in some samples between SGS Myanmar and SGS Thailand. There is possibility that the results of SGS Myanmar and/ or SGS Thailand are not reliable.

Although the probability is low, operations and conditions that may cause significant impacts to the analysis result are summarized in Table 2.1.

Hereinafter, operations and conditions are divided into the positive error and the negative error. The positive error is defined as cases that possibly causing an increase in the result of analysis, when compared with the original concentration of sampled O&G. On the other hand, the negative error is defined as cases that possibly causing a decrease in the result. The detail results of inspection are described in the following section for the respective inspection items.

Table 2.1 Operations and Conditions that may cause Significant Impacts to Analysis Results.

No.	Inspection Item	Operations and Conditions	Positive Error	Negative Error	Relevant Section in this Report
1-1	Preparation of sampling bottle	Insufficient number of rinsing after the sampling bottle washing with powder detergent.	•		2.1.1.
1-2	Preparation of sampling bottle	Sampling bottle washing with insufficient amount of n-hexane.	•		2.1.2.
2	Sampling	Prewashing of sampling bottle with sample.	•		2.2.1.
3-1	Operation of analysis	Handling of samples by using measuring cylinder.		•	2.3.1.
3-2	Operation of analysis	Lack of pH checking for arrived sample.	•	•	2.3.2.
3-3	Operation of analysis	Insufficient shaking time of n-hexane extraction.		•	2.3.3.
3-4	Operation of analysis	Insufficient separation time for n-hexane layer and aqueous layer after extraction.		•	2.3.4.
3-5	Operation of analysis	Evaporation of n-hexane in a condition of opening the mouth of conical flask.	•		2.3.5.
3-6	Operation of analysis	Cooling the conical flask lying horizontally.	•		2.3.6.
3-7	Operation of analysis	Insufficient performance of balance.	•	•	2.3.7.
4	Result of analysis	Different results of both laboratories.	•	•	2.4.1.

2.1. Preparation of Sampling Bottle

In REM brown glass bottles were used for sampling for O&G, and the bottles were washed by the procedure that is shown in Table 2.2. REM adopted some washing methods and bottles depending on the analysis parameter. For O&G analysis, washing step with n-hexane is implemented. This step is intended to remove substances that are not soluble in water but soluble in n-hexane.

Table 2.2 Washing Method of Sampling Bottles for O&G in REM

Step	Operating	Purpose
1	Wash the bottle with detergent	Removal of oil
2	Rinse the bottle with n-hexane	Removal of substances that are not soluble in water but soluble in n-hexane
3	Boil the bottle at 110 to 220°C for 1 hour	Removal of substances that have high-boiling point
4	Dry the bottle	Removal of moisture

Source: Poster of REM laboratory (Purpose column was prepared by MKI)



Figure 2.1 Washing Condition of Sampling Bottles

According to an operator and Mr Kyaw Zin Win (GIS Consultant/ Director) of REM, new clean sampling bottles are used every time, no reused bottle are used for sampling. Therefore, no affection by the previous collected samples has been confirmed. But, on the some mouth of bottles, precipitates are observed. The precipitate seems to have been deposited upon manufacturing and shipping of bottles.

2.1.1. Insufficient Number of Rinsing after the Sampling Bottle Washing with Powder Detergent

①Result

During the washing of sampling bottle, laundry powder detergent is used, and the tap water is used for all process. According to observations, laundry powder detergent dissolved in water easily.

②Consideration/ Evaluation

There is possibility that the detergent component remains in sampling bottle, when the powder detergent dissolved insufficiently or precipitated again. If the remained detergent components are measured as O&G, an analysis result is predicted to be higher than the original concentration of sampled O&G.

2.1.2. Sampling Bottle Washing with Insufficient Amount of n-hexane

①Result


In the process of n-hexane rinsing, 500ml of tap water was poured into sampling bottle, and then 3 drops of n-hexane (total amount is less than 1 mL) were added.

②Consideration/ Evaluation

This process is intended to remove substances that are not soluble in water but soluble in n-hexane. It is important that the inside of the sampling bottle is wet enough by n-hexane that has not been diluted. But, the amount of n-hexane seems to be insufficient in this method. If the substances inside the sampling bottle are measured as O&G, an analysis result is predicted to be higher than the original concentration of sampled O&G. In order to prevent the increase in analysis result, the sampling bottle should be washed by using appropriate volume of n-hexane that has not been diluted, depending on the sampling bottle size.

2.2. Sampling

The overall sampling procedure that has been performed by REM is indicated in Figure 2.1. Water samples were collected from i) three different points of a canal (canal width about 2m, from upstream labeled SW2, SW3, and SW4), and ii) a well (GW1). In all sampling points, samples were collected by bucket, and then poured into sampling bottles. Prewashing of bucket and sampling bottle was performed every time (Figure 2.2). At the sampling points, following pretreatments were also done; i) acid (H_2SO_4) was added to collected samples for sample storing, and ii) samples were transported in a styrofoam box filled with ice (Figure 2.3).



Source: Prepared by study team based on the observation in this inspection

Figure 2.1 Sampling Procedure for Oil & Grease in REM



Figure 2.2 Prewashing for Sampling Bottle and Bucket



Figure 2.3 Sample Storing and Transportation Conditions

2.2.1. Prewashing of Sampling Bottle with Sample

①Result

Prewashing of sample bottles with sample was implemented for all sample bottles. Prewashing operation means that a small amount of sample is poured into sampling tools/ bottles, and then discarded after rinsing inside of sampling tools or bottles.

②Consideration/ Evaluation


Since target substance of O&G analysis is oil, it has characteristic to remain inside inner surface of the sample bottle as an oil film, after sample was discarded from the bottle. Therefore, prewashing of sampling bottle possibly causes to increase O&G analysis result. In Japanese Industrial Standards (JIS K0102), prewashing is not allowed for analysis of oil. The reason for this is that a part of n-hexane extract substances used for prewashing will remain in the sampling bottle. On the other hand, sample transfers between bottles may cause to decrease O&G analysis result. In consideration of such standard, it is appreciated not to prewash by samples to avoid unnecessary deviation of analysis results.

2.2.2. Other Considerations for Sampling

The sample may be also affected by unexpected contamination from other human activities, depending on timing of sampling. There is a possibility that the O&G analysis result will be affected by contamination of domestic non-fecal wastewater, since flow of canal was very low at the sampling points.

2.3. Operation of Analysis

SGS Myanmar complies with Standard Methods for the Examination of Water and Wastewater 5520 B (hereinafter, referred to as “the Standard”). The method of the Standard is shown in Figure 2.2. In order to extract the target substances to n-hexane, the sample which was made into acidity condition and n-hexane are shake well, then the n-hexane layer is evaporated, and finally the remained substances are measured as O&G by a balance. Photo taking was not allowed in SGS Myanmar laboratory while this inspection.



Source: Standard Methods for the Examination of Water and Wastewater 22nd edition, 2012 (Issued by American Public Health Association)

Figure 2.4 Standard Method 5520 B Adopted by SGS Myanmar on O&G Analysis