

**Thilawa Special Economic  
Zone (Zone B) Development**

## **Environmental Monitoring Report Phase-1 & 2 (Construction Phase)**



**Myanmar Japan Thilawa  
Development Limited.**

**June 2018**

# CONTENTS

1. Executive Summary
2. Summary of Monitoring Activities
3. Construction Progress
4. Monitoring Results
5. Environmental Monitoring Form

## **Appendix**

- A. Water and Waste Water Monitoring Report for April, 2018
- B. Air Monitoring Report for March, 2018
- C. Noise and Vibration Monitoring Report for March, 2018
- D. Traffic Volume Monitoring Report for March, 2018
- E. Monthly Progress Report for March, 2018
- F. Monthly Progress Report for April, 2018
- G. Monthly Progress Report for May, 2018





## 1. Executive Summary

The environmental inspection and compliance monitoring program will be implemented under the direction of Ministry of Natural Resources and Environmental Conservation (MONREC) with oversight by Thilawa SEZ Management Committee.

The monitoring record from March 2018 to May 2018 according to the Environment Monitoring Plan is submitted in conformity with the provision of Chapter 10, 10.1 Table 10.1-2 and 10.2, Table 10.2-2 Content of the EIA Report of Thilawa SEZ Development Project (Zone B).

## 2. Summary of Monitoring Activities

### a) Progress made to date on the implementation of the EMP against the submitted implementation schedule;

We submitted EMP for TSEZ Zone-B as following table.

| Report No. | Description                     | Phase                          | Submission      |
|------------|---------------------------------|--------------------------------|-----------------|
| 1          | Environmental Monitoring Report | Phase-1 Pre-construction Phase | March, 2017     |
| 2          | Environmental Monitoring Report | Phase-1 Construction Phase     | June, 2017      |
| 3          | Environmental Monitoring Report | Phase-1 Construction Phase     | September, 2017 |
| 4          | Environmental Monitoring Report | Phase-1 Construction Phase     | December, 2017  |
| 5          | Environmental Monitoring Report | Phase-1&2 Construction Phase   | March, 2018     |

Report (No.6) is submitted this day attached with Construction Phase implementation schedule. Subsequent Construction Phase reports will be submitted on Quarterly.

### b) Difficulties encountered in implementing of the EMP and recommendations for remedying those difficulties and steps proposed to prevent or avoid similar future difficulties;

None

### c) Number and type of non-compliance with the EMP and proposed remedial measures and timelines for completion of remediation;

| No. | Parameter      | Type of Non-Compliance | Remedial Measures  | Remarks   |
|-----|----------------|------------------------|--|---|
| 1   | Total Coliform | Exceed target value    | Discussed with environmental consultant and expert for the monitoring points sources to analysis the effect and impact | Refer to the attached report of water and wastewater quality report in appendix |



- d) **Accidents or incidents relating to the occupational and community health and safety, and the environment:**

Neither accidents nor incidents happen during this monitoring period.

- e) **Monitoring data on environmental parameters and conditions as committed in the EMP or otherwise required.**

Please refer to the attached Environmental Monitoring Form.

### 3. Construction Progress

Thilawa SEZ Zone B Development Project construction activities is submitted enclosed with monthly progress reports from contractor in Appendix A to C.

A. Monthly Progress Report for March, 2018

B. Monthly Progress Report for April, 2018

C. Monthly Progress Report for May, 2018

### 4. Monitoring Result

Environmental Monitoring Plan report for construction phase implemented according to the following table, reference on Table 10.2-2, Chapter 10, EIA for Industrial Area of Zone-B.

#### Monitoring Plan (Construction Phase)

| Category            | Item   | Location  | Frequency                   | Remark   |
|---------------------|--|---|-----------------------------|--|
| Air Quality         | NO <sub>2</sub> , SO <sub>2</sub> , CO, PM <sub>2.5</sub> , PM <sub>10</sub>               | Construction site (1 point)   | Once/ 3month                | March 2018, Air Quality Monitoring Report  |
| Water Quality       | Water temperature, pH, SS, DO, BOD <sub>5</sub> , COD, coliforms, oil and grease, chromium | - Over flow of construction site to the creek (at least 3 sampling points/ mixing point: i) discharge water, ii) upstream water and iii) downstream water<br>- Well near the construction site (1 point)                                  | Once/ 2 month               | April 2018 Water and Wastewater Quality Monitoring Report  |
| Waste               | Amount and kind of solid waste   | Construction site   | Once/ 3 month               | Monthly Progress Reports (March, April, May 2018)  |
| Noise and Vibration | - Noise and vibration level<br>- Traffic Count   | Preservation area such as residence around the proposed construction site (at least 1 point)<br>Preservation site such as residence along the route for on-site vehicles (1 point for noise and vibration and 2 points for traffic count) | Once/ 3 month (peak period) | Noise and Vibration Monitoring Report March 2018<br><br>Traffic Count Monitoring Report March 2018 |
| Ground Subsidence   | - Ground water level<br>- Ground elevation level   | Representative (1 point)  | Every week                  | Monthly Progress Reports (March, April, May 2018)  |
| Hydrology           | - Consumption of ground water amount   |   |                             |  |





| Category   | Item  | Location          | Frequency         | Remark   |
|--|---|-------------------|-------------------|--|
| Risk for infectious disease such as AIDS/HIV       | Status of measures of infectious disease  | Construction site | Once/month        | Monthly Progress Reports<br>(March, April, May 2018) |
| Working conditions (including occupational safety) | Prehension of condition of occupational safety and health<br>Prehension of infectious disease | Construction site | Once/ month       |  |
| Accident   | Existence of accident   | Construction site | As occasion arise |  |



**Thilawa Special Economic Zone (Zone B)  
Development Project –Phase 1 & 2**

**Environment Monitoring Form**

---

Environmental Monitoring Report (Construction Phase)





### Environment Monitoring Form

The latest results of the below monitoring items shall be submitted to Authorities on once at Pre-Construction Phase and on quarterly basis at Construction Phase, and on bi-annually base at Operation Phase. The items, standards to be applied, measurement points, and frequency for each monitoring parameter are established based on the EIA Report for Thilawa Special Economic Zone Development Project (Industrial Area of Zone B). Should there be any changes to the original plan, such change shall be reviewed and evaluated by environmental expert.

#### (1) General

##### 1) Phase of the Project

- Please mark the current phase.

☐ Pre-Construction Phase

☒ Construction Phase

☐ Operation Phase

##### 2) Obtainment of Environmental Permits

| Name of permits   | Expected issuance date       | Actual issuance date           | Concerned authority              | Remarks (Conditions, etc.) |
|---|------------------------------|--------------------------------|----------------------------------|----------------------------|
| Approved letter for Environmental Impact Assessment (EIA) Report of Industrial Area, Thilawa Special Economic Zone (Zone-B)   |                              | 29 <sup>th</sup> December 2016 | Thilawa SEZ Management Committee |                            |
| Notification of the comments of Ministry of Natural Resources and Environmental Conservation regarding with the Standard Change of Wastewater Quality of Industrial Zone, Internal Regulations of Thilawa SEZ Zone-A and Zone-B | 5 <sup>th</sup> January 2018 | 10 <sup>th</sup> January 2018  | Thilawa SEZ Management Committee | As Attachment              |





3) Response/Actions to Comments and Guidance from Government Authorities and the Public

| Monitoring Item   | Monitoring Results during Report Period | Duration of Report Period | Frequency                               |
|---|---|---------------------------|---|
| Number and contents of formal comments made by the public |   |                           | Upon receipt of comments/<br>complaints |
| Number and contents of responses from Government agencies |   |                           |   |

(2) Monitoring Results

1) Ambient Air Quality (March 2018)

NO<sub>2</sub>, SO<sub>2</sub>, CO, PM<sub>2.5</sub>, PM<sub>10</sub>

| Location | Item                 | Unit              | Measured Value (Mean) | Measured Value (Max) | Country's Standard                    | Target value to be applied*1          | Referred International Standard | Frequency              | Method                  | Note (Reason of excess of the standard) |
|----------|----------------------|-------------------|-----------------------|----------------------|---------------------------------------|---------------------------------------|---------------------------------|------------------------|-------------------------|---|
| AQ-1     | NO <sub>2</sub> *2   | mg/m <sup>3</sup> | 0.097                 | 0.138                | 0.2 mg/m <sup>3</sup><br>(1 Hour)     | 0.1 mg/m <sup>3</sup><br>(24 Hour)    | -                               | One time /<br>3 months | Haz-<br>Scanner<br>EPAS | Refer to air<br>quality report          |
|          | SO <sub>2</sub>      | mg/m <sup>3</sup> | 0.011                 | 0.08                 | 0.02 mg/m <sup>3</sup><br>(24 Hours)  | 0.02 mg/m <sup>3</sup><br>(24 Hours)  | -                               |                        |                         |   |
|          | CO                   | mg/m <sup>3</sup> | 0.101                 | 0.742                | -                                     | 10.26 mg/m <sup>3</sup><br>(24 Hours) | -                               |                        |                         |   |
|          | PM <sub>2.5</sub> *3 | mg/m <sup>3</sup> | 0.041                 | 0.106                | 0.025 mg/m <sup>3</sup><br>(24 Hours) | 0.025 mg/m <sup>3</sup><br>(24 Hours) | -                               |                        |                         |   |
|          | PM <sub>10</sub>     | mg/m <sup>3</sup> | 0.031                 | 0.138                | 0.05 mg/m <sup>3</sup><br>(24 Hours)  | 0.05 mg/m <sup>3</sup><br>(24 Hours)  | -                               |                        |                         |   |

\*1Remarks: Referred to the tentative target value of ambient air quality (EIA Report for industrial area, Table 2.4-1), Reference to the air quality monitoring report (March 2018)



**\*2Remarks:** During monitoring periods, NO<sub>2</sub> measured value (means) is excess than the standard. Regarding to monitoring results, concentration of NO<sub>2</sub> measured for 4 days exceeded than the target value. After detail analyzed the NO<sub>2</sub> exceed time for construction period according to the wind direction from Zone-B, all exceed hours during seven days are come from another site of Zone-B.

**\*3Remarks:** During monitoring periods, PM<sub>2.5</sub> measured value (means) is excess than the standard. Regarding to monitoring results, construction of PM<sub>2.5</sub> measured for 7 days exceeded than the target value. After detail analyzed the PM<sub>2.5</sub> exceed time for construction period according to wind direction from Zone-B, only 4 hours exceeded are comes from the construction site of Zone-B.

### Complaints from Residents

- Are there any complaints from residents regarding air quality in this monitoring period?

☐ Yes ☒ No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

| Contents of Complaints from Residents | Countermeasures |
|---------------------------------------|-----------------|
|                                       |                 |





2) (a) Water Quality – April 2018

**Measurement Point:** Effluent of Wastewater (SW-2, SW-3 and SW-4 are attach as reference point only and they are natural creek water which are combine all the wastewater from the Local industrial water and domestic water from existing living environment. SW-7 is the main discharging point and SW-8 is mixing point of discharge water but in this monitoring time SW-7 and SW-8 location are almost same location. SW-9 is the downstream points after mixing point. GW-2 is also as reference point for monitoring of existing tube well located in the Monastery Compound near Zone-B area)

- Are there any effluents to water body in this monitoring period?

☐ Yes, ☒ No

If yes, please attach "Analysis Record" and fill in the items not to comply with Refereed International Standard

| Location                  | Item              | Unit      | Measured Value (Max) | Country's Standard*2 | Target value to be applied*1 | Frequency         | Method   | Note (Reason of excess of the standard) |
|---------------------------|-------------------|-----------|----------------------|----------------------|------------------------------|-------------------|--|---|
| SW-2<br>(reference point) | Temperature       | °C        | 22                   | < 3 (increase)       | 40                           | Once per 2 months | Instrument Analysis Method                                   |   |
|                           | pH                | -         | 8.8                  | 6-9                  | 6.0 – 9.0                    |                   | Instrument Analysis Method                                   |   |
|                           | SS                | mg/L      | 10                   | 50                   | 30                           |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|                           | DO                | mg/L      | 10.93                | -                    | -                            |                   | Instrument Analysis Method                                   |   |
|                           | BOD <sub>5</sub>  | mg/L      | 9.48                 | 50                   | 20                           |                   | APHA 5210 B (5days BOD Test)                                 |   |
|                           | COD <sub>Cr</sub> | mg/L      | 83                   | 250                  | 70                           |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|                           | Total Coliform*3  | MPN/100ml | > 160,000            | 400                  | 400                          |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |
|                           | Oil and Grease    | mg/L      | 3.5                  | 10                   | 10                           |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
|                           | Chromium          | mg/L      | ≤ 0.002              | 0.5                  | 0.5                          |                   | APHA (Inductively Coupled Plasma (ICP) Method)               |   |
| SW-3<br>(reference point) | Temperature       | °C        | 24                   | < 3 (increase)       | 40                           | Once per 2 months | Instrument Analysis Method                                   |   |
|                           | pH                | -         | 7.7                  | 6-9                  | 6.0 – 9.0                    |                   | Instrument Analysis Method                                   |   |
|                           | SS                | mg/L      | 8                    | 50                   | 30                           |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|                           | DO                | mg/L      | 9.95                 | -                    | -                            |                   | Instrument Analysis Method                                   |   |
|                           | BOD <sub>5</sub>  | mg/L      | 2.32                 | 50                   | 20                           |                   | APHA 5210 B (5days BOD Test)                                 |   |



| Location                  | Item              | Unit      | Measured Value (Max) | Country's Standard*2 | Target value to be applied*1 | Frequency         | Method   | Note (Reason of excess of the standard) |
|---------------------------|-------------------|-----------|----------------------|----------------------|------------------------------|-------------------|--|---|
|                           | COD <sub>Cr</sub> | mg/L      | 32.1                 | 250                  | 70                           |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|                           | Total Coliform*3  | MPN/100ml | 2,600                | 400                  | 400                          |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |
|                           | Oil and Grease    | mg/L      | < 3.1                | 10                   | 10                           |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
|                           | Chromium          | mg/L      | ≤ 0.002              | 0.5                  | 0.5                          |                   | APHA (Inductively Coupled Plasma (ICP) Method)               |   |
| SW-4<br>(reference point) | Temperature       | °C        | 25                   | < 3 (increase)       | 40                           | Once per 2 months | Instrument Analysis Method                                   |   |
|                           | pH                | -         | 7.8                  | 6-9                  | 6.0 - 9.0                    |                   | Instrument Analysis Method                                   |   |
|                           | SS                | mg/L      | 8                    | 50                   | 30                           |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|                           | DO                | mg/L      | 3.86                 | -                    | -                            |                   | Instrument Analysis Method                                   |   |
|                           | BOD <sub>5</sub>  | mg/L      | 2.43                 | 50                   | 20                           |                   | APHA 5210 B (5days BOD Test)                                 |   |
|                           | COD <sub>Cr</sub> | mg/L      | 24.8                 | 250                  | 70                           |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|                           | Total Coliform    | MPN/100ml | 350                  | 400                  | 400                          |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |
|                           | Oil and Grease    | mg/L      | < 3.1                | 10                   | 10                           |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
|                           | Chromium          | mg/L      | ≤ 0.002              | 0.5                  | 0.5                          |                   | APHA (Inductively Coupled Plasma (ICP) Method)               |   |
| SW-7                      | Temperature       | °C        |                      | < 3 (increase)       | 40                           | Once per 2 months | Instrument Analysis Method                                   |   |
|                           | pH                | -         |                      | 6-9                  | 6.0 - 9.0                    |                   | Instrument Analysis Method                                   |   |
|                           | SS                | mg/L      | There is no          | 50                   | 30                           |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|                           | DO                | mg/L      | water to             | -                    | -                            |                   | Instrument Analysis Method                                   |   |
|                           | BOD <sub>5</sub>  | mg/L      | sampling             | 50                   | 20                           |                   | APHA 5210 B (5days BOD Test)                                 |   |
|                           | COD <sub>Cr</sub> | mg/L      |                      | 250                  | 70                           |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|                           | Total Coliform    | MPN/100ml |                      | 400                  | 400                          |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |



# MYANMAR JAPAN THILAWA DEVELOPMENT LIMITED

| Location | Item              | Unit      | Measured Value (Max)          | Country's Standard*2 | Target value to be applied*1 | Frequency         | Method   | Note (Reason of excess of the standard) |
|----------|-------------------|-----------|-------------------------------|----------------------|------------------------------|-------------------|--|---|
|          | Oil and Grease    | mg/L      |                               | 10                   | 10                           |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
|          | Chromium          | mg/L      |                               | 0.5                  | 0.5                          |                   | APHA (Inductively Coupled Plasma (ICP) Method)               |   |
| SW-8     | Temperature       | °C        |                               | < 3 (increase)       | 40                           | Once per 2 months | Instrument Analysis Method                                   |   |
|          | pH                | -         |                               | 6-9                  | 6.0 - 9.0                    |                   | Instrument Analysis Method                                   |   |
|          | SS*3              | mg/L      |                               | 50                   | 30                           |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|          | DO                | mg/L      | There is no water to sampling | -                    | -                            |                   | Instrument Analysis Method                                   |   |
|          | BOD <sub>5</sub>  | mg/L      |                               | 50                   | 20                           |                   | APHA 5210 B (5days BOD Test)                                 |   |
|          | COD <sub>Cr</sub> | mg/L      |                               | 250                  | 70                           |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|          | Total Coliform    | MPN/100ml |                               | 400                  | 400                          |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |
|          | Oil and Grease    | mg/L      |                               | 10                   | 10                           |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
| SW-9     | Chromium          | mg/L      |                               | 0.5                  | 0.5                          | Once per 2 months | APHA (Inductively Coupled Plasma (ICP) Method)               |   |
|          | Temperature       | °C        | 24                            | < 3 (increase)       | 40                           |                   | Instrument Analysis Method                                   |   |
|          | pH                | -         | 8.0                           | 6-9                  | 6.0 - 9.0                    |                   | Instrument Analysis Method                                   |   |
|          | SS                | mg/L      | 18                            | 50                   | 30                           |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|          | DO                | mg/L      | 10.39                         | -                    | -                            |                   | Instrument Analysis Method                                   |   |
|          | BOD <sub>5</sub>  | mg/L      | 3.87                          | 50                   | 20                           |                   | APHA 5210 B (5days BOD Test)                                 |   |
|          | COD <sub>Cr</sub> | mg/L      | 18                            | 250                  | 70                           |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|          | Total Coliform*3  | MPN/100ml | 1,700                         | 400                  | 400                          |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |
|          | Oil and Grease    | mg/L      | < 3.1                         | 10                   | 10                           |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
|          | Chromium          | mg/L      | ≤ 0.002                       | 0.5                  | 0.5                          |                   | APHA (Inductively Coupled Plasma (ICP) Method)               |   |



| Location                  | Item              | Unit      | Measured Value (Max) | Country's Standard* <sup>2</sup> | Target value to be applied* <sup>1</sup> | Frequency         | Method   | Note (Reason of excess of the standard) |
|---------------------------|-------------------|-----------|----------------------|----------------------------------|--|-------------------|--|---|
| GW-2<br>(reference point) | Temperature       | °C        | 23.7                 | < 3 (increase)                   | 40                                       | Once per 2 months | Instrument Analysis Method                                   |   |
|                           | pH                | -         | 7.8                  | 6-9                              | 6.0 – 9.0                                |                   | Instrument Analysis Method                                   |   |
|                           | SS                | mg/L      | 4                    | 50                               | 30                                       |                   | APHA 2540D (Dry at 103-105°C Method)                         |   |
|                           | DO                | mg/L      | 10.7                 | -                                | -  |                   | Instrument Analysis Method                                   |   |
|                           | BOD <sub>5</sub>  | mg/L      | 1.6                  | 50                               | 20                                       |                   | APHA 5210 B (5days BOD Test)                                 |   |
|                           | COD <sub>Cr</sub> | mg/L      | 1.9                  | 250                              | 70                                       |                   | APHA 5220 D (Close Reflux Colorimetric Method)               |   |
|                           | Total Coliform    | MPN/100ml | 23                   | 400                              | 400                                      |                   | APHA 9221 B (Standard Total Coliform Fermentation Technique) |   |
|                           | Oil and Grease    | mg/L      | < 3.1                | 10                               | 10                                       |                   | APHA 5520 B (partition Gravimetric Method)                   |   |
|                           | Chromium          | mg/L      | ≤ 0.002              | 0.5                              | 0.5                                      |                   | APHA (Inductively Coupled Plasma (ICP) Method)               |   |

\*<sup>1</sup>Remark: Reference to the Water and Wastewater Quality Monitoring Report (April 2018)

\*<sup>2</sup>Remark: Referred to the National Emission Quality Guideline (NEQG) 29<sup>th</sup> December 2015

\*<sup>3</sup>Remark: For the monitoring point of SW-2, SW-3 and SW-9, the result of Total coliform is excess than the target value due to two expected reasons i) natural bacteria existed in discharged creek because there are various kinds of vegetation and creature such as birds, and small animals in and along the discharged creek and ii) wastewater from the local industrial zone outside of Thilawa SEZ and iii) delivered from the surrounding area by tidal effect. In addition, the result of E-Coli of surface water, all of results were under reference value. Therefore, although the target value of total coliform was exceeded at monitoring point of SW-2, SW-3 and SW-9, but it is considered that there is no significant impact on human health.



3) Soil Contamination (only operation phase)

Situations environmental report from tenants

- Are there any serious issues regarding soil contamination in this monitoring period?

☐ Yes, ☒ No

If yes please describe the contents of complains and its countermeasures to fill in below the table.

| Contents of Issues on Soil Contamination | Countermeasures |
|--|-----------------|
|  |                 |

4) Noise Level (March 2018)

| Location                 | Item          | Unit  | Measured Value (Mean) | Measured Value (Max) | Country's Standard              | Target value to be applied | Referred International Standard                | Frequency              | Method | Note (Reason of excess of the standard) |
|--------------------------|---------------|-------|-----------------------|----------------------|---------------------------------|----------------------------|--|------------------------|--------|---|
| Residential Area<br>NV-2 | Leq (day)     | dB(A) | 52                    | 53                   | Refer to<br>NEQG<br>Article 1.3 | 75                         | Refer the section<br>2.4 in EIA main<br>report | One time /<br>3 months |        |   |
|                          | Leq (evening) | dB(A) | 45                    | 48                   |                                 | 60                         |  |                        |        |   |
|                          | Leq(night)    | dB(A) | 43                    | 49                   |                                 | 55                         |  |                        |        |   |
| Along the road<br>(NV-1) | Leq (day)     | dB(A) | 61                    | 65                   |                                 | 75                         |  |                        |        |   |
|                          | Leq(night)    | dB(A) | 52                    | 57                   |                                 | 70                         |  |                        |        |   |

\*Remarks: Referred to the tentative target value of ambient air quality (EIA Report for industrial area, Table 2.4-8), Reference to the noise and vibration monitoring report (March 2018)

Complaints from Residents

- Are there any complaints from residents regarding noise in this monitoring period?

☐ Yes, ☒ No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

| Contents of Complaints from Residents | Countermeasures |
|---------------------------------------|-----------------|
|                                       |                 |

5) Solid Waste

Measurement Point: Construction Site (Construction Phase), Storage for Sludge (Operation Phase)

Are there any wastes if sludge in this monitoring period?

☒ Yes, ☐ No

If yes, please report the amount of sludge and fill in the results of solid waste management activities.

| Item             | Date          | Generated from     | Unit  | Value | Solid Waste Management Activities                    |
|------------------|---------------|--------------------|-------|-------|--|
| Amount of sludge | 31-March-2018 | Construction Waste | Loads | 2     | Waste disposing to authorized waste collector (YCDC) |

6) (a) Ground Subsidence Hydrology

| Duration<br>(Week) | Water Consumption |                       | Ground Level |      | Note |
|--------------------|-------------------|-----------------------|--------------|------|------|
|                    | Quantity          | Unit                  | Quantity     | Unit |      |
| 1-March-2018       | 120               | m <sup>3</sup> / week | +6.297       | m    |      |
| 8-March-2018       | 139               | m <sup>3</sup> / week | +6.298       | m    |      |
| 15-March-2018      | 175               | m <sup>3</sup> / week | +6.298       | m    |      |
| 22-March-2018      | 173               | m <sup>3</sup> / week | +6.298       | m    |      |
| 29-March-2018      | 131               | m <sup>3</sup> / week | +6.297       | m    |      |

Remarks: Reference to Monthly Progress Report (March-2018)

6) (b) Ground Subsidence Hydrology

| Duration<br>(Week) | Water Consumption |                       | Ground Level |      | Note |
|--------------------|-------------------|-----------------------|--------------|------|------|
|                    | Quantity          | Unit                  | Quantity     | Unit |      |
| 5-April-2018       | 124               | m <sup>3</sup> / week | +6.297       | m    |      |
| 12-April-2018      | -                 | m <sup>3</sup> / week | +6.298       | m    |      |
| 19-April-2018      | -                 | m <sup>3</sup> / week | +6.298       | m    |      |
| 26-April-2018      | 367               | m <sup>3</sup> / week | +6.297       | m    |      |

Remarks: Reference to Monthly Progress Report (April-2018)





## 6) (c) Ground Subsidence Hydrology

| Duration<br>(Week) | Water Consumption |                       | Ground Level |      | Note |
|--------------------|-------------------|-----------------------|--------------|------|------|
|                    | Quantity          | Unit                  | Quantity     | Unit |      |
| 3-May-2018         | 177               | m <sup>3</sup> / week | +6.297       | m    |      |
| 10-May-2018        | 113               | m <sup>3</sup> / week | +6.298       | m    |      |
| 17-May-2018        | 130               | m <sup>3</sup> / week | +6.298       | m    |      |
| 24-May-2018        | 134               | m <sup>3</sup> / week | +6.297       | m    |      |
| 31-May-2018        | 140               | m <sup>3</sup> / week | +6.298       | m    |      |

Remarks: Reference to Monthly Progress Report (May-2018)

## 7) Offensive Odor (only operation phase)

Complaints from Residents

- Are there any complaints from residents regarding offensive odor in this monitoring period?

☐ Yes, ☒ No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

| Contents of Complaints from Residents | Countermeasures |
|---------------------------------------|-----------------|
|                                       |                 |

Situations environmental report from tenants

- Are there any serious issues regarding offensive odor in this monitoring period?

☐ Yes, ☒ No

If yes, please describe the contents of complains and its countermeasures to fill in below the table.

| Contents of Issues on Soil Contamination | Countermeasures |
|--|-----------------|
|  |                 |

8) Infectious disease, Working Environment, Accident

Information from contractor (construction phase) or tenants (operation phase)

- Are there any incidents regarding infectious disease, Working Environment, Accident in this monitoring period? ☐ Yes, ☒ No  
If yes, please describe the contents of complains and its countermeasures to fill in below the table.

| Contents of Incidents | Countermeasures |
|-----------------------|-----------------|
|                       |                 |

Note: If emergency incidents are occurred, the information shall be reported to the relevant organizations and authorities immediately.

9) Resettlement Works for Project Affected Persons (PAPs) and Common Assets

Information from TSMC

- Please describe the progress and remarkable issues (if any) to fill in below the table.

| Resentment Works           |                                 | Progress in Narrative  | Remarkable Issues |
|----------------------------|---------------------------------|--|-------------------|
| Projected Affected Persons | Land Acquisition and Relocation | <ul style="list-style-type: none"> <li>- 4 Land Owner agreed with Land Acquisition and Compensation</li> <li>- Cultivation Compensation provided to One Cultivator</li> <li>- No relocation PAH</li> </ul>   |                   |
|                            | Income Restoration Program      | <ul style="list-style-type: none"> <li>- Job Matching Program, Training (To be conducted job readiness and vocational training such as car driving, sewing etc...will be provide in May 2018.</li> <li>- Vulnerable People Program (Provided in-kind support to 20 PAH at Zone B relocated household.)</li> <li>- Planning Access to Credit Program</li> </ul> |                   |
| Common Assets              | Relocation                      |  |                   |





## MYANMAR JAPAN THILAWA DEVELOPMENT LIMITED

- Are there any grievances submitted, solved and pending regarding resettlement works?  
If yes, please describe the contents of grievances to fill in below the table.

☐ Yes, ☒ No

| Contents of Grievance | Response/ Countermeasures |
|-----------------------|---------------------------|
|                       |                           |
|                       |                           |
|                       |                           |

### 10) CSR activities such as Community Support Program

- Are there any CSR activities implemented in this monitoring period?

☒ Yes, ☐ No

If yes, please describe the outline of CSR activities implemented to fill in below the table.

| Date           | Activities   | Description (Location, Participant etc)   |
|----------------|--|---|
| In March, 2018 | Support to fill soil in school compound area due to the floods in rainy season | Thida Myaing (Kayat school)   |
| In April, 2018 | Donate to the elders in Myanmar new year as tradition                          | Thanlyin-Kyaut Tan township   |
| In May, 2018   | Back to School program (stationary donation)                                   | About 2500 students from Shwe Pyi Tharyar, Thida Myaing, Aye Mya Thida, Padagyi, Alwan Sut, Shan Su and Myaing Tharyar villages |
|                | Scholarship program  | 11 scholars from TSEZ neighbouring villages   |

End of Document



**Thilawa Special Economic Zone (Zone B)  
Development Project –Phase 1 & 2**

**Appendix**

**Water and Waste Water Monitoring Report**

**April 2018**

**WATER QUALITY MONITORING REPORT**  
**FOR DEVELOPMENT OF INDUSTRIAL AREA**  
**IN THILAWA SEZ ZONE B**  
**(PHASE 1 & 2 CONSTRUCTION STAGE)**

**(Bi-Monthly Monitoring)**

**April 2018**

**Myanmar Koei International Ltd.**



## TABLE OF CONTENTS

|  |      |
|--|------|
| CHAPTER 1: INTRODUCTION .....  | 3    |
| 1.1 General .....  | 3    |
| CHAPTER 2: WATER QUALITY MONITORING .....                                | 4    |
| 2.1 Monitoring Items .....   | 4    |
| 2.2 Description of Sampling Points .....                                 | 4    |
| 2.3 Monitoring Method .....  | 6    |
| 2.4 Monitoring Period .....  | 6    |
| 2.5 Monitoring Results .....   | 6    |
| CHAPTER 3: CONCLUSION AND RECOMMENDATIONS .....                          | 9    |
| APPENDIX-1 FIELD SURVEY PHOTOS .....                                     | A1-1 |
| APPENDIX-2 LABORATORY RESULTS .....                                      | A2-1 |
| APPENDIX-3 LABORATORY RESULT OF ESCHERICHIA COLI (SELF-MONITORING) ..... | A3-1 |

## LIST OF TABLES

|  |   |
|--|---|
| Table 2.1-1 Monitoring Items for Water Quality .....                         | 4 |
| Table 2.2-1 Outline of Sampling Points .....                                 | 4 |
| Table 2.3-1 Analytic Method for Water Quality .....                          | 6 |
| Table 2.4-1 Sampling Time of Each Station .....                              | 6 |
| Table 2.4-2 Tide Record for Yangon River, Myanmar .....                      | 6 |
| Table 2.5-1 Results of Water Quality Monitoring at Discharged Creek .....    | 7 |
| Table 2.5-2 Results of Water Quality Monitoring at Reference Tube Well ..... | 8 |

## LIST OF FIGURES

|   |   |
|---|---|
| Figure 1.1- 1 Location of Sampling Points of Water Quality Monitoring ..... | 3 |
|---|---|





## CHAPTER 1: INTRODUCTION

### 1.1 General

Thilawa Special Economic Zone (SEZ) is located in southern district of Yangon region and about 23 km southeast of Yangon city. As the developer of Thilawa SEZ, Myanmar Japan Thilawa Development Ltd. (MJTD) has a responsibility to carry out regular monitoring in the industrial area of Zone B in accordance with the approved Environmental Impact Assessment (EIA) report and Environmental Management Plan (EMP). MJTD has implemented monitoring various environmental items with the specified time frame to know the environmental conditions in and around the area. As for the monitoring of the water quality, total seven sampling points are set for water quality survey, named SW-2, SW-3, SW-4, SW-7, SW-8, SW-9 and GW-2 have been monitored in Thilawa SEZ and its surrounding area in timely manner. Among the seven locations, SW-7 is main discharging point of Zone B during the construction stage. Moreover, GW-2 is monitored as a reference of existing tube well which located in the monastery compound of Phalan village. Location of sampling points for water quality monitoring is shown in Figure 1.1-1.



Figure 1.1- 1 Location of Sampling Points of Water Quality Monitoring



## CHAPTER 2: WATER QUALITY MONITORING

### 2.1 Monitoring Items

Sampling points and parameters for water quality monitoring are determined to cover the environmental monitoring plan of the EIA report.

Water quality sampling was carried out at seven locations. Among the seven locations, water flow measurement was carried out at one location (SW-2) where can be measured by current meter. Monitoring items and sampling points are summarized in Table 2.1-1.

**Table 2.1-1 Monitoring Items for Water Quality**

| No. | Parameters                         | SW-2 | SW-3 | SW-4 | SW-7 | SW-8 | SW-9 | GW-2 | Remarks             |
|-----|------------------------------------|------|------|------|------|------|------|------|---------------------|
| 1   | pH                                 | ○    | ○    | ○    | ○    | ○    | ○    | ○    | On-site measurement |
| 2   | Water temperature                  | ○    | ○    | ○    | ○    | ○    | ○    | ○    | On-site measurement |
| 3   | DO                                 | ○    | ○    | ○    | ○    | ○    | ○    | ○    | On-site measurement |
| 4   | BOD (5)                            | ○    | ○    | ○    | ○    | ○    | ○    | ○    | Laboratory analysis |
| 5   | COD (Cr)                           | ○    | ○    | ○    | ○    | ○    | ○    | ○    | Laboratory analysis |
| 6   | Suspended solids                   | ○    | ○    | ○    | ○    | ○    | ○    | ○    | Laboratory analysis |
| 7   | Total coliform                     | ○    | ○    | ○    | ○    | ○    | ○    | ○    | Laboratory analysis |
| 8   | Oil and grease                     | ○    | ○    | ○    | ○    | ○    | ○    | ○    | Laboratory analysis |
| 9   | Chromium                           | ○    | ○    | ○    | ○    | ○    | ○    | ○    | Laboratory analysis |
| 10  | Escherichia Coli (Self-monitoring) | ○    | ○    | ○    | -    | -    | ○    | ○    | Laboratory analysis |
| 11  | Flow Rate                          | ○    | -    | -    | -    | -    | -    | -    | On-site measurement |

Source: Myanmar Koei International Ltd.

### 2.2 Description of Sampling Points

The outline of sampling points is mentioned in Table 2.2-1. The photos of conducting field survey at each sampling points are mentioned in Appendix-1.

**Table 2.2-1 Outline of Sampling Points**

| No. | Station | Detailed Information   |
|-----|---------|--|
| 1   | SW-2    | <b>Coordinate-</b> N-16° 40' 20.69", E- 96° 17' 18.04"   |
|     |         | <b>Location -</b> Upstream of Shwe Pyauk Creek   |
|     |         | <b>Survey Item -</b> Surface water sampling and water flowrate measurement.  |
| 2   | SW-3    | <b>Coordinate-</b> N-16° 40' 5.50", E- 96° 16' 41.60"  |
|     |         | <b>Location -</b> Upstream of Shwe Pyauk Creek, after mixing point of Thilawa SEZ Zone A and Zone B.                       |
|     |         | <b>Survey Item -</b> Surface water sampling.   |
| 3   | SW-4    | <b>Coordinate-</b> N-16° 39' 42.84", E- 96° 16' 27.42"   |
|     |         | <b>Location -</b> Downstream of Shwe Pyauk Creek   |
|     |         | <b>Survey Item -</b> Surface water sampling.   |
| 4   | SW-7    | <b>Coordinate-</b> N-16° 40' 17.40", E- 96° 17' 18.40"   |
|     |         | <b>Location -</b> Discharge drain of Zone B construction site before connect to Shwe Pyauk Creek                           |
|     |         | <b>Survey Item -</b> Discharge water sampling.   |
| 5   | SW-8    | <b>Coordinate-</b> N-16° 40' 14.90", E- 96° 17' 7.90"  |
|     |         | <b>Location -</b> Upstream of Shwe Pyauk Creek, mixing point of SW-2 and discharge water from construction site of Zone B. |
|     |         | <b>Survey Item -</b> Surface water sampling.   |
| 6   | SW-9    | <b>Coordinate-</b> N-16° 40' 6.21", E- 96° 16' 43.44"  |
|     |         | <b>Location -</b> Upstream of Shwe Pyauk Creek.  |
|     |         | <b>Survey Item -</b> Surface water sampling.   |
| 7   | GW-2    | <b>Coordinate-</b> N-16° 39' 25.30", E- 96° 17' 15.60"   |
|     |         | <b>Location -</b> In the monastery compound of Phalan village  |
|     |         | <b>Survey Item -</b> Ground water sampling.  |

Source: Myanmar Koei International Ltd.



#### **SW-2 (Reference Point)**

SW-2 was collected at the upstream of Shwe Pyauk creek. This sampling point is located at the northeast of Zone B area and at the south of Dagon-Thilawa road. The surrounding area are Zone A in the northwest, local industrial zone in the east and paddy field in the west respectively.

#### **SW-3 (Reference Point)**

SW-3 was collected at the Shwe Pyauk creek, after mixing point of Zone A and Zone B, which is flowing from east to west and then entering into the Yangon River. The distance is about 45 m downstream of SW-9. This sampling point is located at south of Zone A area and Dagon-Thilawa road. The surrounding area are Zone B in the south, local industrial zone in the east and paddy field in the south and west respectively.

#### **SW-4 (Reference Point)**

SW-4 was collected at the downstream of Shwe Pyauk creek, after mixing of discharge water from local industrial zone, construction site of Zone B and Zone A, which is flowing from east to west and then entering into the Yangon River. The distance is about 800 m downstream of SW-3. This sampling point is located at southwest of Zone A area and at the south of Dagon-Thilawa road. The surrounding area are Zone B in the east, local industrial zone in the east and paddy field in the south and west respectively.

#### **SW-7 (Discharging Point)**

SW-7 is main discharging point of Zone B during construction stage. This sampling point is located at the east of Zone B area and at the south of Dagon-Thilawa road. The surrounding area are Zone A in the northwest, local industrial zone in the east and paddy field in the west respectively.

#### **SW-8 (Reference Point)**

SW-8 is mixing point of discharge water from Zone B construction site and local industrial zone, upstream of Shwe Pyauk creek. This sampling point is located at south of Zone A area and Dagon-Thilawa road. The surrounding area are Zone B in the south, local industrial zone in the east and paddy field in the south and west respectively.

#### **SW-9 (Reference Point)**

SW-9 was collected at the upstream of Shwe Pyauk creek which is flowing from east to west and then entering into the Yangon River. The distance is about 790 m downstream of SW-8. This sampling point is located at south of Zone A area and Dagon-Thilawa road. The surrounding area are Zone B in the south, local industrial zone in the east and paddy field in the south and west respectively.

#### **GW-2 (Reference of Existing Tube Well)**

GW-2 was collected from tube well as ground water sample. It is located in the monastery compound of Phalan village. The surrounding area are Thilawa SEZ Zone A in north, Phalan village in the south and fields in west and local industrial zone in northeast, and construction of Thilawa SEZ Zone B in east and northeast respectively.





## 2.3 Monitoring Method

All water samples were collected with cleaned sampling bottle and analyzed by the following standard method as shown in Table 2.3-1. All samples were kept in iced boxes keeping at 2-4 °C and were transported to the laboratory. Among the parameters; water temperature, pH and DO were measured by the on-site instrument “Horiba, U-52” and water flow rate was also conducted by using the on-site instrument “Tamaya Digital Current Meter”.

**Table 2.3-1 Analytic Method for Water Quality**

| No. | Parameter             | Method   |
|-----|-----------------------|--|
| 1   | Temperature           | Instrument Analysis Method (Horiba, U-52, Multi Water Quality Checker)                             |
| 2   | pH                    | Instrument Analysis Method (Horiba, U-52, Multi Water Quality Checker)                             |
| 3   | Dissolved oxygen (DO) | Instrument Analysis Method (Horiba, U-52, Multi Water Quality Checker)                             |
| 4   | BOD (5)               | APHA 5210 B (5 days BOD Test)  |
| 5   | COD (Cr)              | APHA 5220D (Close Reflux Colorimetric Method)  |
| 6   | Suspended solids (SS) | APHA 2540D (Dry at 103-105°C Method)   |
| 7   | Total coliform        | APHA 9221B (Standard Total Coliform Fermentation Technique)  |
| 8   | Oil and grease        | APHA 5520B (Partition-Gravimetric Method)  |
| 9   | Chromium              | APHA 3120 B (Inductively Coupled Plasma (ICP) Method)  |
| 10  | Escherichia Coli      | APHA 9221 F (Escherichia Coli Procedure Using Fluorogenic Substrate)                               |
| 11  | Flow Rate             | Detection of Electromagnetic Elements<br>(Real-time measurement by UC-200V Digital Current Meters) |

Source: Myanmar Koei International Ltd.

## 2.4 Monitoring Period

Water quality and water flow rate monitoring were conducted on 25<sup>th</sup> April 2018 and sampling time is shown in Table 2.4-1 to avoid tidal effect. The tide record for Yangon River, Myanmar on 25<sup>th</sup> April 2018 is shown in Table 2.4-2.

**Table 2.4-1 Sampling Time of Each Station**

| No. | Station | Sampling Time    |
|-----|---------|------------------|
| 1   | SW-2    | 25/04/2018 09:50 |
| 2   | SW-3    | 25/04/2018 08:43 |
| 3   | SW-4    | 25/04/2018 10:23 |
| 4   | SW-7    | 25/04/2018 10:58 |
| 5   | SW-8    | 25/04/2018 10:53 |
| 6   | SW-9    | 25/04/2018 09:07 |
| 7   | GW-2    | 25/04/2018 12:38 |

Source: Myanmar Koei International Ltd.

**Table 2.4-2 Tide Record for Yangon River, Myanmar**

| Date       | Time  | Height | Tide Conditions |
|------------|-------|--------|-----------------|
| 25/04/2018 | 00:20 | 4.6    | High Tide       |
|            | 07:10 | 1.5    | Low Tide        |
|            | 13:10 | 4.6    | High Tide       |
|            | 19:50 | 1.6    | Low Tide        |

Source: Myanmar Port Authority, Tide Table for the Yangon River and Elephant Point, 2018



## 2.5 Monitoring Results

Results of water quality monitoring at discharge point and discharged creek is summarized in Table 2.5-1. Analytical results of the laboratory are described in Appendix-2. The results were compared with the target value of effluent water quality discharging to water body stipulated in the EIA report.

### 2.5.1 Results of Discharging points and Discharged Creek

As the comparison with the target value, the results of total coliform were exceeded than the target value.

As for the result of total coliform of surface water, results at surface water monitoring points (SW-2, SW-3 and SW-9) exceeded the target value due to two expected reasons; i) natural bacteria existed in discharged creek because there are various kinds of vegetation and creature such as birds, and small animals in and along the discharged creek and ii) wastewater from the local industrial zone outside of Thilawa SEZ and iii) delivered from surrounding area by tidal effect. In addition, the result of E. Coli of surface water, all of results were under the reference value. Therefore, although the target value of total coliform was exceeded at monitoring point of SW-2, SW-3 and SW-9, but it is considered that there is no significant impact on human health

**Table 2.5-1 Results of Water Quality Monitoring at Discharge point and Discharged Creek**

| No. | Parameters            | Unit      | SW-2     | SW-3   | SW-4   | SW-7 | SW-8 | SW-9   | Target Value<br>(Reference<br>Value for Self-<br>Monitoring) |
|-----|-----------------------|-----------|----------|--------|--------|------|------|--------|--|
| 1   | Temperature           | °C        | 22       | 24     | 25     | -    | -    | 24     | ≤ 35   |
| 2   | pH                    | -         | 8.8      | 7.7    | 7.8    | -    | -    | 8.0    | 6.0~9.0  |
| 3   | Suspended solid (SS)  | mg/L      | 10       | 8      | 8      | -    | -    | 18     | 50   |
| 4   | Dissolved oxygen (DO) | mg/L      | 10.93    | 9.95   | 3.86   | -    | -    | 10.39  | -  |
| 5   | BOD (5)               | mg/L      | 9.48     | 2.32   | 2.43   | -    | -    | 3.87   | 30.00  |
| 6   | COD (Cr)              | mg/L      | 83       | 32.1   | 24.8   | -    | -    | 18     | 125.0  |
| 7   | Total coliform        | MPN/100ml | >160,000 | 2,600  | 350    | -    | -    | 1,700  | 400  |
| 8   | Oil and grease        | mg/L      | 3.5      | < 3.1  | < 3.1  | -    | -    | < 3.1  | 10.0   |
| 9   | Chromium              | mg/L      | ≤0.002   | ≤0.002 | ≤0.002 | -    | -    | ≤0.002 | 0.500  |
| 10  | Escherichia Coli      | MPN/100ml | 6.1      | 9.3    | 14.0   | -    | -    | < 1.8  | (1000)*<br>(CFU/100ml)                                       |
| 11  | Flow rate             | m³/s      | 0.013    | -      | -      | -    | -    | -      | -  |

Note: Red color means exceeded value than target value.

\*Note: Based on the water utilization at discharged creek, the quality standard for water baths in Japan, (Ministry of Environment, 1997) is set as a reference value for self-monitoring of E. coli for surface water monitoring. However, due to limitation of capacity for analytical laboratory in Myanmar, the method to analyze the "Colony Forming Unit (CFU)" is not available in Myanmar. Therefore, the results of "Most Probable Number (MPN)" are assumed similar to CFU values and compared with reference values. Once the method to analyze the CFU will be available in Myanmar, the analytical method will be changed.

Source: Myanmar Koei International Ltd.





## 2.5.2 Result of Reference Tube Well

Result of water quality monitoring at reference monitoring point is shown in Table 2.5-2. All parameters of result are below the target value.

**Table 2.5-2 Results of Water Quality Monitoring at Reference Tube Well**

| No. | Parameters            | Unit              | GW-2   | Target Value<br>(Reference Value for<br>Self-Monitoring) |
|-----|-----------------------|-------------------|--------|--|
| 1   | Temperature           | °C                | 23.7   | ≤ 35   |
| 2   | pH                    | -                 | 7.8    | 6.0~9.0  |
| 3   | Suspended solid (SS)  | mg/L              | 4      | 50   |
| 4   | Dissolved oxygen (DO) | mg/L              | 10.7   | -  |
| 5   | BOD (5)               | mg/L              | 1.60   | 30.00  |
| 6   | COD (Cr)              | mg/L              | 1.9    | 125.0  |
| 7   | Total coliform        | MPN/<br>100ml     | 23     | 400  |
| 8   | Oil and grease        | mg/L              | < 3.1  | 10.0   |
| 9   | Chromium              | mg/L              | ≤0.002 | 0.500  |
| 10  | Escherichia Coli      | MPN/ 100 ml       | < 1.8  | (100)** (MPN/100ml)                                      |
| 11  | Flow Rate             | m <sup>3</sup> /s | -      | -  |

\*\*Note: Based on the water utilization at monitoring point for ground water, B1(Irrigation water) of National Technical Regulation on Surface Water Quality in Vietnam (No. QCVN 08: 2008/BTNMT) is set as a reference value of self-monitoring for ground water monitoring.  
Source: Myanmar Koei International Ltd.





## CHAPTER 3: CONCLUSION AND RECOMMENDATIONS

As described in Chapter 2 (Section 2.5), parameter of total coliform for surface water monitoring was exceeded the target value at SW-2, SW-3 and SW-9 in this monitoring period for construction stage of Thilawa SEZ Zone B. Surface water monitoring points (SW-7 and SW-8) have no water for sampling during the monitoring period.

For SW-2, SW-3 and SW-9, there are some possible reasons for exceeding the target values of total coliform are by i) natural origin such as natural bacteria existed in discharged creek because there are various kinds of vegetation and creature such as birds, and small animals in and along the discharged creek and ii) wastewater from the local industrial zone outside of Thilawa SEZ and iii) delivered from surrounding area by tidal effect. As mentioned in Section 2.5-1, the result of self-monitoring of E-Coli at SW-2, SW-3 and SW-9 were under the reference value. Therefore, although the target value of total coliform was exceeded at reference monitoring point, but it is considered that there is no significant impact on human health. However, it cannot reach to the conclusion of what is the reason to be exceeded the target values, thus the continuous monitoring and yearly trend analysis will be necessary to carry out based on the rainy and dry season data.

As for future subject for main discharging points of Thilawa SEZ Zone B, the following action may be taken to carry out the appropriate water quality monitoring:

- To continue monitoring Escherichia coli (E. coli) level to identify health impact by coliform bacteria; and
- To monitor the possibility of the overflow water from construction sites.

*End of the Document*



## **APPENDIX-1 FIELD SURVEY PHOTOS**



**FOR DISCHARGING POINT OF THILAWA SEZ ZONE B**



Surface water at SW-7 (No water during the monitoring period)





**FOR REFERENCE MONITORING POINTS FOR COMPARISON WITH  
DISCHARGING POINTS AND BASELINE OF DISCHARGED CREEK**



Surface water sampling and onsite measurement at SW-2



Surface water sampling and onsite measurement at SW-3



Surface water sampling and onsite measurement at SW-4





Surface water at SW-8 (No water during the monitoring period)



Surface water sampling and onsite measurement at SW-9



Ground water sampling and onsite measurement at GW-2

## **APPENDIX-2 LABORATORY RESULTS**





**FOR REFERENCE MONITORING POINTS FOR COMPARISON WITH  
DISCHARGING POINTS AND BASELINE OF DISCHARGED CREEK**



GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.

Lot No. E1, ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel:01-2309051/ 09 796935149

Report No. : GEM-LAB-201805069

Revision No. : 1

Report Date : 10 May, 2018

Application No. : 0049-C001

**Analysis Report**

Client Name : Myanmar Koei International LTD (MKI)

Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.

Project Name : -

Sample Description

Sample Name : MKI-SW-2-0425

Sampling Date : 25 April, 2018

Sample No. : W-1804143

Sampling By : Customer

Waste Profile No. : -

Sample Received Date : 25 April, 2018

| No. | Parameter         | Method  | Unit      | Result   | LOQ   |
|-----|-------------------|---|-----------|----------|-------|
| 1   | SS                | APHA 2540D (Dry at 103-105°C Method)                        | mg/l      | 10.00    | —     |
| 2   | BOD (5)           | APHA 5210 B (5 Days BOD Test)                               | mg/l      | 9.48     | 0.00  |
| 3   | COD (Cr)          | APHA 5220D (Close Reflux Colorimetric Method)               | mg/l      | 83       | 0.7   |
| 4   | Total Nitrogen    | HACH Method 10072 (TNT Persulfate Digestion Method)         | mg/l      | 5.1      | 0.0   |
| 5   | Total Phosphorous | APHA 4500-P E (Ascorbic Acid Method)                        | mg/l      | 0.577    | 0.05  |
| 6   | Total Coliform    | APHA 9221B (Standard Total Coliform Fermentation Technique) | MPN/100ml | > 160000 | 1.8   |
| 7   | Color             | APHA 2120C (Spectrophotometric Method)                      | TCU       | 88.40    | 0.00  |
| 8   | Odor              | APHA 2150 B (Threshold Odor Test)                           | TON       | 8        | —     |
| 9   | Oil and Grease    | APHA 5520B (Partition-Gravimetric Method)                   | mg/l      | 3.50     | 3.1   |
| 10  | Chromium          | APHA 3120 B (Inductively Coupled Plasma (ICP) Method)       | mg/l      | ≤ 0.002  | 0.002 |
|     |                   |   |           |          |       |

Remark : LOQ - Limit of Quantitation

APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

Tomoya Suzuki  
Director



Water Quality Monitoring Report for Development of Industrial Area in Thilawa SEZ Zone B  
(Bi-Monthly Monitoring in FY April-2018)

**DOWA**

GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1, ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel: 01-2309051/ 09 796935149

Report No. : GEM-LAB-201805070  
Revision No. : 1  
Report Date : 10 May, 2018  
Application No. : 0049-C001

### Analysis Report


Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : -  
Sample Description :  
Sample Name : MKI-SW-3-0425  
Sample No. : W-1804144  
Waste Profile No. : -  
Sampling Date : 25 April, 2018  
Sampling By : Customer  
Sample Received Date : 25 April, 2018

| No. | Parameter         | Method  | Unit      | Result  | LOQ   |
|-----|-------------------|---|-----------|---------|-------|
| 1   | SS                | APHA 2540D (Dry at 103-105°C Method)                        | mg/l      | 8.00    | -     |
| 2   | BOD (5)           | APHA 5210 B (5 Days BOD Test)                               | mg/l      | 2.32    | 0.00  |
| 3   | COD (Cr)          | APHA 5220D (Close Reflux Colorimetric Method)               | mg/l      | 32.1    | 0.7   |
| 4   | Total Nitrogen    | HACH Method 10072 (TNT Persulfate Digestion Method)         | mg/l      | 0.2     | 0.0   |
| 5   | Total Phosphorous | APHA 4500-P E (Ascorbic Acid Method)                        | mg/l      | 0.051   | 0.05  |
| 6   | Total Coliform    | APHA 9221B (Standard Total Coliform Fermentation Technique) | MPN/100ml | 2600    | 1.8   |
| 7   | Color             | APHA 2120C (Spectrophotometric Method)                      | TCU       | 43.35   | 0.00  |
| 8   | Odor              | APHA 2150 B (Threshold Odor Test)                           | TON       | 1       | -     |
| 9   | Oil and Grease    | APHA 5520B (Partition-Gravimetric Method)                   | mg/l      | < 3.1   | 3.1   |
| 10  | Chromium          | APHA 3120 B (Inductively Coupled Plasma (ICP) Method)       | mg/l      | ≤ 0.002 | 0.002 |
|     |                   |   |           |         |       |
|     |                   |   |           |         |       |

Remark : LOQ - Limit of Quantitation


APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

  
Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

  
Tomoya Suzuki  
Director





GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1 ,ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel:01-2309051/ 09 796935149

Report No. : GEM-LAB-201805071  
Revision No. : 1  
Report Date : 10 May, 2018  
Application No. : 0049-C001

## Analysis Report

Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : -  
Sample Description  
Sample Name : MKI-SW-4-0425  
Sample No. : W-1804145  
Waste Profile No. : -

Sampling Date : 25 April, 2018  
Sampling By : Customer  
Sample Received Date : 25 April, 2018

| No. | Parameter         | Method  | Unit      | Result  | LOQ   |
|-----|-------------------|---|-----------|---------|-------|
| 1   | SS                | APHA 2540D (Dry at 103-105°C Method)                        | mg/l      | 8.00    | -     |
| 2   | BOD (5)           | APHA 5210 B (5 Days BOD Test)                               | mg/l      | 2.43    | 0.00  |
| 3   | COD (Cr)          | APHA 5220D (Close Reflux Colorimetric Method)               | mg/l      | 24.8    | 0.7   |
| 4   | Total Nitrogen    | HACH Method 10072 (TNT Persulfate Digestion Method)         | mg/l      | 0.0     | 0.0   |
| 5   | Total Phosphorous | APHA 4500-P E (Ascorbic Acid Method)                        | mg/l      | < 0.05  | 0.05  |
| 6   | Total Coliform    | APHA 9221B (Standard Total Coliform Fermentation Technique) | MPN/100ml | 350     | 1.8   |
| 7   | Color             | APHA 2120C (Spectrophotometric Method)                      | TCU       | 42.46   | 0.00  |
| 8   | Odor              | APHA 2150 B (Threshold Odor Test)                           | TON       | 1       | -     |
| 9   | Oil and Grease    | APHA 5520B (Partition-Gravimetric Method)                   | mg/l      | < 3.1   | 3.1   |
| 10  | Chromium          | APHA 3120 B (Inductively Coupled Plasma (ICP) Method)       | mg/l      | ≤ 0.002 | 0.002 |
|     |                   |   |           |         |       |
|     |                   |   |           |         |       |

Remark : LOQ - Limit of Quantitation

APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

Tomoya Suzuki  
Director





**DOWA**

GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.

Lot No. E1, ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel: 01-2309051 / 09 796935149

Report No. : GEM-LAB-201805073

Revision No. : 1

Report Date : 10 May, 2018

Application No. : 0049-C001

## Analysis Report

Client Name : Myanmar Koei International LTD (MKI)

Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.

Project Name : -

Sample Description

Sample Name : MKI-SW-9-0425

Sampling Date : 25 April, 2018

Sample No. : W-1804147

Sampling By : Customer

Waste Profile No. : -

Sample Received Date : 25 April, 2018

| No. | Parameter      | Method  | Unit      | Result  | LOQ   |
|-----|----------------|---|-----------|---------|-------|
| 1   | SS             | APHA 2540D (Dry at 103-105°C Method)                        | mg/l      | 18.00   | -     |
| 2   | BOD (5)        | APHA 5210 B (5 Days BOD Test)                               | mg/l      | 3.87    | 0.00  |
| 3   | COD (Cr)       | APHA 5220D (Close Reflux Colorimetric Method)               | mg/l      | 18      | 0.7   |
| 4   | Total Coliform | APHA 9221B (Standard Total Coliform Fermentation Technique) | MPN/100ml | 1700    | 1.8   |
| 5   | Oil and Grease | APHA 5520B (Partition-Gravimetric Method)                   | mg/l      | < 3.1   | 3.1   |
| 6   | Chromium       | APHA 3120 B (Inductively Coupled Plasma (ICP) Method)       | mg/l      | ≤ 0.002 | 0.002 |
|     |                |   |           |         |       |
|     |                |   |           |         |       |

Remark : LOQ - Limit of Quantitation

APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition


Analysed By :



Ni Ni Aye Lwin  
Assistant supervisor



Approved By :



Tomoya Suzuki  
Director





GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1, Thilawa SEZ Zone A, Yangon Region, the Union of Myanmar  
Tel: 01-2309051 / 09 796935149

Report No. : GEM-LAB-201805074  
Revision No. : 1  
Report Date : 10 May, 2018  
Application No. : 0049-C001

## Analysis Report

Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : -  
Sample Description  
Sample Name : MKI-GW-2-0425 Sampling Date : 25 April, 2018  
Sample No. : W-1804148 Sampling By : Customer  
Waste Profile No. : - Sample Received Date : 25 April, 2018

| No. | Parameter      | Method  | Unit      | Result  | LOQ   |
|-----|----------------|---|-----------|---------|-------|
| 1   | SS             | APHA 2540D (Dry at 103-105°C Method)                        | mg/l      | 4.00    | -     |
| 2   | BOD (5)        | APHA 5210 B (5 Days BOD Test)                               | mg/l      | 1.60    | 0.00  |
| 3   | COD (Cr)       | APHA 5220D (Close Reflux Colorimetric Method)               | mg/l      | 1.9     | 0.7   |
| 4   | Total Coliform | APHA 9221B (Standard Total Coliform Fermentation Technique) | MPN/100ml | 23      | 1.8   |
| 5   | Oil and Grease | APHA 5520B (Partition-Gravimetric Method)                   | mg/l      | < 3.1   | 3.1   |
| 6   | Chromium       | APHA 3120 B (Inductively Coupled Plasma (ICP) Method)       | mg/l      | ≤ 0.002 | 0.002 |
|     |                |   |           |         |       |
|     |                |   |           |         |       |


Remark : LOQ - Limit of Quantitation  
APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

  
Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

  
Tomoya Suzuki  
Director



**APPENDIX-3 LABORATORY RESULT OF ESCHERICHIA COLI  
(SELF-MONITORING)**





**FOR REFERENCE MONITORING POINTS FOR COMPARISON WITH  
DISCHARGING POINTS AND BASELINE OF DISCHARGED CREEK**

**DOWA**

GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1, Thilawa SEZ Zone A, Yangon Region, the Union of Myanmar  
Tel: 01-2309051 / 09 796935149

Report No. : GEM-LAB-201804135  
Revision No. : 1  
Report Date : 30 April, 2018  
Application No. : 0049-C001

**Analysis Report**


Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : MJTD  
Sample Description :

Sample Name : MKI-SW-2-0425 Sampling Date : 25 April, 2018  
Sample No. : W-1804152 Sampling By : Customer  
Waste Profile No. : - Sample Received Date : 25 April, 2018

| No. | Parameter        | Method   | Unit      | Result | LOQ |
|-----|------------------|--|-----------|--------|-----|
| 1   | Escherichia Coli | APHA 9221 F Escherichia Coli Procedure Using Fluorogenic Substrate | MPN/100ml | 6.1    | 1.8 |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |


Remark : LOQ - Limit of Quantitation  
APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

  
Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

  
Tomoya Suzuki  
Director



**DOWA**

GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1, ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel:01-2309051/ 09 796935149

Report No. : GEM-LAB-201804136  
Revision No. : 1  
Report Date : 30 April, 2018  
Application No. : 0049-C001


### Analysis Report

Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : MJTD  
Sample Description  
Sample Name : MKI-SW-3-0425 Sampling Date : 25 April, 2018  
Sample No. : W-1804153 Sampling By : Customer  
Waste Profile No. : - Sample Received Date : 25 April, 2018

| No. | Parameter        | Method   | Unit      | Result | LOQ |
|-----|------------------|--|-----------|--------|-----|
| 1   | Escherichia Coli | APHA 9221 F Escherichia Coli Procedure Using Fluorogenic Substrate | MPN/100ml | 9.3    | 1.8 |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |


Remark : LOQ - Limit of Quantitation  
APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

  
Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

  
Tomoya Suzuki  
Director





GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1, ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel.01-2309051/ 09 796935149

Report No. : GEM-LAB-201804137  
Revision No. : 1  
Report Date : 30 April, 2018  
Application No. : 0049-C001

### Analysis Report

Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : MJTD  
Sample Description  
Sample Name : MKI-SW-4-0425  
Sample No. : W-1804154  
Waste Profile No. : -

Sampling Date : 25 April, 2018  
Sampling By : Customer  
Sample Received Date : 25 April, 2018

| No. | Parameter        | Method   | Unit      | Result | LOQ |
|-----|------------------|--|-----------|--------|-----|
| 1   | Escherichia Coli | APHA 9221 F Escherichia Coli Procedure Using Fluorogenic Substrate | MPN/100ml | 14.0   | 1.8 |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |

Remark : LOQ - Limit of Quantitation  
APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :

Ni Ni Aye Lwin  
Assistant supervisor



Approved By :

Tomoya Suzuki  
Director





**DOWA**

GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD  
Lot No. E1, ThilawaSEZ Zone A, Yangon Region, the Union of Myanmar  
Tel: 01-2309051 / 09 796935149


Report No. : GEM-LAB-201804139  
Revision No. : 1  
Report Date : 30 April, 2018  
Application No. : 0049-C001

### Analysis Report


Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : MJTD  
Sample Description  
Sample Name : MKI-SW-9-0425  
Sample No. : W-1804156  
Waste Profile No. : -  
Sampling Date : 25 April, 2018  
Sampling By : Customer  
Sample Received Date : 25 April, 2018

| No. | Parameter        | Method   | Unit      | Result | LOQ |
|-----|------------------|--|-----------|--------|-----|
| 1   | Escherichia Coli | APHA 9221 F Escherichia Coli Procedure Using Fluorogenic Substrate | MPN/100ml | < 1.8  | 1.8 |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |

Remark : LOQ - Limit of Quantitation  
APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :  
  
Ni Ni Aye Lwin  
Assistant supervisor



Approved By :  
  
Tomoya Suzuki  
Director



Water Quality Monitoring Report for Development of Industrial Area in Thilawa SEZ Zone B  
(Bi-Monthly Monitoring in FY April-2018)

**DOWA**

GOLDEN DOWA ECO-SYSTEM MYANMAR CO., LTD.  
Lot No. E1, Thilawa SEZ Zone A, Yangon Region, the Union of Myanmar  
Tel: 01-2309051 / 09 796935149

Report No. : GEM-LAB-201804140  
Revision No. : 1  
Report Date : 30 April, 2018  
Application No. : 0049-C001

### Analysis Report

Client Name : Myanmar Koei International LTD (MKI)  
Address : No.1A /28, Mya Thidar Housing, Ward 11, South Okkalapa.  
Project Name : MJTD  
Sample Description  
Sample Name : MKI-GW-2-0425  
Sample No. : W-1804157  
Waste Profile No. : -

Sampling Date : 25 April, 2018  
Sampling By : Customer  
Sample Received Date : 25 April, 2018

| No. | Parameter        | Method   | Unit      | Result | LOQ |
|-----|------------------|--|-----------|--------|-----|
| 1   | Escherichia Coli | APHA 9221 F Escherichia Coli Procedure Using Fluorogenic Substrate | MPN/100ml | < 1.8  | 1.8 |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |
|     |                  |  |           |        |     |

Remark : LOQ - Limit of Quantitation  
APHA - American Public Health Association (APHA), the American Water Works Association (AWWA), and the Water Environment Federation (WEF), Standard Methods for the Examination of Water and Wastewater, 22nd edition

Analysed By :



Ni Ni Aye Lwin  
Assistant supervisor



Approved By :



Tomoya Suzuki  
Director



**Thilawa Special Economic Zone (Zone B)  
Development Project –Phase 1 & 2**

**Appendix**

**Noise and Vibration Monitoring Report**

**March 2018**



**NOISE AND VIBRATION  
MONITORING REPORT  
FOR DEVELOPMENT OF INDUSTRIAL AREA  
THILAWA SEZ ZONE B  
(PHASE 1 CONSTRUCTION STAGE)**

**(QUARTERLY MONITORING)**

**March 2018  
Myanmar Koei International Ltd.**



## TABLE OF CONTENTS

|  |    |
|--|----|
| CHAPTER 1: OUTLINES AND SUMMARY OF MONITORING PLAN ..... | 2  |
| 1.1 General .....  | 2  |
| 1.2 Outlines of Monitoring Plan.....                     | 2  |
| CHAPTER 2: NOISE AND VIBRATION LEVEL MONITORING .....    | 3  |
| 2.1 Monitoring Item .....                                | 3  |
| 2.2 Monitoring Location .....                            | 3  |
| 2.3 Monitoring Method .....                              | 4  |
| 2.4 Monitoring Results.....                              | 5  |
| CHAPTER 3: CONCLUSION AND ISSUES TO BE SOLVED .....      | 12 |

## LIST OF TABLES

|   |    |
|---|----|
| Table 1.2-1 Outlines of Noise and Vibration Level Monitoring .....                    | 2  |
| Table 2.1-1 Monitoring Parameters for Noise and Vibration Level.....                  | 3  |
| Table 2.4-1 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-1.....             | 5  |
| Table 2.4-2 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-2 .....            | 5  |
| Table 2.4-3 Hourly Noise Level ( $L_{Aeq}$ ) Monitoring Results at NV-1 .....         | 6  |
| Table 2.4-4 Hourly Noise Level ( $L_{Aeq}$ ) Monitoring Results at NV-2.....          | 6  |
| Table 2.4-5 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-1.....         | 8  |
| Table 2.4-6 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-2.....         | 8  |
| Table 2.4-7 Results of Hourly Vibration Levels ( $L_{v10}$ ) Monitoring at NV-1 ..... | 9  |
| Table 2.4-8 Results of Hourly Vibration Levels ( $L_{v10}$ ) Monitoring at NV-2 ..... | 10 |

## LIST OF FIGURES

|  |    |
|--|----|
| Figure 2.2-1 Location of Noise and Vibration Level Monitoring Points .....         | 3  |
| Figure 2.3-1 Status of Noise and Vibration Level Monitoring at NV-1 and NV-2 ..... | 4  |
| Figure 2.4-1 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-1 .....        | 7  |
| Figure 2.4-2 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-2 .....        | 7  |
| Figure 2.4-3 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-1 .....    | 11 |
| Figure 2.4-4 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-2 .....    | 11 |



## CHAPTER 1: OUTLINES AND SUMMARY OF MONITORING PLAN

### 1.1 General

Thilawa Special Economic Zone (TSEZ) is located in southern district of Yangon region and about 23 km southeast of Yangon city. As the developer of Thilawa SEZ, Myanmar Japan Thilawa Development Ltd. (MJTD) has a responsibility to carry out regular environmental monitoring in the industrial area of Zone B in accordance with the approved Environmental Impact Assessment (EIA) report with Environmental Management Plan (EMP). MJTD has implemented monitoring various environmental items with the specified time frame to know the environmental conditions in and around the area.

### 1.2 Outlines of Monitoring Plan

To assess the environmental condition under the construction of industrial area in and around Thilawa SEZ Zone B, noise and vibration levels had been monitored from 14<sup>th</sup> March 2018 – 16<sup>th</sup> March 2018 as follows;

**Table 1.2-1 Outlines of Noise and Vibration Level Monitoring**

| Monitoring Date  | Monitoring Item | Parameters            | Number of Points | Duration | Monitoring Methodology                                 |
|--|-----------------|-----------------------|------------------|----------|--|
| From 14 <sup>th</sup> March – 15 <sup>th</sup> March, 2018 | Noise Level     | L <sub>Aeq</sub> (dB) | 1 (NV-2)         | 24 hours | On-site measurement by “Rion NL-42 sound level meter”  |
| From 15 <sup>th</sup> March – 16 <sup>th</sup> March, 2018 | Noise Level     | L <sub>Aeq</sub> (dB) | 1 (NV-1)         | 24 hours | On-site measurement by “Rion NL-42 sound level meter”  |
| From 14 <sup>th</sup> March – 15 <sup>th</sup> March, 2018 | Vibration Level | L <sub>v10</sub> (dB) | 1 (NV-2)         | 24 hours | On-site measurement by “Vibration Level Meter- VM-53A” |
| From 15 <sup>th</sup> March – 16 <sup>th</sup> March, 2018 | Vibration Level | L <sub>v10</sub> (dB) | 1 (NV-1)         | 24 hours | On-site measurement by “Vibration Level Meter- VM-53A” |





## CHAPTER 2: NOISE AND VIBRATION LEVEL MONITORING

### 2.1 Monitoring Item

The noise and vibration level monitoring items are shown in Table 2.1-1.

**Table 2.1-1 Monitoring Parameters for Noise and Vibration Level**

| No. | Item      | Parameter   |
|-----|-----------|---|
| 1   | Noise     | A-weighted loudness equivalent ( $L_{Aeq}$ )        |
| 2   | Vibration | Vibration level, vertical, percentile ( $L_{V10}$ ) |

### 2.2 Monitoring Location

Noise and vibration levels were measured at the northeast corner of the Thilawa SEZ Zone B, monitoring point (NV-1); N: 16°40'18.22", E: 96°17'18.18" for traffic noise concerned and at the south of the Thilawa SEZ Zone B, sampling point (NV-2); N: 16°39'24.90", E: 96°17'16.70", inside the monastery compound of Phalan village. The location of the noise and vibration monitoring points are shown in Figure 2.2-1.



**Figure 2.2-1 Location of Noise and Vibration Level Monitoring Points**

### NV-1

NV-1 is located in front of temporary gate of construction site of Thilawa SEZ Zone B and next to Thilawa Development road. The surrounding area are Zone A in the northwest, local industrial zone in the east and paddy field in the west respectively. Possible sources of noise and vibration is generated from construction activities and road traffic.

### NV-2

NV-2 is located at the south of the Thilawa SEZ Zone B, inside the monastery compound of Phalan village, surrounded by the residential houses of Phalan village in the south and fields in west, Thilawa SEZ Zone A in north, local industrial zone in northeast respectively. Possible sources of noise and vibration is generated from construction activities from Zone B and daily human activities from nearby Phalan village.

## 2.3 Monitoring Method

Noise level was measured by “Rion NL-42 sound level meter” and automatically recorded every 10 minutes in a memory card. The vibration level meter was, VM-53A (Rion Co. Ltd., Japan), accompanied by a 3-axis accelerometer PV-83C (Rion Co. Ltd.) was placed on solid soil ground. Vertical vibration (Z axis),  $L_v$ , was measured every 10 minutes within the adaptable range of (10-70) dB at NV-1 and (10-70) dB at NV-2 and recorded to a memory card.

The measurement period of noise and vibration was 24 hours for each monitoring point. The status of the noise and vibration level monitoring on NV-1 and NV-2 are shown in Figure 2.3-1.



Figure 2.3-1 Status of Noise and Vibration Level Monitoring at NV-1 and NV-2



## 2.4 Monitoring Results

### Noise Monitoring Results

Noise monitoring results are separated daytime (6:00 AM to 10:00 PM), evening time (10:00 PM to 6:00 AM) time frames for NV-1 and daytime (7:00 AM to 7:00 PM), evening time (7:00 PM to 10:00 PM), and night time (10:00 PM to 7:00 AM) time frames respectively for NV-2. Noise measurement was carried out for one location on a 24-hour basis. The monitoring results are summarized in Table 2.4-1 and Table 2.4-2. Hourly noise level ( $L_{Aeq}$ ) monitoring results at NV-1 and NV-2 are shown in Table 2.4-3 and Table 2.4-4. Figure 2.4-1 and 2.4-2 showed the results of noise level ( $L_{Aeq}$ ) at NV-1 and NV-2. Comparing with the target value of noise level in construction stage prescribed in EIA report for Thilawa SEZ development project Zone B, all results were under the target values.

**Table 2.4-1 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-1**

| Date  | (Traffic Noise Level)<br>Equivalent Noise Level ( $L_{Aeq}$ , dB) |                                    |
|---|---|------------------------------------|
|   | Day Time<br>(6:00 AM – 10:00 PM)                                  | Night Time<br>(10:00 PM – 6:00 AM) |
| 15 <sup>th</sup> March – 16 <sup>th</sup> March, 2018 | 61  | 52                                 |
| Target Value  | 75  | 70                                 |

Note: Target value is applied to the noise standard along main road stipulated in the Noise Regulation Law (Japan) (Law No. 98 of 1968, Latest Amendment by Law No.91 of 2000).

**Table 2.4-2 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-2**

| Date   | (Residential area & monastery located less than 150m from the construction site)<br>Equivalent Noise Level ( $L_{Aeq}$ , dB) |                                      |                                    |
|--|--|--------------------------------------|------------------------------------|
|  | Day Time<br>(7:00 AM – 7:00 PM)  | Evening Time<br>(7:00 PM – 10:00 PM) | Night Time<br>(10:00 PM – 7:00 AM) |
| 14 <sup>th</sup> March– 15 <sup>th</sup> March, 2018 | 52   | 45                                   | 43                                 |
| Target Value   | 75   | 60                                   | 55                                 |

Note: Target value is applied to the noise level during the construction stage in the EIA Report for Thilawa SEZ Development Project (Industrial Area of Zone B).






**Table 2.4-3 Hourly Noise Level ( $L_{Aeq}$ ) Monitoring Results at NV-1**

| Date   | Time        | ( $L_{Aeq}$ , dB) | ( $L_{Aeq}$ , dB)<br>Each<br>Category | ( $L_{Aeq}$ , dB)<br>Target<br>Value | Remark  |
|--|-------------|-------------------|---------------------------------------|--------------------------------------|---|
| 15 <sup>th</sup><br>March–<br>16 <sup>th</sup> March<br>2018 | 6:00-7:00   | 56                | 61                                    | 75                                   | Soil cutting at BB2 to BB6.<br>Canal slope trimming at Road 2.<br>Soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 and BJ4,5.<br>Soil filling and dressing work at BJ4,5&10, excavated soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 & BJ 4,5.<br>Water pipe installation and backfilling work near BC 4.7 |
|  | 7:00-8:00   | 62                |                                       |                                      |   |
|  | 8:00-9:00   | 60                |                                       |                                      |   |
|  | 9:00-10:00  | 61                |                                       |                                      |   |
|  | 10:00-11:00 | 60                |                                       |                                      |   |
|  | 11:00-12:00 | 61                |                                       |                                      |   |
|  | 12:00-13:00 | 59                |                                       |                                      |   |
|  | 13:00-14:00 | 60                |                                       |                                      |   |
|  | 14:00-15:00 | 62                |                                       |                                      |   |
|  | 15:00-16:00 | 62                |                                       |                                      |   |
|  | 16:00-17:00 | 62                |                                       |                                      |   |
|  | 17:00-18:00 | 65                |                                       |                                      |   |
|  | 18:00-19:00 | 61                |                                       |                                      |   |
|  | 19:00-20:00 | 57                |                                       |                                      |   |
|  | 20:00-21:00 | 59                |                                       |                                      |   |
|  | 21:00-22:00 | 55                |                                       |                                      |   |
|  | 22:00-23:00 | 57                | 52                                    | 70                                   | Soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 & BJ 4,5.<br>Soil filling and dressing work at BJ4, 5 & 11.<br>Excavated soil carrying from BB5& BB2 to BB4, BJ9, BJ10 & BJ4,5.  |
|  | 23:00-24:00 | 54                |                                       |                                      |   |
|  | 24:00-1:00  | 49                |                                       |                                      |   |
|  | 1:00-2:00   | 48                |                                       |                                      |   |
|  | 2:00-3:00   | 46                |                                       |                                      |   |
|  | 3:00-4:00   | 48                |                                       |                                      |   |
|  | 4:00-5:00   | 41                |                                       |                                      |   |
|  | 5:00-6:00   | 48                |                                       |                                      |   |


**Table 2.4-4 Hourly Noise Level ( $L_{Aeq}$ ) Monitoring Results at NV-2**

| Date  | Time        | ( $L_{Aeq}$ , dB) | ( $L_{Aeq}$ , dB)<br>Each<br>Category | ( $L_{Aeq}$ , dB)<br>Target<br>Value | Remark  |
|---|-------------|-------------------|---------------------------------------|--------------------------------------|---|
| 14 <sup>th</sup><br>March –<br>15 <sup>th</sup> March<br>2018 | 7:00-8:00   | 49                | 52                                    | 75                                   | BB6 soil cutting and excavation work.<br>BJ4, BJ9 soil filling and levelling work at BB6, BJ4 BJ9, BJ10 and RBC 34.2, RBC 25.1 excavation work.<br>BB2 area soil carrying work.<br>Cutting soil transportation to BB6 and BB2 area and RBC 34.2, 25.1 excavated soil carrying work.<br>Soil cutting at BB2 to BB6.<br>Canal excavation at Road 2. |
|   | 8:00-9:00   | 53                |                                       |                                      |   |
|   | 9:00-10:00  | 52                |                                       |                                      |   |
|   | 10:00-11:00 | 53                |                                       |                                      |   |
|   | 11:00-12:00 | 52                |                                       |                                      |   |
|   | 12:00-13:00 | 48                |                                       |                                      |   |
|   | 13:00-14:00 | 51                |                                       |                                      |   |
|   | 14:00-15:00 | 52                |                                       |                                      |   |
|   | 15:00-16:00 | 53                |                                       |                                      |   |
|   | 16:00-17:00 | 52                |                                       |                                      |   |
|   | 17:00-18:00 | 52                |                                       |                                      |   |
|   | 18:00-19:00 | 51                |                                       |                                      |   |
|   | 19:00-20:00 | 48                | 45                                    | 60                                   | Soil carrying from BB2 and BB6 to BB4, BJ9, BJ10 and BJ4, 5.  |
|   | 20:00-21:00 | 44                |                                       |                                      |   |
|   | 21:00-22:00 | 41                | 43                                    | 55                                   | Soil filling and dressing work at BJ4, 5 and 9.<br>Excavated soil carrying from BB2 & BB6 to BB4, BJ9, BJ 10 & BJ 4,5   |
|   | 22:00-23:00 | 42                |                                       |                                      |   |
|   | 23:00-24:00 | 42                |                                       |                                      |   |
|   | 24:00-1:00  | 40                |                                       |                                      |   |
|   | 1:00-2:00   | 40                |                                       |                                      |   |
|   | 2:00-3:00   | 41                |                                       |                                      |   |
|   | 3:00-4:00   | 40                |                                       |                                      |   |
|   | 4:00-5:00   | 41                |                                       |                                      |   |
|   | 5:00-6:00   | 44                |                                       |                                      |   |
|   | 6:00-7:00   | 49                |                                       |                                      |   |





**Figure 2.4-1 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-1**



**Figure 2.4-2 Results of Noise Levels ( $L_{Aeq}$ ) Monitoring at NV-2**

## **Vibration Monitoring Results**

The results of vibration level ( $L_{v10}$ ) monitoring at NV-1 and NV-2 are shown in Table 2.4-5 and Table 2.4-6. Hourly vibration level ( $L_{v10}$ ) monitoring results at NV-1 and NV-2 are shown in Table 2.4-7 and Table 2.4-8. Figure 2.4-3 and Figure 2.4-4 showed the graph of vibration level monitoring results at NV-1 and NV-2. By comparing with the target vibration level in construction stage in EIA report for Thilawa SEZ development project Zone B, all of results were under the target values.

**Table 2.4-5 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-1**

| Location     | Date  | (Residential and commercial and industrial areas)<br>Equivalent Vibration Level ( $L_{v10}$ , dB) |                                      |                                    |
|--------------|---|---|--------------------------------------|------------------------------------|
|              |   | Day Time<br>(7:00 AM – 7:00 PM)   | Evening Time<br>(7:00 PM – 10:00 PM) | Night Time<br>(10:00 PM – 7:00 AM) |
| NV-1         | 15 <sup>th</sup> – 16 <sup>th</sup> March, 2018 | 48  | 44                                   | 38                                 |
| Target Value |   | 70  | 70                                   | 65                                 |

Note: Target value is applied to the noise level during the construction stage in the EIA Report for Thilawa SEZ Development Project (Industrial Area of Zone B).

**Table 2.4-6 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-2**

| Location     | Date  | (Monastery and residential area)<br>Equivalent Vibration Level ( $L_{v10}$ , dB) |                                      |                                    |
|--------------|---|--|--------------------------------------|------------------------------------|
|              |   | Day Time<br>(7:00 AM – 7:00 PM)  | Evening Time<br>(7:00 PM – 10:00 PM) | Night Time<br>(10:00 PM – 7:00 AM) |
| NV-2         | 14 <sup>th</sup> – 15 <sup>th</sup> March, 2018 | 47   | 42                                   | 26                                 |
| Target Value |   | 65   | 65                                   | 60                                 |

Note: Target value is applied to the noise level during the construction stage in the EIA Report for Thilawa SEZ Development Project (Industrial Area of Zone B).




**Table 2.4-7 Results of Hourly Vibration Levels ( $L_{v10}$ ) Monitoring at NV-1**

| Date        | 15 <sup>th</sup> – 16 <sup>th</sup><br>March<br>2018 | ( $L_{v10}$ , dB)<br>Each<br>Category | ( $L_{v10}$ , dB)<br>Target<br>Value | Remark  |
|-------------|--|---------------------------------------|--------------------------------------|---|
| Time        | $L_{v10}$ (NV-1)                                     |                                       |                                      |   |
| 7:00-8:00   | 48   | 48                                    | 70                                   | Soil cutting at BB2 to BB6.<br>Canal slope trimming at<br>Road 2.<br>Soil carrying from BB2<br>&BB6 to BB4, BJ9, BJ10<br>and BJ4,5.<br>Soil filling and dressing<br>work at BJ4,5&10,<br>excavated soil carrying from<br>BB2 & BB6 to BB4, BJ9,<br>BJ10 & BJ 4,5.<br>Water pipe installation and<br>backfilling work near BC<br>4.7 |
| 8:00-9:00   | 46   |                                       |                                      |   |
| 9:00-10:00  | 53   |                                       |                                      |   |
| 10:00-11:00 | 46   |                                       |                                      |   |
| 11:00-12:00 | 48   |                                       |                                      |   |
| 12:00-13:00 | 46   |                                       |                                      |   |
| 13:00-14:00 | 48   |                                       |                                      |   |
| 14:00-15:00 | 48   |                                       |                                      |   |
| 15:00-16:00 | 47   |                                       |                                      |   |
| 16:00-17:00 | 48   |                                       |                                      |   |
| 17:00-18:00 | 49   |                                       |                                      |   |
| 18:00-19:00 | 48   | 44                                    | 70                                   | Soil carrying from BB2 &<br>BB6 to BB4, BJ9, BJ10 &<br>BJ 4,5.<br>Soil filling and dressing<br>work at BJ4, 5 & 11.   |
| 19:00-20:00 | 44   |                                       |                                      |   |
| 20:00-21:00 | 45   |                                       |                                      |   |
| 21:00-22:00 | 44   | 38                                    | 65                                   | Excavated soil carrying<br>from BB5& BB2 to BB4,<br>BJ9, BJ10 & BJ4,5.  |
| 22:00-23:00 | 45   |                                       |                                      |   |
| 23:00-24:00 | 36   |                                       |                                      |   |
| 24:00-1:00  | 33   |                                       |                                      |   |
| 1:00-2:00   | 24   |                                       |                                      |   |
| 2:00-3:00   | 26   |                                       |                                      |   |
| 3:00-4:00   | 26   |                                       |                                      |   |
| 4:00-5:00   | 25   |                                       |                                      |   |
| 5:00-6:00   | 30   |                                       |                                      |   |
| 6:00-7:00   | 43   |                                       |                                      |   |


**Table 2.4-8 Results of Hourly Vibration Levels ( $L_{v10}$ ) Monitoring at NV-2**

| Date        | 15 <sup>th</sup> – 16 <sup>th</sup><br>Mar 2018 | ( $L_{v10}$ , dB)<br>Each<br>Category | ( $L_{v10}$ , dB)<br>Target<br>Value | Remark  |
|-------------|---|---------------------------------------|--------------------------------------|---|
| Time        | $L_{v10}$ (NV-2)                                |                                       |                                      |   |
| 7:00-8:00   | 41  | 47                                    | 65                                   | BB6 soil cutting and excavation work.<br>BJ4, BJ9 soil filling and levelling work at BB6, BJ4 BJ9, BJ10 and RBC 34.2, RBC 25.1 excavation work.<br>BB2 area soil carrying work.<br>Cutting soil transportation to BB6 and BB2 area and RBC 34.2, 25.1 excavated soil carrying work.<br>Soil cutting at BB2 to BB6.<br>Canal excavation at Road 2.<br>Soil carrying from BB2 and BB6 to BB4, BJ9, BJ10 and BJ4, 5. |
| 8:00-9:00   | 50  |                                       |                                      |   |
| 9:00-10:00  | 50  |                                       |                                      |   |
| 10:00-11:00 | 49  |                                       |                                      |   |
| 11:00-12:00 | 46  |                                       |                                      |   |
| 12:00-13:00 | 38  |                                       |                                      |   |
| 13:00-14:00 | 45  |                                       |                                      |   |
| 14:00-15:00 | 48  |                                       |                                      |   |
| 15:00-16:00 | 48  |                                       |                                      |   |
| 16:00-17:00 | 48  |                                       |                                      |   |
| 17:00-18:00 | 48  |                                       |                                      |   |
| 18:00-19:00 | 47  |                                       |                                      |   |
| 19:00-20:00 | 47  | 42                                    | 65                                   | Soil filling and dressing work at BJ4, 5 and 9.<br>Excavated soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 & BJ 4,5  |
| 20:00-21:00 | 31  |                                       |                                      |   |
| 21:00-22:00 | 26  |                                       |                                      |   |
| 22:00-23:00 | 26  | 26                                    | 60                                   |   |
| 23:00-24:00 | 23  |                                       |                                      |   |
| 24:00-1:00  | 21  |                                       |                                      |   |
| 1:00-2:00   | 21  |                                       |                                      |   |
| 2:00-3:00   | 31  |                                       |                                      |   |
| 3:00-4:00   | 21  |                                       |                                      |   |
| 4:00-5:00   | 19  |                                       |                                      |   |
| 5:00-6:00   | 25  |                                       |                                      |   |
| 6:00-7:00   | 30  |                                       |                                      |   |





**Figure 2.4-3 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-1**



**Figure 2.4-4 Results of Vibration Levels ( $L_{v10}$ ) Monitoring at NV-2**



### **CHAPTER 3: CONCLUSION AND RECOMMENDATION**

By comparing with the target noise and vibration level in construction stage in EIA report for Thilawa SEZ development project Zone B, all results were under the target values at NV-1 and NV-2. As for the detailed analysis of noise level at NV-1 and NV-2 on 24 hours, all results were under the target value. The results of vibration level for NV-1 and NV-2 are also lower than the target levels. Thus, there is no negative impact on noise and vibration from construction activities of Zone B to the surrounding environment.

In conclusion of this environmental monitoring, there are no specific noise and vibration impacts to the surrounding area of industrial area of Thilawa SEZ Zone B during the monitoring period.



**Thilawa Special Economic Zone (Zone B)  
Development Project –Phase 1 & 2**

**Appendix**

**Air Quality Monitoring Report**

**March 2018**

**AIR QUALITY MONITORING**  
**REPORT**  
**FOR DEVELOPMENT OF INDUSTRIAL AREA**  
**THILAWA SEZ ZONE B**  
**(PHASE 1 CONSTRUCTION STAGE)**  
  
**(QUARTERLY MONITORING)**

**March 2018**  
**Myanmar Koei International Ltd.**





## TABLE OF CONTENTS

|  |   |
|--|---|
| CHAPTER 1: OUTLINES AND SUMMARY OF MONITORING PLAN ..... | 2 |
| 1.1 General .....  | 2 |
| 1.2 Outlines of Monitoring Plan.....                     | 2 |
| CHAPTER 2: AIR QUALITY MONITORING.....                   | 3 |
| 2.1 Monitoring Item .....                                | 3 |
| 2.2 Monitoring Location.....                             | 3 |
| 2.3 Monitoring Period .....                              | 3 |
| 2.4 Monitoring Method .....                              | 4 |
| 2.5 Monitoring Results .....                             | 4 |
| CHAPTER 3: CONCLUSION AND RECOMMENDATION .....           | 8 |
| APPENDIX - HOURLY AIR RESULTS .....                      | 1 |

## LIST OF TABLES

|  |   |
|--|---|
| Table 1.2-1 Outlines of Air Quality Monitoring Plan.....   | 2 |
| Table 2.5-1 Air Quality Monitoring Result (Daily Average) During Construction and Non-construction Period .....                            | 4 |
| Table 2.5-2 Construction Activities of Thilawa SEZ Zone B .....  | 5 |
| Table 2.5-3 NO <sub>2</sub> Results (During Construction Period) .....   | 6 |
| Table 2.5-4 PM <sub>2.5</sub> Results (During Construction Period) .....   | 6 |
| Table 2.5-5 Summary of Total Exceeded Hours for Day 1 to Day 7 During Construction and Non-Construction Period for NO <sub>2</sub> .....   | 8 |
| Table 2.5-6 Summary of total exceeded hours for Day 1 to Day 7 during construction and Non-Construction Period for PM <sub>2.5</sub> ..... | 8 |

## LIST OF FIGURES

|   |   |
|---|---|
| Figure 2.2-1 Location of Air Quality Monitoring Point .....                 | 3 |
| Figure 2.4-1 Status of Air Quality Monitoring Point.....                    | 4 |
| Figure 2.5-1 Status of Air Quality Monitoring Point and Wind Direction..... | 7 |



## CHAPTER 1: OUTLINES AND SUMMARY OF MONITORING PLAN

### 1.1 General

Thilawa Special Economic Zone (TSEZ) is located in southern district of Yangon region and about 23 km southeast of Yangon city. As the developer of Thilawa SEZ, Myanmar Japan Thilawa Development Ltd. (MJTD) has a responsibility to carry out regular environmental monitoring in the industrial area of Zone B in accordance with the approved Environmental Impact Assessment (EIA) report with Environmental Management Plan (EMP). MJTD has implemented monitoring various environmental items with the specified time frame to know the environmental conditions in and around the area.

### 1.2 Outlines of Monitoring Plan

To assess the environmental condition under the construction of industrial area in and around Thilawa SEZ Zone B, Air quality had been monitored from 14<sup>th</sup> March 2018 – 21<sup>th</sup> March 2018 as follows;

**Table 1.2-1 Outlines of Air Quality Monitoring Plan**

| Monitoring Date  | Monitoring Item | Parameters  | Number of Point | Duration | Monitoring Methodology  |
|--|-----------------|---|-----------------|----------|---|
| From 14 <sup>th</sup> March–<br>21 <sup>th</sup> March, 2018 | Air Quality     | CO, NO <sub>2</sub> , PM <sub>2.5</sub> ,<br>PM <sub>10</sub> , and SO <sub>2</sub> | 1               | 7 Days   | On site measurement by Haz-Scanner<br>Environmental Perimeter Air Station<br>(EPAS) |





## CHAPTER 2: AIR QUALITY MONITORING

### 2.1 Monitoring Item

The parameters for air quality monitoring were CO, NO<sub>2</sub>, PM<sub>2.5</sub>, PM<sub>10</sub>, and SO<sub>2</sub>.

### 2.2 Monitoring Location

The air quality measurement equipment, "Haz-Scanner Environmental Perimeter Air Station (EPAS)" was set up at the south of the Thilawa SEZ Zone B, N: 16°39'24.20", E: 96°17'15.80", inside the monastery compound of Phalan village, surrounded by the residential houses of Phalan village in the south and fields in west, Thilawa SEZ Zone A in north, local Thilawa Industrial Zone in northeast, and construction of Thilawa SEZ Zone B in east and northeast respectively. The air quality monitoring is carried out above location where is near to the residential houses of Phalan village. Possible emission sources are dust emissions from construction activities and exhaust gas emissions from construction fuel-burning equipment and daily human activities in Phalan village. The location of air quality monitoring is shown in the Figure 2.2-1.



Figure 2.2-1 Location of Air Quality Monitoring Point

### 2.3 Monitoring Period

Air quality monitoring was conducted seven consecutive days from 14<sup>th</sup> March 2018 – 21<sup>th</sup> March, 2018.



## 2.4 Monitoring Method

Monitoring of CO, NO<sub>2</sub>, PM<sub>2.5</sub>, PM<sub>10</sub>, and SO<sub>2</sub> were conducted by referring to the recommendation of the United States Environmental Protection Agency (U.S. EPA). The Haz-Scanner EPAS was used to collect ambient air pollutants. The EPAS measures automatically every one minute and directly read and recorded onsite for CO, NO<sub>2</sub>, PM<sub>2.5</sub>, PM<sub>10</sub>, and SO<sub>2</sub>. The state of air quality monitoring is shown in Figure 2.4-1.



**Figure 1.4-1 Status of Air Quality Monitoring Point**

## 2.5 Monitoring Results

The daily average value of air quality monitoring results of CO, NO<sub>2</sub>, PM<sub>2.5</sub>, PM<sub>10</sub>, and SO<sub>2</sub> are described in Table 2.5-1. Comparing with the target value of CO, NO<sub>2</sub>, PM<sub>2.5</sub>, PM<sub>10</sub>, and SO<sub>2</sub> prescribed in EIA report for Thilawa SEZ development project Zone B, concentration of CO, PM<sub>10</sub> and SO<sub>2</sub> were lower than the target value, while concentration of NO<sub>2</sub> and PM<sub>2.5</sub> measured results were exceeded than the target value.

**Table 2.5-1 Air Quality Monitoring Result (Daily Average) During Construction and Non-Construction Period**

| Date                 | CO                                    | NO <sub>2</sub>                     | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub>                      |
|----------------------|---------------------------------------|-------------------------------------|-------------------|-------------------|--------------------------------------|
|                      | Ppm                                   | ppm                                 | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm                                  |
| 14 ~ 15 Mar, 2018    | 0.111<br>(0.127 mg/m <sup>3</sup> )   | 0.051<br>(0.097 mg/m <sup>3</sup> ) | 0.046             | 0.030             | 0.004<br>(0.011 mg/m <sup>3</sup> )  |
| 15 ~ 16 Mar, 2018    | 0.118<br>(0.135 mg/m <sup>3</sup> )   | 0.052<br>(0.098 mg/m <sup>3</sup> ) | 0.047             | 0.039             | 0.006<br>(0.015 mg/m <sup>3</sup> )  |
| 16 ~ 17 Mar, 2018    | 0.097<br>(0.111 mg/m <sup>3</sup> )   | 0.050<br>(0.093 mg/m <sup>3</sup> ) | 0.036             | 0.024             | 0.005<br>(0.012 mg/m <sup>3</sup> )  |
| 17 ~ 18 Mar, 2018    | 0.078<br>(0.089 mg/m <sup>3</sup> )   | 0.049<br>(0.092 mg/m <sup>3</sup> ) | 0.038             | 0.032             | 0.005<br>(0.014 mg/m <sup>3</sup> )  |
| 18 ~ 19 Mar, 2018    | 0.079<br>(0.090 mg/m <sup>3</sup> )   | 0.050<br>(0.095 mg/m <sup>3</sup> ) | 0.035             | 0.030             | 0.004<br>(0.009 mg/m <sup>3</sup> )  |
| 19 ~ 20 Mar, 2018    | 0.062<br>(0.071 mg/m <sup>3</sup> )   | 0.052<br>(0.098 mg/m <sup>3</sup> ) | 0.041             | 0.029             | 0.003<br>(0.008 mg/m <sup>3</sup> )  |
| 20 ~ 21 Mar, 2018    | 0.074<br>(0.084 mg/m <sup>3</sup> )   | 0.054<br>(0.102 mg/m <sup>3</sup> ) | 0.043             | 0.034             | 0.004<br>(0.011 mg/m <sup>3</sup> )  |
| 7 Days Average Value | 0.088<br>(0.101 mg/m <sup>3</sup> )   | 0.051<br>(0.097 mg/m <sup>3</sup> ) | 0.041             | 0.031             | 0.004<br>(0.011 mg/m <sup>3</sup> )  |
| Target Value         | 9.000<br>(10.26 mg/m <sup>3</sup> )*1 | 0.050<br>(0.1 mg/m <sup>3</sup> )*1 | 0.025             | 0.050             | 0.008<br>(0.02 mg/m <sup>3</sup> )*1 |

Note: The target value of CO, NO<sub>2</sub> and SO<sub>2</sub> were converted to ppm units from mg/m<sup>3</sup>. Red color mentions the exceedance value for NO<sub>2</sub> and PM<sub>2.5</sub>.

Construction activities of Thilawa SEZ Zone B are described in Table 2.5-2. NO<sub>2</sub> result and PM<sub>2.5</sub> result during construction period are described in Table-2.5-3 and Table 2.5-4. During construction period, 7 days average value for NO<sub>2</sub> were equal to the target value and only two days (Day 2 and Day 7) average results were exceeded the target value. During construction period, 7 days average value for PM<sub>2.5</sub> were exceeded the target value and (Day 1 to Day 7) daily average results were also exceeded the target value.

**Table 2.5-2 Construction Activities of Thilawa SEZ Zone B**

| Date                         | Time       | Location       | Construction Activities   |
|------------------------------|------------|----------------|---|
| 14 <sup>th</sup> March, 2018 | 8:00-20:00 | Near monastery | BB6 soil cutting and excavation work, BJ4, BJ9 soil filling and levelling work at BB6, BJ4 BJ9, BJ10 and RBC 34.2, RBC 25.1 excavation work, BB2 area soil carrying work, cutting soil transportation to BB6 and BB2 area and RBC 34.2, 25.1 excavated soil carrying work   |
| 15 <sup>th</sup> March, 2018 | 8:00-21:00 | Near monastery | Soil cutting at BB2 to BB6, canal excavation at Road 2, soil carrying from BB2 and BB6 to BB4, BJ9, BJ10 and BJ4, 5, soil filling and dressing work at BJ4, 5 and 9, excavated soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 & BJ 4,5  |
| 16 <sup>th</sup> March, 2018 | 8:00-20:00 | Near monastery | Soil cutting at BB2 to BB6, canal slope trimming at Road 2, soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 and BJ4,5, soil filling and dressing work at BJ4,5&10, excavated soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 & BJ 4,5.  |
| 17 <sup>th</sup> March, 2018 | 8:00-23:00 | Near monastery | Soil cutting at BB2 to BB6, water pipe installation and backfilling work near BC 4.7, soil carrying from BB2 & BB6 to BB4, BJ9, BJ10 & BJ 4,5, soil filling and dressing work at BJ4, 5 & 11, excavated soil carrying from BB5& BB2 to BB4, BJ9, BJ10 & BJ4,5.  |
| 18 <sup>th</sup> March, 2018 | 8:00-23:00 | Near monastery | Soil cutting at BB2 to BB5, road 15 canal excavation work, soil carrying from BB2 & BB5 to BB4 & BK4, soil filling and dressing work at BJ3, 4 & 5, excavated soil carrying from BB5&BB2 to BB4, BJ9, BJ10  |
| 19 <sup>th</sup> March,2018  | 8:00-20:00 | Near monastery | Soil cutting at BB2 to BB5, road 15 canal excavation work, excavated soil carrying from BB5 to BJ10 & BJ9, soil filling and dressing work at BJ3, 4 & 5, excavated soil carrying from BB5 and BB2 to BB4, BJ9, BJ10.  |
| 20 <sup>th</sup> March, 2018 | 8:00-22:00 | Near monastery | Soil cutting at BB7 & BB5, pond excavation at pond (Phase 2), base level dressing and cleaning at RBC 25.1, top soil removing and carrying from BB5& BB7 to BJ3 &4, general use, soil filling and dressing work at BJ3, 4 &5, excavated soil carrying from BB5& BB7 to BJ 3& 4  |
| 21 <sup>st</sup> March, 2018 | 8:00-21:00 | Near monastery | Soil cutting at BB5, 8 & 2, tenant area levelling at Road 5 & 4b, pond slope trimming and road 2 canal trimming work, excavated soil carrying from BB5&BB2 to BB4, general use, soil filling and dressing work at BB4, excavated soil carrying from BB5 & BB8, 2 to BB4, GI pipe and framework carrying work from OBC 27 to RBC 34.2. |



**Table 2.5-3 NO<sub>2</sub> Results (During Construction Period)**

| Day                  | Construction Time for each day | NO <sub>2</sub> |
|----------------------|--------------------------------|-----------------|
|                      |                                | ppm             |
| Day 1                | 8:00 - 20:00                   | 0.050           |
| Day 2                | 8:00 - 21:00                   | 0.052           |
| Day 3                | 8:00 - 20:00                   | 0.046           |
| Day 4                | 8:00 - 23:00                   | 0.048           |
| Day 5                | 8:00 - 23:00                   | 0.048           |
| Day 6                | 8:00 - 20:00                   | 0.050           |
| Day 7                | 8:00 - 22:00                   | 0.053           |
| 7 days Average value | -                              | 0.050           |
| Target Value         | -                              | 0.050           |

Note: Red color mentions the exceeded value than target value

**Table 2.5-4 PM<sub>2.5</sub> Results (During Construction Period)**

| Day                  | Construction Time for each day | PM <sub>2.5</sub> |
|----------------------|--------------------------------|-------------------|
|                      |                                | mg/m <sup>3</sup> |
| Day 1                | 8:00 - 20:00                   | 0.045             |
| Day 2                | 8:00 - 21:00                   | 0.052             |
| Day 3                | 8:00 - 20:00                   | 0.033             |
| Day 4                | 8:00 - 23:00                   | 0.036             |
| Day 5                | 8:00 - 23:00                   | 0.033             |
| Day 6                | 8:00 - 20:00                   | 0.035             |
| Day 7                | 8:00 - 22:00                   | 0.041             |
| 7 days Average value | -                              | 0.039             |
| Target Value         | -                              | 0.025             |

Note: Red color mentions the exceeded value than target value

Wind direction and wind speed were measured at AQ-1. Hourly average values of measured wind direction and wind speed data are described in Appendix 1. Status of air quality monitoring point and wind direction are described in Figure 2.5-1. Depending on the wind direction, West-Northwest (WNW), Northwest (NW), North-Northwest (NNW), North (N), North-Northeast (NNE), Northeast (NE), East-Northeast (ENE) and East (E) directions are assumed come from the construction site of Zone B.







**Figure 2.5-1 Status of Air Quality Monitoring Point and Wind Direction**

Remark: **N** North **NNE** North-Northeast **NE** Northeast **ENE** East-Northeast **E** East **ESE** East-Southeast **SE** Southeast **SSE** South-Southeast **S** South **SSW** South-Southwest **SW** Southwest **WSW** West-Southwest **W** West **WNW** West-Northwest **NW** Northwest **NNW** North-Northwest

Overall summary of total exceeded hours for Day1 to Day 7 during construction and non-construction time for  $\text{NO}_2$  and  $\text{PM}_{2.5}$  are shown in Table 2.5-5 and Table 2.5-6. Based on the summary table of total exceeded hours for  $\text{NO}_2$ , the total exceeded hours for seven days during construction and non-construction time were 99 hours but exceeded hours for construction time was 48 hours. After detailed analyzed the  $\text{NO}_2$  exceeded time for construction period according to the wind direction, all exceeded hours during seven days are come from another site of Zone B. So, there is no impact from the construction activities of Zone B. Possible emission sources are affected from power plant, motor vehicles exhaust and emission from generator used for construction of new building inside the monastery and human activities of the villages.

Based on the summary table of total exceeded hours for  $\text{PM}_{2.5}$ , the total exceeded hours for seven days during construction and non-construction were 148 hours but exceeded hours for construction time was 75 hours. After detailed analyzed the  $\text{PM}_{2.5}$  exceeded time for construction period according to the wind direction from Zone B, only 4 hours exceeded are come from the construction site of Zone B. This is slightly impact from the construction activities of Zone B. Possible emission sources are affected from natural origin such as dust from unpaved vacant area, excavation and vehicles used for construction activities in Zone B, and transportation in and around the monitoring area.

**Table 2.5-5 Summary of Total Exceeded Hours for Day 1 to Day 7 During construction and non-Construction Period for NO<sub>2</sub>**

| NO <sub>2</sub> |                                |                      |                                     |  |  |   |   |   |
|-----------------|--------------------------------|----------------------|-------------------------------------|--|--|---|---|---|
|                 | Construction Time for each day | Total Exceeded hours | Constructi on Period exceeded hours | Non-construction period exceeded hours | Non-construction period (wind from Zone B) | Non-construction period (wind from other sides) | Constructi on period (wind from Zone B) | Construction period (wind from other sides) |
| Day-1           | 8:00 - 20:00                   | 12                   | 6                                   | 6                                      | 2  | 4   | 0                                       | 6   |
| Day-2           | 8:00 - 21:00                   | 14                   | 7                                   | 7                                      | 2  | 5   | 0                                       | 7   |
| Day-3           | 8:00 - 20:00                   | 15                   | 5                                   | 10                                     | 0  | 10  | 0                                       | 5   |
| Day-4           | 8:00 - 23:00                   | 13                   | 7                                   | 6                                      | 0  | 6   | 0                                       | 7   |
| Day-5           | 8:00 - 23:00                   | 15                   | 7                                   | 8                                      | 0  | 8   | 0                                       | 7   |
| Day-6           | 8:00 - 20:00                   | 12                   | 6                                   | 6                                      | 0  | 6   | 0                                       | 6   |
| Day-7           | 8:00 - 22:00                   | 18                   | 10                                  | 8                                      | 0  | 8   | 0                                       | 10  |
| Total           |                                | 99                   | 48                                  | 51                                     | 4  | 47  | 0                                       | 48  |

Note: Red color is referred to the construction period exceeded hours and construction period (wind from Zone B).

**Table 2.5-6 Summary of Total Exceeded Hours for Day 1 to Day 7 During Construction and Non-Construction Period for PM<sub>2.5</sub>**

| PM <sub>2.5</sub> |                                |                      |                                     |   |  |   |   |   |
|-------------------|--------------------------------|----------------------|-------------------------------------|---|--|---|---|---|
|                   | Construction Time for each day | Total Exceeded Hours | Constructi on Period exceeded hours | Non-construction on Period exceeded hours | Non-construction Period (wind from Zone B) | Non-construction Period (wind from other sides) | Constructi on Period (wind from Zone B) | Construction Period (wind from other sides) |
| Day-1             | 8:00 - 20:00                   | 22                   | 10                                  | 12  | 3  | 9   | 0                                       | 10  |
| Day-2             | 8:00 - 21:00                   | 23                   | 12                                  | 11  | 3  | 8   | 2                                       | 10  |
| Day-3             | 8:00 - 20:00                   | 21                   | 9                                   | 12  | 0  | 12  | 1                                       | 8   |
| Day-4             | 8:00 - 23:00                   | 20                   | 11                                  | 9   | 0  | 9   | 1                                       | 10  |
| Day-5             | 8:00 - 23:00                   | 20                   | 12                                  | 8   | 0  | 8   | 0                                       | 12  |
| Day-6             | 8:00 - 20:00                   | 21                   | 9                                   | 12  | 0  | 12  | 0                                       | 9   |
| Day-7             | 8:00 - 22:00                   | 21                   | 12                                  | 9   | 0  | 9   | 0                                       | 12  |
| Total             |                                | 148                  | 75                                  | 73  | 6  | 67  | 4                                       | 71  |

Note: Red color is referred to the construction period exceeded hours and construction period (wind from Zone B).





### CHAPTER 3: CONCLUSION AND RECOMMENDATION

The result of air quality of CO, PM<sub>10</sub>, SO<sub>2</sub> during seven days monitoring were not exceeded the target value, thus there are no impacts on the surrounding environments. On the other hand, results of NO<sub>2</sub> and PM<sub>2.5</sub> level measured for seven days consecutive measurement in this monitoring period are higher than the target value.

During the seven days monitoring period, 99 hours results were exceeded for NO<sub>2</sub> totally. According to wind direction of Zone B during construction time, all exceeded hour (38 hours) are come from another site of Zone B. Therefore, it can be concluded there is no impact from the construction activities of Zone B. Possible emission sources are affected from power plant, motor vehicles exhaust and emission from generator used for construction of new building inside the monastery and human activities of the villages. Breathing air with a high concentration of NO<sub>2</sub> can irritate airways in the human respiratory system. Such exposure over short periods can aggravate respiratory diseases, particularly asthma, leading to respiratory symptoms (such as coughing, wheezing, or difficulty breathing). Longer exposures to elevated concentrations of NO<sub>2</sub> may contribute to the development of asthma and potentially increase susceptibility to respiratory infections.

During the seven days monitoring period, 148 hours results were exceeded for PM<sub>2.5</sub>. According to wind direction of Zone B during the construction period, only 4 exceeded hours for PM<sub>2.5</sub> were observed. Therefore, it can be concluded most of the exceeded hours for PM<sub>2.5</sub> are come from another direction of Zone B. The monitoring point (near monastery) during the survey period are very close to the construction site of Zone B may be one of the reason for exceeded hours. Possible emission sources are affected from natural origin such as dust from unpaved vacant area, excavation and vehicles used for construction activities in Zone B, and transportation in and around the monitoring area. According to US Environmental Protection Agency (EPA) and WHO' health effect of particulate matter, there is no evidence of safe level of exposure or a threshold below which no adverse health effects occur. Exposure to PM<sub>2.5</sub> reduces the life expectancy of the population of the Region by about 8.6 months on average. Short term (hours, days) exposure to PM<sub>2.5</sub> can aggravate lung disease, causing asthma attacks and acute bronchitis, and may also increase susceptibility to respiratory infections. In people with heart disease, short term exposures have been linked to heart attacks and arrhythmias. However, healthy children and adults have not been reported to suffer serious effects from short term exposures. Long term exposures (months, years) have been associated with problems such as reduced lung function and the development of chronic bronchitis and even premature death.

As for future subject for air quality monitoring in Zone B, the following action may be taken to achieve the target level:

- 1) To sprinkle the water during construction period
- 2) To control the speed limit of all machinery & vehicle (25km/hr) on site to avoid excessive dust creation and to minimize air pollution by the exhaust fumes
- 3) To conduct the proper operation (stop idling while no operation)
- 4) To implement the regular maintenance of machine used for construction activities
- 5) To give the machinery awareness training to workers
- 6) To check and maintain the generator regularly

The continuous monitoring will be necessary to grasp the environmental conditions in construction stage of Thilawa SEZ Zone B. The mitigation measures for environmental management will be considered in collected periodical environmental data has been reviewed in future.





## **APPENDIX - HOURLY AIR RESULTS**





Air Quality Monitoring Report for Development of Industrial Area Thilawa SEZ Zone B  
(Phase I Construction Stage, FY December 2017)

| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg.           | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 14 Mar, 2018 | 10:00 ~ 10:59 | 0.002  | 0.056           | 0.050             | 0.045             | 0.000           | 1.37       | 138            | SSE       |
| 14 Mar, 2018 | 11:00 ~ 11:59 | 0.020  | 0.045           | 0.021             | 0.014             | 0.001           | 1.48       | 169            | S         |
| 14 Mar, 2018 | 12:00 ~ 12:59 | 0.105  | 0.042           | 0.024             | 0.010             | 0.005           | 1.52       | 175            | S         |
| 14 Mar, 2018 | 13:00 ~ 13:59 | 0.047  | 0.041           | 0.031             | 0.009             | 0.003           | 1.88       | 156            | SSE       |
| 14 Mar, 2018 | 14:00 ~ 14:59 | 0.014  | 0.055           | 0.045             | 0.005             | 0.000           | 1.72       | 151            | SSE       |
| 14 Mar, 2018 | 15:00 ~ 15:59 | 0.079  | 0.042           | 0.033             | 0.015             | 0.000           | 1.65       | 143            | SSE       |
| 14 Mar, 2018 | 16:00 ~ 16:59 | 0.107  | 0.052           | 0.045             | 0.025             | 0.000           | 1.43       | 150            | SSE       |
| 14 Mar, 2018 | 17:00 ~ 17:59 | 0.213  | 0.057           | 0.062             | 0.043             | 0.000           | 1.23       | 139            | SSE       |
| 14 Mar, 2018 | 18:00 ~ 18:59 | 0.221  | 0.061           | 0.043             | 0.034             | 0.000           | 1.00       | 139            | SSE       |
| 14 Mar, 2018 | 19:00 ~ 19:59 | 0.346  | 0.064           | 0.055             | 0.045             | 0.004           | 0.38       | 129            | SE        |
| 14 Mar, 2018 | 20:00 ~ 20:59 | 0.189  | 0.059           | 0.055             | 0.031             | 0.002           | 0.38       | 167            | S         |
| 14 Mar, 2018 | 21:00 ~ 21:59 | 0.106  | 0.073           | 0.054             | 0.030             | 0.001           | 0.10       | 190            | SSW       |
| 14 Mar, 2018 | 22:00 ~ 22:59 | 0.159  | 0.062           | 0.049             | 0.039             | 0.001           | 0.22       | 223            | SW        |
| 14 Mar, 2018 | 23:00 ~ 23:59 | 0.014  | 0.041           | 0.056             | 0.041             | 0.001           | 0.17       | 212            | SW        |
| 15 Mar, 2018 | 0:00 ~ 0:59   | 0.031  | 0.048           | 0.046             | 0.030             | 0.001           | 0.22       | 223            | SW        |
| 15 Mar, 2018 | 1:00 ~ 1:59   | 0.058  | 0.052           | 0.035             | 0.018             | 0.003           | 0.38       | 240            | WSW       |
| 15 Mar, 2018 | 2:00 ~ 2:59   | 0.066  | 0.053           | 0.029             | 0.014             | 0.004           | 0.15       | 278            | WNW       |
| 15 Mar, 2018 | 3:00 ~ 3:59   | 0.073  | 0.049           | 0.029             | 0.014             | 0.003           | 0.28       | 283            | WNW       |
| 15 Mar, 2018 | 4:00 ~ 4:59   | 0.094  | 0.050           | 0.037             | 0.022             | 0.013           | 0.25       | 279            | WNW       |
| 15 Mar, 2018 | 5:00 ~ 5:59   | 0.036  | 0.052           | 0.034             | 0.021             | 0.015           | 0.12       | 163            | S         |
| 15 Mar, 2018 | 6:00 ~ 6:59   | 0.137  | 0.047           | 0.047             | 0.040             | 0.011           | 0.23       | 144            | SSE       |
| 15 Mar, 2018 | 7:00 ~ 7:59   | 0.470  | 0.045           | 0.097             | 0.092             | 0.031           | 0.08       | 190            | SSW       |
| 15 Mar, 2018 | 8:00 ~ 8:59   | 0.051  | 0.044           | 0.091             | 0.064             | 0.002           | 0.43       | 228            | WSW       |
| 15 Mar, 2018 | 9:00 ~ 9:59   | 0.036  | 0.042           | 0.042             | 0.027             | 0.001           | 0.48       | 85             | E         |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.470<br>(0.538 mg/m <sup>3</sup> ) | 0.073<br>(0.137 mg/m <sup>3</sup> ) | 0.097 | 0.092 | 0.031<br>(0.081 mg/m <sup>3</sup> ) |
| Avg | 0.111<br>(0.127 mg/m <sup>3</sup> ) | 0.051<br>(0.097 mg/m <sup>3</sup> ) | 0.046 | 0.030 | 0.004<br>(0.011 mg/m <sup>3</sup> ) |
| Min | 0.002<br>(0.002 mg/m <sup>3</sup> ) | 0.041<br>(0.078 mg/m <sup>3</sup> ) | 0.021 | 0.005 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |

Air Quality Monitoring Report for Development of Industrial Area Thilawa SEZ Zone B  
(Phase 1 Construction Stage, FY December 2017)

| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg            | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 15 Mar, 2018 | 10:00 ~ 10:59 | 0.042  | 0.038           | 0.049             | 0.038             | 0.000           | 0.57       | 148            | SSE       |
| 15 Mar, 2018 | 11:00 ~ 11:59 | 0.021  | 0.040           | 0.041             | 0.016             | 0.000           | 0.93       | 76             | E         |
| 15 Mar, 2018 | 12:00 ~ 12:59 | 0.001  | 0.038           | 0.031             | 0.004             | 0.000           | 0.94       | 110            | ESE       |
| 15 Mar, 2018 | 13:00 ~ 13:59 | 0.028  | 0.046           | 0.025             | 0.012             | 0.000           | 1.18       | 239            | WSW       |
| 15 Mar, 2018 | 14:00 ~ 14:59 | 0.128  | 0.067           | 0.048             | 0.024             | 0.000           | 1.93       | 195            | SSW       |
| 15 Mar, 2018 | 15:00 ~ 15:59 | 0.176  | 0.065           | 0.088             | 0.033             | 0.000           | 1.98       | 144            | SSE       |
| 15 Mar, 2018 | 16:00 ~ 16:59 | 0.245  | 0.073           | 0.067             | 0.033             | 0.000           | 1.88       | 154            | SSE       |
| 15 Mar, 2018 | 17:00 ~ 17:59 | 0.170  | 0.056           | 0.049             | 0.035             | 0.000           | 1.13       | 204            | SW        |
| 15 Mar, 2018 | 18:00 ~ 18:59 | 0.263  | 0.060           | 0.052             | 0.040             | 0.000           | 0.85       | 211            | SW        |
| 15 Mar, 2018 | 19:00 ~ 19:59 | 0.264  | 0.060           | 0.040             | 0.022             | 0.009           | 0.58       | 182            | SSW       |
| 15 Mar, 2018 | 20:00 ~ 20:59 | 0.147  | 0.056           | 0.041             | 0.024             | 0.004           | 0.40       | 178            | S         |
| 15 Mar, 2018 | 21:00 ~ 21:59 | 0.136  | 0.061           | 0.028             | 0.016             | 0.012           | 0.70       | 202            | SSW       |
| 15 Mar, 2018 | 22:00 ~ 22:59 | 0.098  | 0.056           | 0.032             | 0.019             | 0.013           | 1.12       | 251            | W         |
| 15 Mar, 2018 | 23:00 ~ 23:59 | 0.044  | 0.058           | 0.031             | 0.020             | 0.008           | 0.78       | 260            | W         |
| 16 Mar, 2018 | 0:00 ~ 0:59   | 0.044  | 0.053           | 0.041             | 0.030             | 0.002           | 0.52       | 270            | W         |
| 16 Mar, 2018 | 1:00 ~ 1:59   | 0.025  | 0.055           | 0.039             | 0.034             | 0.010           | 0.30       | 272            | WNW       |
| 16 Mar, 2018 | 2:00 ~ 2:59   | 0.025  | 0.056           | 0.029             | 0.027             | 0.007           | 0.15       | 289            | WNW       |
| 16 Mar, 2018 | 3:00 ~ 3:59   | 0.034  | 0.052           | 0.032             | 0.030             | 0.004           | 0.02       | 96             | ESE       |
| 16 Mar, 2018 | 4:00 ~ 4:59   | 0.029  | 0.046           | 0.038             | 0.048             | 0.003           | 0.50       | 59             | ENE       |
| 16 Mar, 2018 | 5:00 ~ 5:59   | 0.042  | 0.048           | 0.035             | 0.042             | 0.012           | 0.08       | 102            | ESE       |
| 16 Mar, 2018 | 6:00 ~ 6:59   | 0.172  | 0.043           | 0.052             | 0.086             | 0.014           | 0.02       | 93             | ESE       |
| 16 Mar, 2018 | 7:00 ~ 7:59   | 0.648  | 0.046           | 0.082             | 0.130             | 0.031           | 0.28       | 137            | SSE       |
| 16 Mar, 2018 | 8:00 ~ 8:59   | 0.021  | 0.038           | 0.106             | 0.138             | 0.002           | 0.40       | 51             | ENE       |
| 16 Mar, 2018 | 9:00 ~ 9:59   | 0.029  | 0.042           | 0.042             | 0.031             | 0.002           | 0.63       | 186            | SSW       |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.648<br>(0.742 mg/m <sup>3</sup> ) | 0.073<br>(0.138 mg/m <sup>3</sup> ) | 0.106 | 0.138 | 0.031<br>(0.080 mg/m <sup>3</sup> ) |
| Avg | 0.118<br>(0.135 mg/m <sup>3</sup> ) | 0.052<br>(0.098 mg/m <sup>3</sup> ) | 0.047 | 0.039 | 0.006<br>(0.015 mg/m <sup>3</sup> ) |
| Min | 0.001<br>(0.001 mg/m <sup>3</sup> ) | 0.038<br>(0.071 mg/m <sup>3</sup> ) | 0.025 | 0.004 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |







Air Quality Monitoring Report for Development of Industrial Area Thilawa SEZ Zone B  
(Phase 1 Construction Stage, FY December 2017)

| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg.           | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 16 Mar, 2018 | 10:00 ~ 10:59 | 0.001  | 0.041           | 0.027             | 0.020             | 0.000           | 1.15       | 211            | SW        |
| 16 Mar, 2018 | 11:00 ~ 11:59 | 0.002  | 0.038           | 0.012             | 0.013             | 0.000           | 1.08       | 184            | SSW       |
| 16 Mar, 2018 | 12:00 ~ 12:59 | 0.000  | 0.031           | 0.009             | 0.008             | 0.000           | 1.30       | 167            | S         |
| 16 Mar, 2018 | 13:00 ~ 13:59 | 0.000  | 0.035           | 0.011             | 0.005             | 0.000           | 1.45       | 156            | SSE       |
| 16 Mar, 2018 | 14:00 ~ 14:59 | 0.002  | 0.043           | 0.030             | 0.004             | 0.000           | 1.60       | 147            | SSE       |
| 16 Mar, 2018 | 15:00 ~ 15:59 | 0.001  | 0.051           | 0.038             | 0.017             | 0.000           | 2.07       | 142            | SSE       |
| 16 Mar, 2018 | 16:00 ~ 16:59 | 0.113  | 0.051           | 0.053             | 0.036             | 0.000           | 1.98       | 143            | SSE       |
| 16 Mar, 2018 | 17:00 ~ 17:59 | 0.174  | 0.069           | 0.051             | 0.041             | 0.000           | 1.58       | 142            | SSE       |
| 16 Mar, 2018 | 18:00 ~ 18:59 | 0.153  | 0.068           | 0.042             | 0.036             | 0.000           | 0.87       | 158            | S         |
| 16 Mar, 2018 | 19:00 ~ 19:59 | 0.314  | 0.062           | 0.037             | 0.019             | 0.001           | 0.38       | 189            | SSW       |
| 16 Mar, 2018 | 20:00 ~ 20:59 | 0.206  | 0.060           | 0.035             | 0.006             | 0.006           | 0.47       | 227            | WSW       |
| 16 Mar, 2018 | 21:00 ~ 21:59 | 0.129  | 0.058           | 0.030             | 0.008             | 0.008           | 0.97       | 248            | W         |
| 16 Mar, 2018 | 22:00 ~ 22:59 | 0.041  | 0.053           | 0.027             | 0.024             | 0.010           | 0.97       | 246            | WSW       |
| 16 Mar, 2018 | 23:00 ~ 23:59 | 0.079  | 0.057           | 0.035             | 0.031             | 0.008           | 1.03       | 250            | W         |
| 17 Mar, 2018 | 0:00 ~ 0:59   | 0.091  | 0.055           | 0.046             | 0.038             | 0.008           | 0.68       | 234            | WSW       |
| 17 Mar, 2018 | 1:00 ~ 1:59   | 0.028  | 0.051           | 0.042             | 0.032             | 0.004           | 0.60       | 239            | WSW       |
| 17 Mar, 2018 | 2:00 ~ 2:59   | 0.050  | 0.051           | 0.043             | 0.031             | 0.005           | 0.65       | 220            | SW        |
| 17 Mar, 2018 | 3:00 ~ 3:59   | 0.044  | 0.047           | 0.044             | 0.026             | 0.008           | 0.15       | 207            | SW        |
| 17 Mar, 2018 | 4:00 ~ 4:59   | 0.015  | 0.050           | 0.035             | 0.021             | 0.006           | 1.10       | 244            | WSW       |
| 17 Mar, 2018 | 5:00 ~ 5:59   | 0.056  | 0.051           | 0.033             | 0.013             | 0.003           | 0.87       | 252            | W         |
| 17 Mar, 2018 | 6:00 ~ 6:59   | 0.097  | 0.052           | 0.036             | 0.027             | 0.015           | 0.03       | 179            | S         |
| 17 Mar, 2018 | 7:00 ~ 7:59   | 0.475  | 0.052           | 0.050             | 0.044             | 0.019           | 0.32       | 90             | ESE       |
| 17 Mar, 2018 | 8:00 ~ 8:59   | 0.191  | 0.025           | 0.050             | 0.048             | 0.007           | 0.40       | 77             | E         |
| 17 Mar, 2018 | 9:00 ~ 9:59   | 0.061  | 0.043           | 0.038             | 0.033             | 0.002           | 0.80       | 128            | SE        |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.475<br>(0.544 mg/m <sup>3</sup> ) | 0.069<br>(0.130 mg/m <sup>3</sup> ) | 0.053 | 0.048 | 0.019<br>(0.050 mg/m <sup>3</sup> ) |
| Avg | 0.097<br>(0.111 mg/m <sup>3</sup> ) | 0.050<br>(0.093 mg/m <sup>3</sup> ) | 0.036 | 0.024 | 0.005<br>(0.012 mg/m <sup>3</sup> ) |
| Min | 0.000<br>(0.000 mg/m <sup>3</sup> ) | 0.025<br>(0.047 mg/m <sup>3</sup> ) | 0.009 | 0.004 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |

Air Quality Monitoring Report for Development of Industrial Area Thilawa SEZ Zone B  
(Phase 1 Construction Stage, FY December 2017)

| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg.           | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 17 Mar, 2018 | 10:00 ~ 10:59 | 0.023  | 0.039           | 0.025             | 0.014             | 0.003           | 1.18       | 166            | S         |
| 17 Mar, 2018 | 11:00 ~ 11:59 | 0.011  | 0.039           | 0.012             | 0.008             | 0.001           | 1.40       | 158            | S         |
| 17 Mar, 2018 | 12:00 ~ 12:59 | 0.002  | 0.030           | 0.012             | 0.008             | 0.000           | 1.62       | 142            | SSE       |
| 17 Mar, 2018 | 13:00 ~ 13:59 | 0.001  | 0.037           | 0.020             | 0.009             | 0.000           | 1.95       | 139            | SSE       |
| 17 Mar, 2018 | 14:00 ~ 14:59 | 0.004  | 0.045           | 0.026             | 0.011             | 0.002           | 1.83       | 148            | SSE       |
| 17 Mar, 2018 | 15:00 ~ 15:59 | 0.067  | 0.047           | 0.028             | 0.016             | 0.000           | 1.95       | 142            | SSE       |
| 17 Mar, 2018 | 16:00 ~ 16:59 | 0.113  | 0.050           | 0.046             | 0.031             | 0.000           | 1.55       | 151            | SSE       |
| 17 Mar, 2018 | 17:00 ~ 17:59 | 0.153  | 0.059           | 0.045             | 0.038             | 0.000           | 1.22       | 154            | SSE       |
| 17 Mar, 2018 | 18:00 ~ 18:59 | 0.196  | 0.056           | 0.045             | 0.039             | 0.000           | 0.42       | 158            | S         |
| 17 Mar, 2018 | 19:00 ~ 19:59 | 0.380  | 0.059           | 0.055             | 0.045             | 0.006           | 0.28       | 188            | SSW       |
| 17 Mar, 2018 | 20:00 ~ 20:59 | 0.146  | 0.053           | 0.045             | 0.030             | 0.003           | 0.23       | 209            | SW        |
| 17 Mar, 2018 | 21:00 ~ 21:59 | 0.047  | 0.056           | 0.046             | 0.031             | 0.000           | 0.78       | 244            | WSW       |
| 17 Mar, 2018 | 22:00 ~ 22:59 | 0.024  | 0.060           | 0.043             | 0.013             | 0.002           | 1.53       | 242            | WSW       |
| 17 Mar, 2018 | 23:00 ~ 23:59 | 0.044  | 0.056           | 0.041             | 0.025             | 0.004           | 1.63       | 242            | WSW       |
| 18 Mar, 2018 | 0:00 ~ 0:59   | 0.043  | 0.053           | 0.041             | 0.028             | 0.009           | 1.37       | 242            | WSW       |
| 18 Mar, 2018 | 1:00 ~ 1:59   | 0.048  | 0.055           | 0.041             | 0.023             | 0.013           | 0.37       | 193            | SSW       |
| 18 Mar, 2018 | 2:00 ~ 2:59   | 0.134  | 0.052           | 0.044             | 0.044             | 0.014           | 0.08       | 152            | SSE       |
| 18 Mar, 2018 | 3:00 ~ 3:59   | 0.070  | 0.053           | 0.039             | 0.048             | 0.007           | 0.02       | 204            | SW        |
| 18 Mar, 2018 | 4:00 ~ 4:59   | 0.050  | 0.052           | 0.042             | 0.044             | 0.007           | 0.17       | 195            | SSW       |
| 18 Mar, 2018 | 5:00 ~ 5:59   | 0.125  | 0.046           | 0.043             | 0.051             | 0.009           | 0.07       | 150            | SSE       |
| 18 Mar, 2018 | 6:00 ~ 6:59   | 0.054  | 0.045           | 0.038             | 0.054             | 0.010           | 0.03       | 96             | ESE       |
| 18 Mar, 2018 | 7:00 ~ 7:59   | 0.101  | 0.041           | 0.054             | 0.066             | 0.020           | 0.30       | 53             | ENE       |
| 18 Mar, 2018 | 8:00 ~ 8:59   | 0.017  | 0.052           | 0.051             | 0.046             | 0.010           | 0.52       | 93             | ESE       |
| 18 Mar, 2018 | 9:00 ~ 9:59   | 0.015  | 0.042           | 0.041             | 0.044             | 0.003           | 0.82       | 151            | SSE       |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.380<br>(0.435 mg/m <sup>3</sup> ) | 0.060<br>(0.112 mg/m <sup>3</sup> ) | 0.055 | 0.066 | 0.020<br>(0.052 mg/m <sup>3</sup> ) |
| Avg | 0.078<br>(0.089 mg/m <sup>3</sup> ) | 0.049<br>(0.092 mg/m <sup>3</sup> ) | 0.038 | 0.032 | 0.005<br>(0.014 mg/m <sup>3</sup> ) |
| Min | 0.001<br>(0.001 mg/m <sup>3</sup> ) | 0.030<br>(0.056 mg/m <sup>3</sup> ) | 0.012 | 0.008 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |







Air Quality Monitoring Report for Development of Industrial Area Thilawa SEZ Zone B  
(Phase 1 Construction Stage, FY December 2017)

| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg.           | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 18 Mar, 2018 | 10:00 ~ 10:59 | 0.002  | 0.039           | 0.027             | 0.015             | 0.000           | 1.12       | 204            | SW        |
| 18 Mar, 2018 | 11:00 ~ 11:59 | 0.000  | 0.032           | 0.011             | 0.009             | 0.000           | 1.47       | 137            | SSE       |
| 18 Mar, 2018 | 12:00 ~ 12:59 | 0.004  | 0.028           | 0.014             | 0.007             | 0.000           | 1.32       | 180            | SSW       |
| 18 Mar, 2018 | 13:00 ~ 13:59 | 0.002  | 0.038           | 0.016             | 0.005             | 0.000           | 1.72       | 162            | S         |
| 18 Mar, 2018 | 14:00 ~ 14:59 | 0.037  | 0.044           | 0.031             | 0.008             | 0.004           | 2.05       | 143            | SSE       |
| 18 Mar, 2018 | 15:00 ~ 15:59 | 0.080  | 0.044           | 0.040             | 0.013             | 0.002           | 2.23       | 142            | SSE       |
| 18 Mar, 2018 | 16:00 ~ 16:59 | 0.073  | 0.041           | 0.042             | 0.022             | 0.000           | 1.60       | 153            | SSE       |
| 18 Mar, 2018 | 17:00 ~ 17:59 | 0.103  | 0.044           | 0.039             | 0.024             | 0.000           | 1.47       | 143            | SSE       |
| 18 Mar, 2018 | 18:00 ~ 18:59 | 0.215  | 0.058           | 0.044             | 0.048             | 0.001           | 1.12       | 133            | SE        |
| 18 Mar, 2018 | 19:00 ~ 19:59 | 0.237  | 0.058           | 0.040             | 0.035             | 0.003           | 0.65       | 135            | SE        |
| 18 Mar, 2018 | 20:00 ~ 20:59 | 0.295  | 0.062           | 0.041             | 0.038             | 0.018           | 0.02       | 241            | WSW       |
| 18 Mar, 2018 | 21:00 ~ 21:59 | 0.109  | 0.056           | 0.042             | 0.034             | 0.004           | 0.05       | 204            | SW        |
| 18 Mar, 2018 | 22:00 ~ 22:59 | 0.197  | 0.058           | 0.032             | 0.027             | 0.005           | 0.70       | 245            | WSW       |
| 18 Mar, 2018 | 23:00 ~ 23:59 | 0.086  | 0.050           | 0.043             | 0.037             | 0.007           | 1.32       | 247            | WSW       |
| 19 Mar, 2018 | 0:00 ~ 0:59   | 0.017  | 0.056           | 0.040             | 0.026             | 0.001           | 1.52       | 246            | WSW       |
| 19 Mar, 2018 | 1:00 ~ 1:59   | 0.028  | 0.057           | 0.037             | 0.022             | 0.000           | 1.20       | 241            | WSW       |
| 19 Mar, 2018 | 2:00 ~ 2:59   | 0.032  | 0.055           | 0.035             | 0.021             | 0.003           | 1.57       | 243            | WSW       |
| 19 Mar, 2018 | 3:00 ~ 3:59   | 0.049  | 0.052           | 0.038             | 0.026             | 0.005           | 1.18       | 240            | WSW       |
| 19 Mar, 2018 | 4:00 ~ 4:59   | 0.060  | 0.054           | 0.043             | 0.040             | 0.004           | 1.03       | 240            | WSW       |
| 19 Mar, 2018 | 5:00 ~ 5:59   | 0.086  | 0.055           | 0.046             | 0.048             | 0.006           | 0.92       | 236            | WSW       |
| 19 Mar, 2018 | 6:00 ~ 6:59   | 0.105  | 0.054           | 0.046             | 0.063             | 0.010           | 1.13       | 241            | WSW       |
| 19 Mar, 2018 | 7:00 ~ 7:59   | 0.039  | 0.062           | 0.020             | 0.071             | 0.010           | 0.82       | 248            | W         |
| 19 Mar, 2018 | 8:00 ~ 8:59   | 0.013  | 0.059           | 0.029             | 0.049             | 0.000           | 0.60       | 243            | WSW       |
| 19 Mar, 2018 | 9:00 ~ 9:59   | 0.021  | 0.056           | 0.044             | 0.039             | 0.002           | 0.60       | 112            | ESE       |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.295<br>(0.338 mg/m <sup>3</sup> ) | 0.062<br>(0.117 mg/m <sup>3</sup> ) | 0.046 | 0.071 | 0.018<br>(0.048 mg/m <sup>3</sup> ) |
| Avg | 0.079<br>(0.090 mg/m <sup>3</sup> ) | 0.050<br>(0.095 mg/m <sup>3</sup> ) | 0.035 | 0.030 | 0.004<br>(0.009 mg/m <sup>3</sup> ) |
| Min | 0.000<br>(0.000 mg/m <sup>3</sup> ) | 0.028<br>(0.053 mg/m <sup>3</sup> ) | 0.011 | 0.005 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |



| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg.           | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 19 Mar, 2018 | 10:00 ~ 10:59 | 0.025  | 0.047           | 0.025             | 0.028             | 0.000           | 0.63       | 58             | ENE       |
| 19 Mar, 2018 | 11:00 ~ 11:59 | 0.000  | 0.039           | 0.014             | 0.004             | 0.001           | 0.68       | 191            | SSW       |
| 19 Mar, 2018 | 12:00 ~ 12:59 | 0.032  | 0.054           | 0.051             | 0.021             | 0.004           | 1.02       | 176            | S         |
| 19 Mar, 2018 | 13:00 ~ 13:59 | 0.016  | 0.034           | 0.030             | 0.012             | 0.000           | 1.48       | 250            | W         |
| 19 Mar, 2018 | 14:00 ~ 14:59 | 0.015  | 0.043           | 0.026             | 0.019             | 0.001           | 1.53       | 157            | SSE       |
| 19 Mar, 2018 | 15:00 ~ 15:59 | 0.118  | 0.059           | 0.056             | 0.044             | 0.000           | 2.17       | 142            | SSE       |
| 19 Mar, 2018 | 16:00 ~ 16:59 | 0.136  | 0.060           | 0.042             | 0.026             | 0.001           | 2.08       | 148            | SSE       |
| 19 Mar, 2018 | 17:00 ~ 17:59 | 0.140  | 0.066           | 0.042             | 0.018             | 0.000           | 1.88       | 148            | SSE       |
| 19 Mar, 2018 | 18:00 ~ 18:59 | 0.094  | 0.055           | 0.036             | 0.013             | 0.004           | 1.23       | 151            | SSE       |
| 19 Mar, 2018 | 19:00 ~ 19:59 | 0.087  | 0.056           | 0.034             | 0.016             | 0.001           | 0.85       | 158            | S         |
| 19 Mar, 2018 | 20:00 ~ 20:59 | 0.067  | 0.059           | 0.037             | 0.014             | 0.007           | 0.70       | 169            | S         |
| 19 Mar, 2018 | 21:00 ~ 21:59 | 0.045  | 0.063           | 0.041             | 0.014             | 0.007           | 0.40       | 174            | S         |
| 19 Mar, 2018 | 22:00 ~ 22:59 | 0.115  | 0.057           | 0.044             | 0.027             | 0.004           | 0.90       | 234            | WSW       |
| 19 Mar, 2018 | 23:00 ~ 23:59 | 0.039  | 0.049           | 0.046             | 0.027             | 0.005           | 0.98       | 244            | WSW       |
| 20 Mar, 2018 | 0:00 ~ 0:59   | 0.007  | 0.058           | 0.037             | 0.024             | 0.001           | 0.50       | 224            | SW        |
| 20 Mar, 2018 | 1:00 ~ 1:59   | 0.091  | 0.049           | 0.058             | 0.052             | 0.008           | 1.28       | 246            | WSW       |
| 20 Mar, 2018 | 2:00 ~ 2:59   | 0.067  | 0.045           | 0.054             | 0.054             | 0.016           | 1.25       | 238            | WSW       |
| 20 Mar, 2018 | 3:00 ~ 3:59   | 0.064  | 0.047           | 0.045             | 0.054             | 0.006           | 0.32       | 198            | SSW       |
| 20 Mar, 2018 | 4:00 ~ 4:59   | 0.058  | 0.063           | 0.031             | 0.050             | 0.003           | 0.10       | 216            | SW        |
| 20 Mar, 2018 | 5:00 ~ 5:59   | 0.109  | 0.061           | 0.043             | 0.061             | 0.004           | 0.63       | 242            | WSW       |
| 20 Mar, 2018 | 6:00 ~ 6:59   | 0.055  | 0.054           | 0.063             | 0.048             | 0.001           | 0.15       | 174            | S         |
| 20 Mar, 2018 | 7:00 ~ 7:59   | 0.071  | 0.049           | 0.054             | 0.042             | 0.000           | 0.23       | 105            | ESE       |
| 20 Mar, 2018 | 8:00 ~ 8:59   | 0.039  | 0.048           | 0.043             | 0.027             | 0.000           | 0.38       | 197            | SSW       |
| 20 Mar, 2018 | 9:00 ~ 9:59   | 0.010  | 0.038           | 0.023             | 0.012             | 0.000           | 0.83       | 95             | ESE       |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.140<br>(0.160 mg/m <sup>3</sup> ) | 0.066<br>(0.124 mg/m <sup>3</sup> ) | 0.063 | 0.061 | 0.016<br>(0.042 mg/m <sup>3</sup> ) |
| Avg | 0.062<br>(0.070 mg/m <sup>3</sup> ) | 0.052<br>(0.098 mg/m <sup>3</sup> ) | 0.041 | 0.029 | 0.003<br>(0.008 mg/m <sup>3</sup> ) |
| Min | 0.000<br>(0.000 mg/m <sup>3</sup> ) | 0.034<br>(0.065 mg/m <sup>3</sup> ) | 0.014 | 0.004 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |





Air Quality Monitoring Report for Development of Industrial Area Thilawa SEZ Zone B  
(Phase 1 Construction Stage, FY December 2017)

| Date         | Time          | CO     | NO <sub>2</sub> | PM <sub>2.5</sub> | PM <sub>10</sub>  | SO <sub>2</sub> | Wind Speed | Wind Direction |           |
|--------------|---------------|--------|-----------------|-------------------|-------------------|-----------------|------------|----------------|-----------|
|              |               | ppm    | ppm             | mg/m <sup>3</sup> | mg/m <sup>3</sup> | ppm             | kph        | Deg.           | Direction |
|              |               | Hourly | Hourly          | Hourly            | Hourly            | Hourly          | Hourly     | Hourly         | Hourly    |
| 20 Mar, 2018 | 10:00 ~ 10:59 | 0.012  | 0.037           | 0.019             | 0.009             | 0.001           | 1.22       | 190            | SSW       |
| 20 Mar, 2018 | 11:00 ~ 11:59 | 0.000  | 0.051           | 0.036             | 0.019             | 0.000           | 1.20       | 181            | SSW       |
| 20 Mar, 2018 | 12:00 ~ 12:59 | 0.026  | 0.034           | 0.017             | 0.011             | 0.017           | 1.63       | 213            | SW        |
| 20 Mar, 2018 | 13:00 ~ 13:59 | 0.037  | 0.046           | 0.031             | 0.013             | 0.008           | 1.37       | 164            | S         |
| 20 Mar, 2018 | 14:00 ~ 14:59 | 0.089  | 0.041           | 0.067             | 0.038             | 0.000           | 1.93       | 151            | SSE       |
| 20 Mar, 2018 | 15:00 ~ 15:59 | 0.148  | 0.051           | 0.057             | 0.028             | 0.000           | 2.02       | 141            | SSE       |
| 20 Mar, 2018 | 16:00 ~ 16:59 | 0.181  | 0.063           | 0.057             | 0.048             | 0.001           | 1.70       | 147            | SSE       |
| 20 Mar, 2018 | 17:00 ~ 17:59 | 0.147  | 0.067           | 0.054             | 0.036             | 0.001           | 1.58       | 141            | SSE       |
| 20 Mar, 2018 | 18:00 ~ 18:59 | 0.051  | 0.065           | 0.046             | 0.019             | 0.000           | 1.25       | 153            | SSE       |
| 20 Mar, 2018 | 19:00 ~ 19:59 | 0.015  | 0.066           | 0.047             | 0.028             | 0.000           | 0.98       | 170            | S         |
| 20 Mar, 2018 | 20:00 ~ 20:59 | 0.009  | 0.066           | 0.043             | 0.030             | 0.000           | 0.83       | 238            | WSW       |
| 20 Mar, 2018 | 21:00 ~ 21:59 | 0.069  | 0.062           | 0.041             | 0.020             | 0.000           | 0.75       | 249            | W         |
| 20 Mar, 2018 | 22:00 ~ 22:59 | 0.068  | 0.055           | 0.039             | 0.017             | 0.001           | 1.20       | 246            | WSW       |
| 20 Mar, 2018 | 23:00 ~ 23:59 | 0.059  | 0.056           | 0.034             | 0.031             | 0.005           | 0.70       | 249            | W         |
| 21 Mar, 2018 | 0:00 ~ 0:59   | 0.082  | 0.058           | 0.046             | 0.044             | 0.015           | 1.00       | 246            | WSW       |
| 21 Mar, 2018 | 1:00 ~ 1:59   | 0.052  | 0.055           | 0.049             | 0.050             | 0.007           | 0.65       | 243            | WSW       |
| 21 Mar, 2018 | 2:00 ~ 2:59   | 0.053  | 0.060           | 0.046             | 0.055             | 0.003           | 0.23       | 179            | S         |
| 21 Mar, 2018 | 3:00 ~ 3:59   | 0.099  | 0.059           | 0.041             | 0.036             | 0.005           | 0.05       | 175            | S         |
| 21 Mar, 2018 | 4:00 ~ 4:59   | 0.162  | 0.056           | 0.048             | 0.060             | 0.012           | 0.03       | 189            | SSW       |
| 21 Mar, 2018 | 5:00 ~ 5:59   | 0.276  | 0.053           | 0.048             | 0.069             | 0.009           | 0.03       | 189            | SSW       |
| 21 Mar, 2018 | 6:00 ~ 6:59   | 0.109  | 0.054           | 0.061             | 0.068             | 0.004           | 0.08       | 179            | S         |
| 21 Mar, 2018 | 7:00 ~ 7:59   | 0.005  | 0.050           | 0.041             | 0.038             | 0.000           | 0.67       | 225            | WSW       |
| 21 Mar, 2018 | 8:00 ~ 8:59   | 0.010  | 0.056           | 0.034             | 0.026             | 0.000           | 0.95       | 247            | WSW       |
| 21 Mar, 2018 | 9:00 ~ 9:59   | 0.012  | 0.044           | 0.025             | 0.015             | 0.000           | 0.80       | 211            | SW        |

|     |                                     |                                     |       |       |                                     |
|-----|-------------------------------------|-------------------------------------|-------|-------|-------------------------------------|
| Max | 0.276<br>(0.316 mg/m <sup>3</sup> ) | 0.067<br>(0.125 mg/m <sup>3</sup> ) | 0.067 | 0.069 | 0.017<br>(0.043 mg/m <sup>3</sup> ) |
| Avg | 0.074<br>(0.084 mg/m <sup>3</sup> ) | 0.054<br>(0.102 mg/m <sup>3</sup> ) | 0.043 | 0.034 | 0.004<br>(0.010 mg/m <sup>3</sup> ) |
| Min | 0.000<br>(0.000 mg/m <sup>3</sup> ) | 0.034<br>(0.063 mg/m <sup>3</sup> ) | 0.017 | 0.009 | 0.000<br>(0.000 mg/m <sup>3</sup> ) |

**Thilawa Special Economic Zone (Zone B)  
Development Project –Phase 1 & 2**

**Appendix**

**Traffic Volume Monitoring Report**

**April 2018**



**TRAFFIC VOLUME MONITORING REPORT**  
**FOR DEVELOPMENT OF INDUSTRIAL AREA**  
**THILAWA SEZ ZONE B**  
**(PHASE 1 CONSTRUCTION STAGE)**

**(QUARTERLY MONITORING)**

**March 2018**  
**Myanmar Koei International Ltd.**



## TABLE OF CONTENTS

|  |   |
|--|---|
| CHAPTER 1: OUTLINES AND SUMMARY OF MONITORING PLAN ..... | 1 |
| 1.1 General .....  | 1 |
| 1.2 Outlines of Monitoring Plan.....                     | 1 |
| CHAPTER 2: TRAFFIC VOLUME MONITORING .....               | 2 |
| 2.1 Monitoring Item .....                                | 2 |
| 2.2 Monitoring Location .....                            | 3 |
| 2.3 Monitoring Method .....                              | 4 |
| 2.4 Monitoring Results .....                             | 4 |
| CHAPTER 3: CONCLUSION AND RECOMMENDATION .....           | 6 |

### LIST OF TABLES

|   |   |
|---|---|
| Table 1.2-1 Outlines of Traffic Volume Monitoring .....   | 1 |
| Table 2.1-1 Monitoring Parameters for Traffic Volume .....  | 2 |
| Table 2.1-2 Classification of Vehicles Types .....  | 2 |
| Table 2.4-1 Summary of Traffic Volume Recorded at TV-1.....   | 4 |
| Table 2.4-2 Hourly Traffic Volume Results at TV-1 (From Phalan Village to Dagon-Thilawa Road).....                                  | 5 |
| Table 2.4-3 Hourly Traffic Volume Results at TV-1 (From Dagon-Thilawa Road to Phalan Village) .....                                 | 5 |
| Table 2.4-4 Summary of traffic volume results during quarterly monitoring at TV-1 (From Phalan Village to Dagon Thilawa Road) ..... | 6 |
| Table 2.4-5 Summary of traffic volume results during quarterly monitoring at TV-1 (From Dagon Thilawa Road to Phalan Village) ..... | 6 |

### LIST OF FIGURES

|  |   |
|--|---|
| Figure 2.2-1 Location of Traffic Volume Monitoring Point.....  | 3 |
| Figure 2.3-1 Status of Traffic Volume Monitoring at TV-1 ..... | 4 |



## CHAPTER 1: OUTLINES AND SUMMARY OF MONITORING PLAN

### 1.1 General

Thilawa Special Economic Zone (TSEZ) is located in southern district of Yangon region and about 23 km southeast of Yangon city. As the developer of Thilawa SEZ, Myanmar Japan Thilawa Development Ltd. (MJTD) has a responsibility to carry out regular environmental monitoring in the industrial area of Zone B in accordance with the approved Environmental Impact Assessment (EIA) report with Environmental Management Plan (EMP). MJTD has implemented monitoring various environmental items with the specified time frame to know the environmental conditions in and around the area.

### 1.2 Outlines of Monitoring Plan

To assess the environmental condition under the construction of industrial area in and around Thilawa SEZ Zone B, Traffic volume had been monitored from 15<sup>th</sup> March 2018 to 16<sup>th</sup> March 2018 as follows;

**Table 1.2-1 Outlines of Traffic Volume Monitoring**

| Monitoring Date  | Monitoring Item | Parameters | Number of Points | Duration | Monitoring Methodology |
|--|-----------------|------------|------------------|----------|------------------------|
| 15 <sup>th</sup> March 2018 -<br>16 <sup>th</sup> March 2018 | Traffic Volume  | -          | 1<br>(TV-1)      | 24 hours | Manual Count           |





## CHAPTER 2: TRAFFIC VOLUME MONITORING









### 2.1 Monitoring Item

The traffic volume monitoring item are shown in Table 2.1-1. All vehicles were classified into four types as detailed in Table 2.1-2.

**Table 2.1-1 Monitoring Parameters for Traffic Volume**

| No. | Item           | Parameter                   |
|-----|----------------|-----------------------------|
| 1   | Traffic volume | Number of Vehicle (4 Types) |

**Table 2.1-2 Classification of Vehicles Types**

| No. | Classification             |   | Description   |
|-----|----------------------------|---|---|
| 1   | Two-wheeled vehicle        |    | Motorbike, Motorcycle taxi                                      |
| 2   | Four-wheeled light vehicle |          | Pick-up car, Jeep, Taxi, Saloon car, Light truck (under 2 tons) |
| 3   | Four-wheeled heavy vehicle |    | Medium bus, Express, Big bus, Medium truck, Heavy truck         |
| 4   | Others                     |    | Tractor   |

## 2.2 Monitoring Location

Traffic volume was measured at the northeast corner of the Thilawa SEZ Zone B, monitoring point (TV-1); N: 16°40'17.90", E: 96°17'18.20". The location of the traffic volume monitoring point is shown in Figure 2.2-1.




Figure 2.2-1 Location of Traffic Volume Monitoring Point

### TV-1


TV-1 is located in front of main gate of construction site of Thilawa SEZ Zone B and next to Thilawa Development road. The surrounding area are Zone A in the northwest, local industrial zone in the east and paddy field in the west respectively.





## 2.3 Monitoring Method

The traffic volume monitoring was conducted for 24 hours at the same time as the traffic noise and vibration level monitoring. Traffic volume monitoring was conducted to count the numbers of vehicles moving in each direction. Manual count method is used and data are recorded using tally sheets. The status of the traffic volume monitoring on TV-1 is shown in Figure 2.3-1.



**Figure 2.3-1 Status of Traffic Volume Monitoring at TV-1**

## 2.4 Monitoring Results

The traffic volume monitoring results are summarized in Table 2.4-1. Hourly quantities of each type of vehicle were recorded. The table 2.4-1 shows that the number of 2-wheel vehicles are distinctly higher utilized in weekdays. The number of 4-wheel heavy vehicles are two times lower than the number of 4-wheel light vehicles for each direction.

**Table 2.4-1 Summary of Traffic Volume Recorded at TV-1**

| Survey Point | Direction                            | Date  | Weekday             | 2-wheel Vehicles | 4-wheel Light Vehicles | 4-wheel Heavy Vehicles | Others | Total |
|--------------|--------------------------------------|---|---------------------|------------------|------------------------|------------------------|--------|-------|
| TV-1         | Phalan village to Dagon-Thilawa road | 15 <sup>th</sup> March 2018 – 16 <sup>th</sup> March 2018 | Thursday and Friday | 2210             | 830                    | 360                    | 52     | 3,452 |
|              | Dagon-Thilawa road to Phalan village |   |                     | 2062             | 812                    | 312                    | 48     | 3,234 |

The summary monitoring results of hourly traffic volume at TV-1 is shown in Table 2.4-2 and Table 2.4-3, respectively. Compare the result of each direction in morning peak hours as 6:00 to 10:00 and in the evening peak hours as 16:00 to 19:00, traffic volume from Phalan village to Dagon- Thilawa road is higher than another direction in the morning peak hours. In the evening peak hours, traffic volume from Dagon-Thilawa road to Phalan village is higher than another direction. It may be possible commuting vehicles are passing from Phalan village to Dagon-Thilawa road in the morning peak hours and returning from Dagon-Thilawa road to Phalan village in the evening peak hours in this monitoring period.



**Table 2.4-2 Hourly Traffic Volume Results at TV-1 (From Phalan Village to Dagon-Thilawa Road)**

| From  | To    | Classification      |                            |                            |        | Total |
|-------|-------|---------------------|----------------------------|----------------------------|--------|-------|
|       |       | Type of vehicles    |                            |                            |        |       |
|       |       | Two-wheeled vehicle | Four-wheeled light vehicle | Four-wheeled heavy vehicle | Others |       |
| 12:00 | 13:00 | 135                 | 68                         | 23                         | 2      | 228   |
| 13:00 | 14:00 | 90                  | 57                         | 27                         | 1      | 175   |
| 14:00 | 15:00 | 82                  | 56                         | 30                         | 1      | 169   |
| 15:00 | 16:00 | 93                  | 51                         | 17                         | 5      | 166   |
| 16:00 | 17:00 | 96                  | 58                         | 28                         | 7      | 189   |
| 17:00 | 18:00 | 191                 | 68                         | 25                         | 5      | 289   |
| 18:00 | 19:00 | 196                 | 62                         | 32                         | 4      | 294   |
| 19:00 | 20:00 | 64                  | 35                         | 8                          | 1      | 108   |
| 20:00 | 21:00 | 47                  | 26                         | 12                         | 0      | 85    |
| 21:00 | 22:00 | 20                  | 11                         | 19                         | 3      | 53    |
| 22:00 | 23:00 | 24                  | 9                          | 10                         | 1      | 44    |
| 23:00 | 00:00 | 3                   | 2                          | 4                          | 0      | 9     |
| 00:00 | 1:00  | 2                   | 5                          | 6                          | 0      | 13    |
| 1:00  | 2:00  | 6                   | 3                          | 1                          | 0      | 10    |
| 2:00  | 3:00  | 3                   | 1                          | 0                          | 0      | 4     |
| 3:00  | 4:00  | 4                   | 1                          | 1                          | 0      | 6     |
| 4:00  | 5:00  | 2                   | 0                          | 0                          | 0      | 2     |
| 5:00  | 6:00  | 10                  | 6                          | 1                          | 1      | 18    |
| 6:00  | 7:00  | 123                 | 37                         | 10                         | 3      | 173   |
| 7:00  | 8:00  | 495                 | 61                         | 25                         | 4      | 585   |
| 8:00  | 9:00  | 173                 | 49                         | 15                         | 6      | 243   |
| 9:00  | 10:00 | 125                 | 45                         | 22                         | 4      | 196   |
| 10:00 | 11:00 | 87                  | 56                         | 21                         | 1      | 165   |
| 11:00 | 12:00 | 139                 | 63                         | 23                         | 3      | 228   |
| Total |       | 2210                | 830                        | 360                        | 52     | 3,452 |

**Table 2.4-3 Hourly Traffic Volume Results at TV-1 (From Dagon-Thilawa Road to Phalan Village)**

| From  | To    | Classification      |                            |                            |        | Total |
|-------|-------|---------------------|----------------------------|----------------------------|--------|-------|
|       |       | Type of vehicles    |                            |                            |        |       |
|       |       | Two-wheeled vehicle | Four-wheeled light vehicle | Four-wheeled heavy vehicle | Others |       |
| 12:00 | 13:00 | 110                 | 69                         | 15                         | 0      | 194   |
| 13:00 | 14:00 | 127                 | 47                         | 26                         | 3      | 203   |
| 14:00 | 15:00 | 65                  | 52                         | 28                         | 4      | 149   |
| 15:00 | 16:00 | 85                  | 59                         | 20                         | 4      | 168   |
| 16:00 | 17:00 | 101                 | 54                         | 22                         | 5      | 182   |
| 17:00 | 18:00 | 301                 | 51                         | 31                         | 7      | 390   |
| 18:00 | 19:00 | 146                 | 57                         | 12                         | 2      | 217   |
| 19:00 | 20:00 | 54                  | 19                         | 10                         | 1      | 84    |
| 20:00 | 21:00 | 63                  | 30                         | 13                         | 0      | 106   |
| 21:00 | 22:00 | 56                  | 22                         | 10                         | 3      | 91    |
| 22:00 | 23:00 | 28                  | 13                         | 15                         | 0      | 56    |
| 23:00 | 00:00 | 22                  | 6                          | 7                          | 0      | 35    |
| 00:00 | 1:00  | 2                   | 2                          | 3                          | 0      | 7     |
| 1:00  | 2:00  | 6                   | 2                          | 0                          | 0      | 8     |
| 2:00  | 3:00  | 0                   | 1                          | 1                          | 0      | 2     |
| 3:00  | 4:00  | 2                   | 0                          | 0                          | 0      | 2     |
| 4:00  | 5:00  | 3                   | 0                          | 0                          | 0      | 3     |
| 5:00  | 6:00  | 14                  | 5                          | 1                          | 0      | 20    |
| 6:00  | 7:00  | 53                  | 15                         | 2                          | 3      | 73    |
| 7:00  | 8:00  | 312                 | 66                         | 11                         | 5      | 394   |
| 8:00  | 9:00  | 179                 | 72                         | 16                         | 5      | 272   |
| 9:00  | 10:00 | 125                 | 61                         | 13                         | 1      | 200   |
| 10:00 | 11:00 | 88                  | 52                         | 20                         | 1      | 161   |
| 11:00 | 12:00 | 120                 | 57                         | 36                         | 4      | 217   |
| Total |       | 2062                | 812                        | 312                        | 48     | 3,234 |

The summary of traffic volume results during quarterly monitoring at TV-1 is shown in Table 2.4-4 and Table 2.4-5, respectively. In the summary traffic volume results during quarterly monitoring surveys at TV-1, comparison of traffic volume results for one year was described. Among the traffic monitoring surveys (quarterly), traffic volume results for September 2017 is the lowest compared with other quarterly monitoring surveys. Traffic volume results are increasing start from December 2017. Traffic volume results for March 2018 is the highest among the quarterly surveys.

**Table 2.4-4 Summary of traffic volume results during quarterly monitoring surveys at TV-1  
(From Phalan Village to Dagon Thilawa Road)**

| Survey Point | Direction                            | Date   | Weekday              | 2-wheel Vehicles | 4-wheel Light Vehicles | 4-wheel Heavy Vehicles | Others | Total |
|--------------|--------------------------------------|--|----------------------|------------------|------------------------|------------------------|--------|-------|
| TV-1         | Phalan village to Dagon-Thilawa road | 29 <sup>th</sup> Mar-30 <sup>th</sup> Mar 2017             | Wednesday & Thursday | 1,712            | 545                    | 216                    | 29     | 2,502 |
|              |                                      | 22 <sup>nd</sup> June-23 <sup>rd</sup> June 2017           | Thursday & Friday    | 1,402            | 528                    | 352                    | 47     | 2,329 |
|              |                                      | 19 <sup>th</sup> September-20 <sup>th</sup> September 2017 | Tuesday & Wednesday  | 1,254            | 509                    | 393                    | 17     | 2,173 |
|              |                                      | 7 <sup>th</sup> December-8 <sup>th</sup> December 2017     | Thursday & Friday    | 1,800            | 652                    | 339                    | 43     | 2,834 |
|              |                                      | 15 <sup>th</sup> March 2018 – 16 <sup>th</sup> March 2018  | Thursday and Friday  | 2,210            | 830                    | 360                    | 52     | 3,452 |

**Table 2.4-5 Summary of traffic volume results during quarterly monitoring surveys at TV-1  
(From Dagon-Thilawa Road to Phalan Village)**

| Survey Point | Direction                            | Date   | Weekday              | 2-wheel Vehicles | 4-wheel Light Vehicles | 4-wheel Heavy Vehicles | Others | Total |
|--------------|--------------------------------------|--|----------------------|------------------|------------------------|------------------------|--------|-------|
| TV-1         | Dagon-Thilawa road to Phalan village | 29 <sup>th</sup> Mar-30 <sup>th</sup> Mar 2017             | Wednesday & Thursday | 1,534            | 500                    | 236                    | 28     | 2,298 |
|              |                                      | 22 <sup>nd</sup> June-23 <sup>rd</sup> June 2017           | Thursday & Friday    | 1,291            | 542                    | 357                    | 43     | 2,233 |
|              |                                      | 19 <sup>th</sup> September-20 <sup>th</sup> September 2017 | Tuesday & Wednesday  | 1,195            | 486                    | 372                    | 19     | 2,072 |
|              |                                      | 7 <sup>th</sup> December-8 <sup>th</sup> December 2017     | Thursday & Friday    | 1,695            | 682                    | 322                    | 40     | 2,739 |
|              |                                      | 15 <sup>th</sup> March 2018 – 16 <sup>th</sup> March 2018  | Thursday and Friday  | 2,062            | 812                    | 312                    | 48     | 3,234 |



### **CHAPTER 3: CONCLUSION AND RECOMMENDATION**

The results of the traffic volume show that the number of 2-wheel vehicles are distinctly higher utilized in this monitoring period. The number of 4-wheel heavy vehicles are significantly lower than the number of 4-wheel light vehicles for each direction. It seems that commuting vehicles are much utilized during this monitoring period as compare with construction related vehicles (4-wheel heavy vehicles). By comparing the previous quarterly traffic surveys, the traffic volume is increasing start from December 2017. Traffic volume results for March 2018 is the highest one compared with previous quarterly traffic surveys.

The continuous monitoring will be necessary to grasp the traffic volume data in construction stage of Thilawa SEZ Zone B. Once enough traffic volume data will be collected, the mitigation measures for traffic volume management will be considered in future.





End of Document

